

DATE: 6/28/2024

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00145578

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: **Rocky Mountain Recreation LLC**

PURCHASING SPECIALIST:
MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

3 Weeks

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

In the event that addenda are issued with this bid, bidders **MUST** acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: N/A
NUMBER: N/A
NUMBER: N/A
NUMBER: N/A

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) N/A


***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:

Rocky Mountain Recreation LLC

SIGNATURE:

(Must be signed here)



TITLE:

President

PRINT OR TYPE NAME:

Janeil Norman

ADDRESS:

PO Box 68

CITY, STATE:

Albion, ID

ZIP:

83311

TELEPHONE:

(208) 420-1885

FAX:

() N/A

EMAIL ADDRESS:

rockymtnrecllc@gmail.com

TOTAL PRICE OF ALL BID ITEMS: \$ **17,540.90**

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145578

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	4.00	EA	<p>Purchase of Volleyball Systems for the Jefferson Parish Department of Parks and Recreation</p> <p>0001 Schelde Sports Infinity I4 Volleyball System 4" Post Pair Winch & End (C/W GEN2 Linear Winch) Item# SSVB404S2P -Removeable type, in floor sleeves. -Uprights shall be single piece, 120" long and anodized 6061-T6-aluminum, 3-15/16" outside diameter weighing 31 and 38 lbs. -Net shall attach at only 2 points on both winch and end post. -Posts shall have integral gooved profile running entire length and single sliding rail with 2 position on-off lever locking device for slip free adjustment of heights encompassing entire length of post. -Screw type locking devices shall be deemed unacceptable. -Winch rail shall include permanently mounted worm drive linear actuator tightening winch and shall be low profile mechanism encased in anodized aluminum. -End rail shall include J shaped hooks permanently mounted for upper and lower net attachment. -Uprights shall be capable of net heights from 8'2" to 42" to accommodate all net sports. -Entire system shall meet or exceed all requirements for NCAA, USAV and NFHS competition.</p>	\$ 2,035.50	\$ 8,142.00
2	8.00	EA	<p>0002 3" Post Adapter: Used to modify 4" base to a 3" base</p> <p>Item# 100030</p>	\$ 86.25	\$ 690.00
3	16.00	EA	<p>0003 3" Post Insert: Used to modify 4" base to 3" base</p> <p>Item# 100029</p>	\$ 86.25	\$ 1,380.00
4	8.00	EA	<p>0004 Sleeve Adapter (3.5" to 3"): Used to go into floor sleeve to allow 3" post to fit properly</p> <p>Item# SSP27</p>	\$ 79.35	\$ 634.80
5	4.00	EA	<p>0005 Kevlar International Net 4 Point Attachment 9.8M</p>	\$ 289.80	\$ 1,159.20

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145578

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>Item# VBN1098W</p> <p>-Net shall be 9.8 meters in length and 1 meter wide.</p> <p>-Netting shall be 10cm square knotless nylon black mesh.</p> <p>-Top binding shall be 50mm woven nylon with reinforcement at corners and minimum 4 row stitching.</p> <p>-Side binding shall be wide vinyl with wooden dowel sewn in.</p> <p>-Wooden dowels shall be permanently fixed to top and bottom net cables allowing for tension on net from top to bottom when only corners of net are attached to post.</p> <p>-Upper net cable to be 6mm Kevlar rope.</p> <p>-Steel cable shall be deemed unacceptable.</p> <p>-Bottom tension rope shall be nylon rope covered by 30mm woven nylon binding.</p> <p>-Top and bottom fixing points on one end of net shall include adjustable, heavy duty nylon strap with adjusting buckle to set lateral position of net on court.</p> <p>-Attachment chain shall be deemed unacceptable</p>		
6	4.00	PR	0006 Pair of Upright Safety Pads Forest Green	\$ 337.40	\$ 1,349.60
			<p>Item# SSVB16P-Forest Green</p> <p>-Each pad to be single piece 72" in height and 26" in width.</p> <p>-Padding shall consist of 1.25" thick closed cell cross linked polyethylene foam covered with 14oz nylon reinforced vinyl.</p> <p>-Attachment to upright shall be by 6 vinyl covered Velcro Straps.</p>		
7	1.00	EA	0007 Schelde Sports Infinity 14 Volleyball System 4" Post Pair Winch & End (C/W GEn2 Linear Winch)	\$ 2,035.50	\$ 2,035.50
			<p>Item# SSVB40452P</p> <p>-Removeable type, in floor sleeves.</p> <p>-Uprights shall be single piece, 120" long and anodized 6061-T6-aluminum, 3-15/16" outside diameter weighing 31 and 38 lbs.</p> <p>-Net shall attach at only 2 points on both winch and end post.</p> <p>-Posts shall have integral gooved profile running entire length and single sliding rail with 2 position on-off lever locking device for slip free adjustment of heights encompassing entire length of post.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145578

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
8	1.00	EA	<p>-Screw type locking devices shall be deemed unacceptable.</p> <p>-Winch rail shall include permanently mounted worm drive linear actuator tightening winch and shall be low profile mechanism encased in anodized aluminum.</p> <p>-End rail shall include J shaped hooks permanently mounted for upper and lower net attachment.</p> <p>-Uprights shall be capable of net heights from 8'2" to 42" to accommodate all net sports.</p> <p>-Entire system shall meet or exceed all requirements for NCAA, USAV and NFHS competition.</p> <p>0008 Kevlar International Net 4 Point Attachment 9.8M</p> <p>Item# VBN1098W</p> <p>-Net shall be 9.8 meters in length and 1 meter wide.</p> <p>-Netting shall be 10cm square knotless nylon black mesh.</p> <p>-Top binding shall be 50mm woven nylon with reinforcement at corners and minimum 4 row stitching.</p> <p>-Side binding shall be wide vinyl with wooden dowel sewn in.</p> <p>-Wooden dowels shall be permanently fixed to top and bottom net cables allowing for tension on net from top to bottom when only corners of net are attached to post.</p> <p>-Upper net cable to be 6mm Kevlar rope.</p> <p>-Steel cable shall be deemed unacceptable.</p> <p>-Bottom tension rope shall be nylon rope covered by 30mm woven nylon binding.</p> <p>-Top and bottom fixing points on one end of net shall include adjustable, heavy duty nylon strap with adjusting buckle to set lateral position of net on court.</p> <p>-Attachment chain shall be deemed unacceptable</p>	<p>₪ 289.90</p>	<p>₪ 289.90</p>
9	1.00	PR	<p>0009 Pair of Upright Safety Pads Orange</p> <p>Item# SSVB16P-Orange</p> <p>-Each pad to be single piece 72" in height and 26" in width.</p> <p>-Padding shall consist of 1.25" thick closed cell cross linked polyethylene foam covered with 14oz nylon reinforced vinyl.</p> <p>-Attachment to upright shall be by 6 vinyl covered Velcro Straps.</p>	<p>₪ 337.40</p>	<p>₪ 337.40</p>
10	1.00	EA	0010 Freight	<p>₪ 1,522.50</p>	<p>₪ 1,522.50</p>
Total:					\$17,540.90

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145578

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<div>Deliver to: Jefferson Parish Eastbank Recreation 6925 Saints Drive Metairie, LA 70003</div> <div>Spec Sheets Attached</div>		

Specifications for Schelde Sports Brand Infinity I4 Volleyball System

Model SSVB404P INFINITY I4 UPRIGHT WINCH AND END

Removeable type, in floor sleeves. Uprights shall be single piece, 120" long and anodized 6061-T6 aluminum, 3-15/16" outside diameter weighing 31 and 38 lbs. Net shall attach at only 2 points on both winch and end post. Posts shall have integral grooved profile running entire length and single sliding rail with 2 position on-off lever locking device for slip free adjustment of heights encompassing entire length of post. Screw type locking devices shall be deemed unacceptable. Winch rail shall include permanently mounted worm drive linear actuator tightening winch and shall be low profile mechanism encased in anodized aluminum. End rail shall include J shaped hooks permanently mounted for upper and lower net attachment. Uprights shall be capable of net heights from 8'-2" to 42" to accommodate all net sports. Entire system shall meet or exceed all requirements for NCAA, USAV and NFHS competition. Uprights and winch shall carry no less than limited lifetime warranty.

Model SSVB403P INFINITY I4 UPRIGHT WINCH AND END WITH 3" CUSTOM BASES

Same post specifications as above however the bottom of post has a 3" custom base to fit existing 3" or 3.5" sleeves. Need **SSP27, Sleeve Adapter 3.5" to 3"** to fit an existing 3.5" sleeve. Posts weigh 34-41 lbs.

Model SSVB403C INFINITY I4 CENTER UPRIGHT WITH WINCH

Infinity I4 center post shall consist of single upright as described above with winch rail on one side and end rail on opposite side allowing nets to be set up on adjacent courts. Posts weight 39 lbs. Uprights shall be capable of net heights from 8'-2" to 42" to accommodate all net sports. Upright and winch shall carry no less than limited lifetime warranty.

Model VBC8 BRASS HINGED COVER

Cover plate shall be brass alloy with attached hinged cover. Cover shall include 4 holes in ring for screw attachment to floor which shall be concealed under cover when closed. Exposed mounting screws shall be deemed unacceptable. Cover shall be connected to floor only to allow for floating floor to move independent of the floor sleeve. Overall thickness shall be 3/8". Clear opening shall be 6" diameter. Overall diameter shall be 8".

Model VBS4 FLOOR SLEEVE

Aluminum Sleeve shall be 12" long. Inside diameter shall be 4".

VBSC4 FLOOR SLEEVE AND COVER PACKAGE

Package shall contain one each VBC8 and VBS4 as listed above.

Model VBN1098W INTERNATIONAL FIXED DOWEL KEVLAR NET

Net shall be 9.8 meters in length and 1 meter wide. Netting shall be 10 cm square knotless nylon black mesh. Top binding shall be 50 mm woven nylon with reinforcement at corners and minimum 4 row stitching. Side binding shall be wide vinyl with wooden dowel sewn in. Wooden dowels shall be permanently fixed to top and bottom net cables allowing for tension on net from top to bottom when only corners of net are attached to post. Upper net cable to be 6mm Kevlar rope. Steel cable shall be deemed unacceptable. Bottom tension rope shall be nylon rope covered by 30mm woven nylon binding. Top and bottom fixing points on one end of net shall include adjustable, heavy duty nylon strap with adjusting buckle to set lateral position of net on court. Attachment chain shall be deemed unacceptable.

Model SSVB1 ANTENNA AND SIDELINE MARKER

Net antenna shall be 3/8" diameter fiberglass rods 71" long with alternating red and white bands. Sideline marker shall be heavy duty white woven nylon with full length pocket for insertion of antenna. Attachment to net shall be by full length Velcro strips.

Model VB4CP CABLE PAD

Cable covers shall be 14 oz nylon reinforced vinyl with full length Velcro closures.

Model SSVB16P UPRIGHT SAFETY PADS

Each pad to be single piece 72" in height and 26" in width. Padding shall consist of 1.25" thick closed cell cross linked polyethylene foam covered with 14 oz nylon reinforced vinyl. Attachment to upright shall be by 6 vinyl covered Velcro Straps. Available in 13 standard colors.

Model SSVB16C CENTER UPRIGHT SAFETY PAD

Materials and construction shall be as listed above. Center pad shall consist of 2 identical pieces 72" long and 11" wide. Attachment to upright shall be by vinyl covered Velcro straps.

Model SSVRS10 FREE STANDING - FOLDING REFEREE STAND WITH PADDING

Stand shall be of tubular steel construction with metal platform. Shall be completely free standing and foldable flat for transport and storage. Shall include rear wheels for ease of transport. Padding shall consist of closed cell dense foam with sewn nylon reinforced vinyl covering. Available in 13 standard colors.

Model SSVRS20 CLAMP ON - HEIGHT ADJUSTABLE REFEREE STAND WITH PADDING


Shall be of tubular steel construction and include adjustable legs to alter platform height. Padding shall consist of dense closed cell foam cover by sewn nylon reinforced vinyl. Stand shall attach to upright by means of heavy-duty steel clamp. Available in 13 standard colors.

Model SSVEC6 6-POST EQUIPMENT CART

Shall be of tubular steel construction with tarp area for nets and antennas. Cart shall be capable of holding 6 uprights, 6 upright pads, 3 nets, 3 pair antennas and 1 referee stand. Cart shall have dimensions to allow fit through standard man door

Model SSVEC4 4-POST EQUIPMENT CART

Shall be of tubular steel construction and include 4 non-marking wheels for easy transport. Cart shall be capable of storing 4 volleyball posts and safety pads. Cart shall have dimensions to allow fit through standard man door.



SLEEVE TYPE
Infinity I4 System

SSVB16P - END WRAP PAD

1.25" HIGH DENSITY, CLOSED CELL POLYETHYLENE
18 oz VINYL COATED POLYESTER - MILDEW, UV & TEAR RESISTANT
6 HOOK & LOOP ATTACHMENT POINTS

