



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

LSBP-54(31) BOX BRIDGE AND APPROACHES
Panola County

Project documents obtained from www.CentralBidding.com


06-Feb-2024 11:02:39 AM

Office of State Aid Road Construction

Jackson, Mississippi
and
Board of Supervisors

Panola County

PROPOSAL AND CONTRACT DOCUMENTS



FOR THE CONSTRUCTION OF
LSBP-54(31)

Being a Section of County Road River Road

On Route No. _____

In Panola County MISSISSIPPI

Type of Construction BOX BRIDGE & APPROACHES

Net Length 0.090 Miles

Gross Length 0.090 Miles Contract Time 90 Working Days

By _____

Address _____

Surety _____

Note

Standard Specifications for State Aid Road and Bridge Construction currently approved by the Office of State Aid Road Construction and the Federal Highway Administration are made a part hereof fully and completely as if attached hereto, except where superseded by the Special Provisions, or amended by revisions.

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

(04-07-2022)

LOCAL SYSTEM BRIDGE: LSBP-54(31)

PANOLA COUNTY

MISSISSIPPI STANDARD SPECIFICATIONS FOR STATE AID ROAD AND BRIDGE
CONSTRUCTION, 2004 EDITION

TABLE OF CONTENTS

Section 900	Notice of Advertisement
Special Notice to Bidders	Construction Safety and Health Standards
Notice to Bidders No. 1	Bidding Requirements and Conditions
Notice to Bidders No. 2	High Voltage Overhead Lines
Notice to Bidders No. 3	Specialty Items
Notice to Bidders No. 5-LSBP	Status of Utility Adjustments and Right-of-Way Acquisition
Notice to Bidders No. 6	Petroleum Products Base Prices for Contract
Notice to Bidders No. 7 (Rev. 01-20-2020)	Payments to Subcontractors (with OCR-484-SA)
Notice to Bidders No. 8 (Revised 04-07-2022)	Errata and Modifications to the 2004 Edition of the Standard Specifications for State Aid Road and Bridge Construction
Notice to Bidders No. 10	Monthly Estimate Retainage
Notice to Bidders No. 11 (Revised 11-19-2009)	Certification of 100% of Payment to Subcontractor
Notice to Bidders No. 16	Safety Apparel
SS 901-S-102-1	Bid Bond Agent
SS 901-S-103-1	Contract Bond Agent or Liability Insurance Agent
SS 901-S-104-1	Removal and Disposal of Structures and Obstructions
SP 901-S-107-1	Storm Water Pollution Prevention Plan
SS 901-S-107-2	Material Pits and Quarries
SS 901-S-107-3	Permits, Licenses and Taxes
SP 901-S-618-1	Supplement to Traffic control Plan
SS 901-S-701-2	Portland Cement
SS 901-S-708-1	Non-METAL Drainage Structures
SS 901-S-714-1	Geotextile Certification
SS 901-S-714-2	Miscellaneous Materials
SS 901-S-804-1	Concrete Bridges and Structures
Form SAA-1	Non-Collusion Affidavit
EEV Certification (rev. 06-12)	Mississippi Employment Protection Act Compliance
Section 902	Proposal
Section 903 (Rev. 03-11-2010)	Contract
Section 904 (Rev. 03-11-2010)	Contract Bond



OFFICE OF STATE AID ROAD CONSTRUCTION
AND
COUNTY BOARD OF SUPERVISORS

SECTION 900

NOTICE TO CONTRACTORS:

Sealed bids will be received by the Board of Supervisors of Panola County Mississippi at the Panola County Courthouse, 151 Public Square, Batesville, MS 38606, until 10:00 AM local time on the 8th day of February, 2024 and shortly thereafter publicly opened for the construction of 0.090 miles of BOX BRIDGE & APPROACHES on River Road being known as Project No. LSBP-54(31) in Panola County Mississippi.

PRINCIPAL ITEMS OF WORK ARE APPROXIMATELY AS FOLLOWS

<u>ROADWAY ITEMS:</u>	QUANTITY	UNIT
MOBILIZATION	1.000	LS
CLEARING AND GRUBBING	1.000	LS
REMOVAL OF BRIDGE (STA.11+00)	1.000	UN
REMOVAL OF PIPE (ALL SIZES)	30.000	LF
UNCLASSIFIED EXCAVATION (FM)	2,045.000	CY
EXCESS EXCAVATION (FM)	340.000	CY
STRUCTURE EXCAVATION	150.000	CY
GEOTEXTILE FABRIC STABILIZATION (TYPE III) NON-WOVEN, (AOS < 0.43 mm)	525.000	SY
TEMPORARY STREAM DIVERSION	1.000	EA
GRANULAR MATERIAL, (CLASS 4, GROUP "C")	680.000	TON
CRUSHED STONE (SIZE 57)	355.000	TON
18" REINFORCED CONCRETE PIPE, CLASS III	40.000	LF
36" REINFORCED CONCRETE PIPE, CLASS III	40.000	LF
RIGHT-OF-WAY MARKERS (TYPE I)	9.000	EA
MAINTENANCE OF TRAFFIC	1.000	LS
ADDITIONAL CONSTRUCTION SIGNS	0.000	SF
 <u>EROSION CONTROL ITEMS:</u>		
COMMERCIAL FERTILIZER (13:13:13)	0.950	TON
AMMONIUM NITRATE	0.100	TON
SEEDING	0.950	AC
VEGETATIVE MATERIALS FOR MULCH	2.850	TON
EXCELSIOR BLANKET	250.000	SY
TEMPORARY SILT FENCE (TYPE I) (AOS 0.15 mm - 0.84 mm)	200.000	LF
WATTLES, 20" DIAMETER	160.000	LF
LOOSE RIPRAP, 300 LB.	700.000	TON
GEOTEXTILE UNDER RIPRAP, TYPE V, NON-WOVEN AOS < 0.43 mm	670.000	SY
 <u>BOX BRIDGE ITEMS:</u>		
BOX BRIDGE CONCRETE, CLASS "BB"	265.635	CY
REINFORCEMENT	50,284.000	LB

PROJECT NO. LSBP-54(31)
Panola COUNTY

NOTICE TO CONTRACTORS:

CONTRACT TIME: 90 Working Days

The award, if made, will be made to the lowest qualified bidder on the basis of published quantities.

The Board of Supervisors hereby notifies all bidders that it will affirmatively ensure that in any contract entered into pursuant to this advertisement; minority business enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

PLANS AND SPECIFICATIONS are on file in the Office of the Chancery Clerk of Panola County, Larry L. Britt , the LSBP Engineer's office and the Office of the State Aid Engineer, 412 E. Woodrow Wilson Avenue, Jackson, Mississippi. This project shall be constructed in accordance with the latest edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction.

PLANS AND PROPOSALS may be secured from Larry L. Britt, County Engineer for Panola County, Mississippi, P.O. Box 308, 823 North Lamar Blvd., Oxford, MS 38655, 662-234-1763. The Cost is seventy-five dollars (\$75.00) for plans and thirty dollars (\$30.00) for the proposal, non-refundable.

Official bid documents can be downloaded at www.centralbidding.com. Electronic bids may be submitted at www.centralbidding.com. For any questions relating to the electronic bidding process, please call Central Bidding at 225-810-4814.

Certified check or bid bond for five percent (5%) of the total bid, made payable to Panola County and the State of Mississippi must accompany each proposal.

Bidders are hereby notified that any proposal accompanied by letters qualifying in any manner the condition under which the proposal is tendered will be considered an irregular bid and such proposal will not be considered in making the award.

/s/ Cole Flint, President
Panola County Board of Supervisors

SPECIAL NOTICE TO BIDDERS

CONSTRUCTION SAFETY AND HEALTH STANDARDS

It is a condition of this contract, and shall be make a condition of each subcontract entered into pursuant to this contract, that the contractor and any subcontractor shall not require any laborer or mechanic employed in performance of the contract to work in surroundings or under working conditions which are unsanitary, hazardous, or dangerous to his health or safety, as determined under the following Federal regulations:

1. (a) Occupational Safety and Health Standards, Department of Labor, Occupational Safety and Health Administration. Federal Register of October 18, 1972. pages 22102 to 22356.
(b) General Industry Guide for Applying Safety and Health Standards, OSHA Publication No. 2072, U. S. Department of Labor, Occupational Safety and Health Administration.
2. Safety and Health Regulations for Construction, Department of Labor, Occupational Safety and Health Administration, Federal Register of December 16, 1972, pages 27503 to 27600.
3. Safety and Health Standards for Maritime Employment, Department of Labor, Occupational Safety and Health Administration, Federal Register of October 19, 1972, pages 22458 to 22564.

**OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

NOTICE TO BIDDERS NO. 1

DATE: July 1, 2005
SUBJECT: BIDDING REQUIREMENTS AND CONDITIONS
REFERENCE: Section S-102.02 of 2004 Edition of the Standard Specifications for Road and Bridge Construction

NOTICE TO BIDDERS
(ALL PROJECTS)

The current (2004) Edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction adopted by this Office on July 1, 2005, and approved by the Federal Highway Administration on July 1, 2005 is made a part hereof fully and completely as if it were attached hereto, except where superseded by special provisions, or amended by revisions of the Specifications contained herein. Copies of the specification book may be purchased from the Office of State Aid Road Construction.

A reference in any contract document to controlling requirements in another portion of the contract documents shall be understood to apply equally to any revision or amendment thereof included in the contract.

In the event the plans or proposal inadvertently contain references to the 1982 or 1989 Edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction, it is to be understood that such references shall mean the comparable provisions of the 2004 Edition of the Standard Specifications.

NOTICE TO BIDDERS
(FEDERAL AID PROJECTS)

The Contractor and sub-contractors shall submit one copy each of FORMS CAD-880, "Weekly Summary of Wage Rates" and CAD-881, "Weekly Statement of Compliance" each week to the State Aid Engineer and to the County Engineer. The Contractor and sub-contractors may at their discretion, submit two (2) copies of each form to the County Engineer, who in turn, shall forward one copy to State Aid. The forms may be obtained from:

Office Supervisor
Office of State Aid Road Construction
P.O. Box 1850
Jackson, Mississippi 39215-1850

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO BIDDERS NO. 2

DATE: July 1, 2004

SUBJECT: HIGH VOLTAGE OVERHEAD LINES

NOTICE OF WORK TO BE PERFORMED
IN PROXIMITY OF HIGH VOLTAGE POWER LINES

In accordance with Section 45-15-1, et seq., Mississippi Code of 1972 (as amended effective July 1, 1988), _____ (herein after referred to as "Applicant") (Supervisor in Charge: _____), whose address is _____, hereby gives notice to the electric utility (hereinafter referred to as "Utility") that Applicant will be performing functions or activities at the location of _____

_____ and that the estimated starting date of this work is _____. This work could reasonably be expected to cause persons, equipment or parts of tools or materials to be brought within ten (10) feet of Utility's high voltage lines at the proposed work area. Applicant hereby requests the Utility to confer with Applicant or his representative at the work site to ascertain the type of work activity that will take place and if further safety measures need to be taken by either the Applicant or the Utility. The Utility will give the Applicant a written cost estimate for safety arrangements to deter contact with on-site power lines. Applicant agrees not to perform such functions or activities until mutually satisfactory arrangements as provided by Section 45-15-9 have been made to deter contact with Utility's line.

Nothing contained in this Notice shall diminish or affect the obligation imposed upon the Utility under Section 45-15-1, et seq., or under existing laws or be construed as a waiver of the Applicant's or the Utility's rights under the law.

NOTICE GIVEN THIS, the _____ day of _____, _____

APPLICANT

BY: _____

(Title)

Notice received by the Utility this the _____ day of _____, _____

**OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

NOTICE TO BIDDERS NO. 3

DATE: May 15, 2023

SUBJECT: SPECIALTY ITEMS

LOCAL SYSTEM BRIDGE PROJECT LSBP-54(31) COUNTY PANOLA

Pursuant to the provisions of Section S-108 of the Mississippi Standard Specifications for State Aid Road and Bridge Construction, 2004 Edition, the following work items are hereby designated as "Specialty Items" for this contract.

<u>Pay Item No.</u>	<u>Description</u>
S-618-A	MAINTENANCE OF TRAFFIC
S-618-B	ADDITIONAL CONSTRUCTION SIGNS
237-A	WATTLES, 20"
S-212-B	COMMERCIAL FERTILIZER (13:13:13)
S-212-F	AMMONIUM NITRATE
S-214-A	SEEDING
S-215-A	VEGETATIVE MATERIALS FOR MULCH
S-233-A	TEMPORARY SILT FENCE (TYPE I) AOS 0.15 mm – 0.84 mm)
S-815-A	LOOSE RIPRAP, 300 LB
S-815-E	GEOTEXTILE UNDER RIPRAP, TYPE V, NON-WOVEN, AOS < 0.43 mm

**DIVISION OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

NOTICE TO BIDDERS NO. 5 – LSBP-54(31)

DATE: May 2023

**SUBJECT: STATUS OF UTILITY ADJUSTMENT AND RIGHT-OF-WAY
ACQUISITION**

I. All known utilities within the construction limits of this project are shown on the plans. The owners and addresses of these utilities are as follows:

1. Entergy Mississippi
57 W. NAT G TROUTT ROAD
GRENADA, MS
662-229-4310

The Status of the adjustment of each of the utilities is as follows:

1. Utility will be moved by others prior to construction.

Subsection S-105.06 of the 2004 edition of the Standard Specifications provides for cooperation between the Contractor and Owner of utilities. All utility agreements are available for inspection by the Contractor in the Chancery Clerk's office. Additional assistance may be obtained from associate members, by contacting the following:

**MISSISSIPPI ONE-CALL CENTER
BEFORE YOU DIG CALL:
MS 1-800-227-6477 JACKSON 362-4374
OUT -OF-STATE 1-800-445-1988**

II. Panola County has certified to the Office of State Aid Road Construction that it has title to all rights-of-way within the limits shown on the plans for this project.

(7-01-2004)

NOTICE TO BIDDERS NO. 6

January 5, 2024

In accordance with Senate Bill No. 2241 of the Mississippi Legislature Regular Session 1981, the industry wide current petroleum products base prices for contracts to be let in January 2024 are furnished as follows.

FUELS

	<u>Per Gallon</u>	<u>Per Liter</u>
Gasoline	\$2.1550	\$0.5693
Diesel	\$2.6873	\$0.7099

MATERIALS OF CONSTRUCTION

<u>ASPHALT CEMENT</u>	<u>Per Gallon</u>	<u>Per Ton</u>	<u>Per Liter</u>	<u>Per Metric Ton</u>
Viscosity Grade AC-5	\$2.6133	\$620.00	\$0.6904	\$683.42
Viscosity Grade AC-10	\$2.7398	\$650.00	\$0.7238	\$716.49
Viscosity Grade AC-20	\$2.5430	\$603.33	\$0.6718	\$665.05
Viscosity Grade AC-30	\$2.5712	\$610.00	\$0.6792	\$672.40
Grade PG-64-22	\$2.5922	\$615.00	\$0.6848	\$677.91
Grade PG-67-22	\$2.6018	\$617.27	\$0.6873	\$680.41
Grade PG-76-22	\$3.2221	\$764.44	\$0.8512	\$842.64
Grade PG-82-22	\$3.4142	\$810.00	\$0.9019	\$892.86
 <u>EMULSIFIED ASPHALTS, PRIMES, & TACK COATS</u>				
Grade SS-1	\$2.4447		\$0.6458	
Grade RS-2C (CRS-2)	\$2.8697		\$0.7581	
Grade CRS-2P	\$3.2065		\$0.8471	
Grade EA-1, EPR-1, & AE-P	\$3.3000		\$0.8718	
Grade CSS-1 & 1H (Undiluted)	\$2.4298		\$0.6419	
Grade CSS-1 & 1H (Diluted 1 to 1 Fog Seal)	\$1.5400		\$0.4068	

D. SHANE MARTIN, P.E.
STATE CONSTRUCTION ENGINEER

**OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

NOTICE TO BIDDERS NO. 7

DATE: January 10, 2020

SUBJECT: PAYMENTS TO SUBCONTRACTORS

Bidders are hereby advised that each month, the Contractor will submit to the County/LSBP Engineer form OCR-484-SA certifying payments to all subcontractors. Form OCR-484-SA can be obtained from the Office Of State Aid Road Construction, MDOT Lab Building, 412 Woodrow Wilson Avenue, Jackson, MS, or on the State Aid website (<https://www.osarc.ms.gov>) under Documents->Contract Documents.

**OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

NOTICE TO BIDDERS NO. 8

DATE: April 07, 2022

SUBJECT: Errata and Modifications to the 2004 Edition of the Standard Specifications for State Aid Road and Bridge Construction

<u>Page</u>	<u>Subsection</u>	<u>Change</u>
1-21	S-103.02	In the third line of the last paragraph, change "contracts in the same" to "contracts, financed wholly with State funds, in the same".
1-42	S-105.17	In line (b) of the third paragraph, add "claim." at the end of the sentence
1-47	S-106.04	In the next to last paragraph, change "TMD-22-0100-000" to "TMD-22-01-00-000" and change "TMD-21-0100-000" to "TMD-21-01-00-000".
1-84	S-109.06.2	In the eleventh line of the second paragraph, change "of material invoices" to "of paid material invoices".
1-85	S-109.08	Replace 4 th paragraph in its entirety with "The established base prices for bituminous products and fuels shall be the prices for the month prior to the month of the bid date and are available on the State Aid Website."
1-87	S-109.08	On page 1-87, insert the following after item (A6) and before the paragraph in the middle of the page: "(A7) Asphalt for Fog Seal Mixture -- One half pay quantity in gallons."
1-87	S-109.08	Delete the last paragraph on the page in toto.
1-88	S-109.08	Under ADJUSTMENTS, change paragraph 5 to read as follows: No adjustment will be made for items of work accomplished after the expiration of Contract Time except for cases involving natural or manmade disasters or other reasons not inherent to the construction industry. The contractor will submit documentation for the adjustment to the Engineer for approval/disapproval. If approved, the Engineer will prepare a supplemental agreement explaining the adjustment and submit the proper number of copies of the agreement to the Board of Supervisors for their consideration and action. If approved by the Board, all copies will be forwarded to the State Aid Engineer for concurrence. Upon concurrence, the State Aid Engineer will, if necessary, forward the agreement to any other involved parties for their action. A copy of the approved agreement will be furnished to all parties by the State Aid Engineer.
2-7	S-202.07	In the first sentence of the first paragraph, change "S-202" To "S-202-A". In the first sentence of the second paragraph, delete "S-202-A".

<u>Page</u>	<u>Subsection</u>	<u>Change</u>
3-7	S-304.10	Change <u>S-304-D</u> from "Crushed Stone" to "Crushed Stone _____" (Size)
3-30	S-308.15	In the third pay item, change "per square yard**" to "per square yard". In the fourth pay item, change " <u>S-308-B-1</u> " to " <u>S-308-B-2</u> ".
4-8	S-401.02.4	At the end of the third sentence, delete the "." and add "and as a base course."
4-8	S-401.02.4	In the table at the end of the Subsection, for the 19 mm, change "2 1/2" to "2 1/2" in the Minimum and change "3" to "3 1/2" in the Maximum, for the 12.5 mm, change "2" to "2 1/2" in the Maximum; for the 9.5 mm, change "1 1/2" to "2" in the Maximum; and for the 4.75 mm, change "3/4" to "1 1/4" in the Maximum.
4-23	S-401.03.1.4	In the first paragraph, change "92.0 percent" to "the specified percentage (92.0 or 93.0)".
4-32	S-403.03.3	In the first sentence of the second paragraph, change "acceptance and pavement" to "acceptance and payment".
4-45	S-409.02.2	Change "PG 64-22" to "PG 67-22".
6-2	S-601.06	In the first sentence, change "S-804.03" to "S-804.03.5".
6-7	S-602.05	Change the subsection reference for Bending from "S-805.05" to "S-805.03.2".
6-9	S-603.02	Change the subsection reference for Joint Mortar from "707.02" to "714.11".
6-15	S-603.09	After second sentence, add "All lift holes shall be filled and/or sealed to the satisfaction of the Engineer."
6-78	S-620.06	Change the first sentence of the second paragraph, from "Legend will be measured by the square foot", to "Legend will be measured by the linear foot or square foot, as applicable."
6-78	S-620.07	In the sixth pay item, change "S-620-E-1" to "S-620-E-2".
7-17	S-702.12	In TABLE 1, under the heading of Test, in the second line change "140°F, poises" to "275°F, C _s ".
7-20	S-703.02.1	In line (1) of the first paragraph, change "set-out" to "set out".
7-25	S-703.04.2	In the fifth paragraph, delete "S-703.04.3 and".
7-52	S-708.02.1.2	In the first sentence change "20 percent" to "25%".
7-104	S-714.13.1	Delete the fourth paragraph.
7-154	S-721.02.3.7	Delete Subsection S-721.02.3.7--Ground Plates in toto.
8-37	S-803.03.2.6	In the first sentence of the second paragraph, change "S-803.03.1.5.1" to "S-803.03.2.5".
8-45	S-803.04.1	Delete the second paragraph and replace with the following: Test piles which require extensions or building up will not be measured for additional

Page	Subsection	Change
		payment. Splices required for the extensions will not be measured for payment. No measurement for payment will be made for cut-off of a test pile.
8-50	S-803	Under <u>COMPENSATION</u> . In the seventh pay item, change " <u>S-803-G: Blank</u> " to " <u>S-803-G: Concrete Piling Cut-off, Size</u> - per each "
8-60	S-804.02.11	In the last sentence of the first paragraph, change "automatically" to "automatic".
8-64	S-804.02.13	In the second line of paragraph (c), place a period after psi and delete "provided both the QC and QA test results are equal to or exceed the minimum compressive strength requirements."
8-66	S-804.02.13.3	In the last sentence change, "S-804.02.13.1" to "S-804.02.12".
8-67	S-804.02.13.1.5	Change the equation for % Reduction to: $\% \text{ Reduction} = \frac{(f_c - X)}{f_c} \times 100$
8-91	S-804.03.19.7.1	Change " <u>Belt finish.</u> " To " <u>Belt or Broom finish.</u> "
8-121	S-806.04	In the first sentence of the third paragraph, change "by the unit (one unit consists of one wing on each side and end of the abutment cap)" to "per each".
8-121	S-806.08	Change " <u>S-806.08--Basis of Payment</u> " to " <u>S-806.05--Basis of Payment.</u> "
8-122	S-806.08	In the first pay item, change " Interior" to "___ Interior"
8-122	S-806.08	On pay item S-806-H, add "or Steel Posts"

Type \$200 type text here

**OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

NOTICE TO BIDDERS NO. 10

DATE: July 1, 2005

SUBJECT: MONTHLY ESTIMATE RETAINAGE

The monthly retainage for this project shall be two and one half (2-1/2) percent (%) subject to the provisions found in Subsection S-109.06.3--Retainage on page 1-84 of the 2004 Edition of the Mississippi Standard Specifications for State Aid Road and Bridge Construction.

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO BIDDERS NO. 11

DATE: November 19, 2009

SUBJECT: CERTIFICATION OF 100 % PAYMENT TO SUBCONTRACTORS

Bidders are hereby advised that within thirty (30) days of any Subcontractor completing 100% of any subcontracted work, the Prime Contractor shall make full payment to the Subcontractor (including retainage), complete the following certification, attach it to form OCR-484-S or OCR-484-SA, as applicable, and submit it to the County/LSBP Engineer. Retainage on the subcontract will then be released to the Prime Contractor on a subsequent estimate.

CERTIFICATION OF 100% OF PAYMENT TO SUBCONTRACTOR

Date: _____
Project No.: _____
County: _____
Prime Contractor: _____
Subcontractor: _____

I, _____, hereby certify
(Printed or typed name of Subcontractor)

that I have been paid 100% (including retainage) of the amount of work subcontracted on the above mentioned project in the amount of _____ and that I was paid within thirty (30) Days of when I completed said work.

(Signature of Subcontractor)

(Signature of Prime Contractor)

Falsification of this Certification is subject to prosecution.

**OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

NOTICE TO BIDDERS NO. 16

DATE: November 3, 2008

SUBJECT: Safety Apparel

Bidders are advised that the Code of Federal Regulations CFR 23 Part 634 final rule was adopted November 24, 2006 with an effective date of November 24, 2008. This rule requires that **“ All workers within the right of way of a Federal-Aid Highway who are exposed either to traffic (vehicles using the highway for the purposes of travel) or to construction equipment within the work area shall wear high-visibility safety apparel”**. High-visibility safety apparel is defined in the CFR as **“personnel protective safety clothing that is intended to provide conspicuity during both daytime and nighttime usage, and that meets the Performance Class 2 or 3 requirements of the ANSI/ISEA 107-2004 publication entitled American National Standard for High-Visibility Safety Apparel and Headwear”**. All workers on County right-of-way shall comply with the Federal Regulation. Workers are defined by the CFR as **“people on foot whose duties place them within the right-of-way of a Federal-Aid Highway, such as highway construction and maintenance forces, survey crews, utility crews, responders to incidents within the highway right-of-way, and law enforcement personnel when directing traffic, investigating crashes, and handling lane closures, obstructed roadways, and disasters within the right-of-way of a Federal-Aid Highway”**.

You can access this final rule at the following link:

<http://a257.g.akamaitech.net/7/257/2422/01jan20061800/edocket.access.gpo.gov/2006/pdf/E6-19910.pdf>

Supplemental Specification
901-S-102-1
Bidding Requirements and
Conditions

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: March 11, 2010

SUBJECT: Bid Bond Agent

Delete the first sentence of the second paragraph of S-102.08 on page 1-19, and substitute the following:

If a bid bond is offered as guaranty, the bond must be on a form approved by the State Aid Engineer, made by a Surety, and must be acceptable to the Board and the State Aid Engineer and signed or countersigned by a Mississippi Agent or Qualified Nonresident Agent and the bidder.

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: March 11, 2010

SUBJECT: Contract Bond Agent or Liability Insurance Agent

Delete the last sentence of the paragraph of S-103.05 on page 1-22, and substitute the following:

The bond or bonds shall be negotiated for, procured from, signed or countersigned by, and the premium paid to a Mississippi Agent or Qualified Nonresident Agent of the Surety.

Delete the last sentence of the first paragraph of S-103.06.1 on page 1-22, and substitute the following:

Each policy shall be signed or countersigned by a Mississippi Agent or Qualified Nonresident Agent of the insurance company.

Delete the last sentence of the second paragraph of S-103.06.1 on page 1-23, and substitute the following:

Each policy shall be signed or countersigned by a Mississippi Agent or Qualified Nonresident Agent of the insurance company.

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: July 1, 2005

SUBJECT: Changes in Character of Work and Changed Physical Conditions and Removal and Disposal of Structures and Obstructions:

Section **S-104 - SCOPE OF WORK**; of the MISSISSIPPI STANDARD SPECIFICATIONS FOR STATE AID ROAD AND BRIDGE CONSTRUCTION 2004 EDITION is hereby amended as follows:

901-S-104.02.1--Changes in Character of the Work and Changed Physical Conditions: Delete the last sentence of the first paragraph and add the following paragraphs:

Upon written notification, the Engineer will investigate the conditions, and if it is determined that the conditions materially differ and cause an increase or decrease in the cost or time required for the performance of any work under the contract, an adjustment, excluding anticipated profits, will be made and the contract modified in writing accordingly. The Engineer will notify the Contractor, in writing, of the determination whether or not an adjustment of the contract is warranted.

No contract adjustment which results in a benefit to the contractor will be allowed unless the contractor has provided the required written notice.

In the second paragraph, after the words "cannot be reached," delete "the State Aid Engineer" and insert "the Board, with the approval of the State Engineer." Then delete the words "which the State Aid Engineer has" and insert "which the Board and the State Aid Engineer have"

901-S-104.05--Removal and Disposal of Structures and Obstructions: After the last paragraph on page 1-27, add the following paragraph:

The Contractor shall also furnish the Engineer a certified letter stating that the area of disposal is not in a wetland.

901-S-104.06--Rights in and Use of Materials Found on the Work: After the first sentence of the third paragraph insert the following sentence:

The Contractor shall also furnish the Engineer a certified letter stating that the area of disposal is not in a wetland.

PROJECT NUMBER: LSBP-54(31)
COUNTY: Panola

GENERAL

A Small Construction General Permit is on file in the County Engineer's office. The Contractor should acquire a copy of the permit and the forms that accompany the permit. The Contractor is required to fill out these forms, have them on file, and be prepared to submit any of the forms required ONLY at the request of MDEQ.

SITE INFORMATION

The construction of the proposed bridge and approaches will disturb 0.95 acres. An unnamed creek that is a branch of the Tallahatchie River is draining north to south under the project road. The project is located in the Yazoo River Watershed Basin.

SEDIMENT AND EROSION CONTROL REQUIREMENTS

VEGETATIVE CONTROLS: Permanent erosion controls (soil preparation, fertilizing, seeding and mulching, sodding and matting) will be placed as shown on the plans. Any disturbed areas laid-up for over 30 days will be seeded (temporary or permanent seeding) within 7 days unless otherwise directed by the engineer at no additional cost to the project. (Other vegetative practices should be considered. For example, additional mulching, tree preservation, surface roughening, topsoiling, vegetative buffers and turf reinforcing mats.)

STRUCTURAL CONTROLS: Temporary silt fence, hay bales, detention ponds and riprap will be placed as shown on the plans. (Other structural controls should be considered. For example, check dams, diversions, inlet protection and slope drains. Appropriate standard drawings and details should be included in the plans. Reference to MDEQ publications and best management practices are recommended to discuss where these practices apply, correct installation and maintenance of these practices.)

HOUSEKEEPING PRACTICES: The contractor is reminded of his responsibilities as outlined in Section 107 of the Specifications which include equipment maintenance and repair, concrete chute wash off, trash/debris, storage of chemicals and other toxic materials, and sanitary facilities. Storm water pollution prevention best management practice techniques are to be applied throughout the construction of this project, the cost of which is to be included in regular bid items.

POST CONSTRUCTION CONTROL MEASURES: Upon completion of construction, vegetative growth along the roadway foreslopes will provide a

buffer zone for loose material originating from the roadway. Ditch diversions reduce flow and velocity along the project. Vegetative growth on the backslopes will provide a buffer zone for loose material originating beyond the backslope. Flatter grades and ditch treatments minimize erosion. Riprap ditches shown on the plans dissipate energy and reduce flow velocity. Paved ditches and flumes along with rock outlets are required. (The permit requires that post construction control measures be addressed. See Chapter 5 of the MDEQ Planning and Design Manual for additional permanent practices.)

IMPLEMENTATION SEQUENCE

Temporary silt fence will be installed before construction operations begin along the creek and at all cross drains. The rest of the silt fence, hay bales and detention ponds will be installed immediately after clearing and grubbing. Permanent erosion control measures should be placed as construction progresses and no later than 7 days after substantial completion of grade and drain operations.

MAINTENANCE PLAN

The contractor and engineer will inspect all disturbed areas, erosion and sediment controls after each significant rainfall but not less than once per week and record the results of this inspection on the "Monthly Inspection Report and Certification Form for Erosion and Sediment Controls" included with the permit. The monthly inspection reports and this SWPPP will be available for inspection during construction, and submitted to MDEQ with the Notice of Termination as required. The contractor shall make needed repairs to installed erosion control items weekly and after each significant rainfall as necessary. This includes, but is not limited to, removing sediment, repairing, reinstalling, or replacing silt fence, hay bales, or other temporary erosion control measures, repairing washes, ditches, or other permanent erosion control devices.

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: July 01, 2005

SUBJECT: Material Pits.

Section S-107-LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC of the MISSISSIPPI STANDARD SPECIFICATIONS FOR STATE AID ROAD AND BRIDGE CONSTRUCTION 2004 EDITION is hereby amended as follows:

901-S-107.23--Material Pits Delete the first and second paragraph on page 1-66 and replace with the following paragraphs:

Before a pit (quarry) is opened (area cleared or overburden disturbed), furnish to the County Engineer a letter from the Executive Director of the Department of Archives and History, P. O. Box 571, Jackson, Mississippi 39205 (telephone number 601/576-6850), stating that the pit site is satisfactory from an archaeological and historical standpoint. Additionally, the contractor will furnish the Engineer either a copy of the "Notification of Exempt Operations" or a copy of the (permanent or temporary) Class II Permit approval from the Mississippi Department of Environmental Quality, Office of Geology.

For material pits located in Clarke, Covington, Forrest, George, Greene, Hancock, Harrison, Jackson, Jones, Lamar, Pearl River, Perry, Stone and Wayne Counties, the Contractor will be required to make special considerations regarding gopher tortoises. In addition to the normal required documentation associated with material pits, the Contractor shall, for each site used to obtain or dispose of materials associated with material pits located in these Counties, provide the Engineer with a letter from a qualified biologist certifying that the site was inspected prior to any clearing of vegetation or disposal of project materials and that the site is not inhabited by gopher tortoises, or appropriate avoidance measures have been installed. No individual lacking the proper State or Federal license shall touch or otherwise harass a gopher tortoise.

All costs involved in obtaining letters of clearance shall be born by the Contractor

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: May 10, 2006

SUBJECT: Permits, Licenses and Taxes:

Section S-107-LEGAL RELATIONS AND RESPONSIBILITY TO PUBLIC; of the MISSISSIPPI STANDARD SPECIFICATIONS FOR STATE AID ROAD AND BRIDGE CONSTRUCTION 2004 EDITION is hereby amended as follows:

901-S-107.02-Permits, Licenses and Taxes. Delete in toto Subsection 107.02 on page 1-50, and substitute the following:

Except as provided in S-107.09, and S-107.22, the Contractor or Subcontractor shall procure all permits and licenses, pay all charges, fees, and taxes, and give all notices necessary and incidental to the due and lawful prosecution of the work. At any time during the life of this contract, State Aid may audit the Contractor's or Subcontractor's compliance with the requirements of this section.

The Contractor or Subcontractor is advised that the "Mississippi Special Fuel Tax Law", Section 27-55-501, et seq. and the Mississippi Use Tax Law, Section 27-67-1, et seq., Mississippi Code of 1972, Annotated, and their requirements and penalties apply to any contract or subcontract for construction, reconstruction, maintenance or repairs, for contracts or subcontracts entered into with the State of Mississippi, any political subdivision of the State of Mississippi, or any Department, Agency, Institute of the State of Mississippi or any political subdivision thereof.

The Mississippi State Tax Commission will be notified of the name and address of Contractors or any Subcontractors that are awarded State Aid contracts. The Contractor or Subcontractor will be subject one or more audits during the life of this contract to make certain that all applicable fuel taxes are being paid promptly as outlined in Section 27-55-501, et seq., Mississippi Code of 1972, Annotated, and any sales and/or use taxes, as outlined in Section 27-67-1, et seq., Mississippi Code of 1972, Annotated are being paid in compliance with the law.

SPECIAL PROVISION
901-S-618-1
Project No. LSBP-54(31)
County: PANOLA

November 2022

SUBJECT: SUPPLEMENT TO TRAFFIC CONTROL PLAN

The Project Road shall be closed to all traffic within the project limits. Thru traffic can detour around the work by means of local county roads.

The Contractor shall provide access of local traffic to properties fronting on the roadway at all times from one end of the construction area to the other.

Signs advising traffic of the alterations in normal traffic flow shall be posted as designated by the Traffic Control Plan Sheet No.3 of the plans and shall be removed when no longer needed.

The specific requirements of the Contractor's responsibility are as required by Subsection S-104.04, S-105.15, S-107.07 and S-107.10, the Traffic Control Plans, General Notes and Construction Notes on Sheets No.3 of the plans and Part VI of the MUTCD, Latest Edition.

The requirements of this Special Provision do not alter or in any way change the requirements of foregoing or any other requirement of the contract except as specifically stated herein as an alteration or change.

To this end Larry L. Britt, PE, is designated as the responsible person to insure the Contractor constructs, installs, and maintains the devices called for on the Traffic Control Plan. An inspection of the traffic control signs and devices shall be performed at periods not exceeding one week, regardless of construction activity within the project. The Contractor will be required to immediately rectify any noted deficiencies.

OFFICE OF STATE AID ROAD CONSTRUCTION
 MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: May 10, 2006

SUBJECT: Portland Cement

Section **S-701 - HYDRAULIC CEMENT** of the MISSISSIPPI STANDARD SPECIFICATIONS FOR STATE AID ROAD AND BRIDGE CONSTRUCTION 2004 EDITION is hereby amended as follows:

901-S-701.01--Portland Cement. Delete the third paragraph and table in Subsection 701.01 on page 7-9, and substitute the following:

When **Portland cement** concrete or cement for soil stabilization is exposed to moderate or **severe** soluble sulfates, or to **seawater**, cement types and replacement of cement by Class F fly ash (FA), ground **granulated** blast furnace slag (GGBFS), or metakaolin shall be as follows:

Cementitious Materials for Soluble Sulfate Conditions

Sulfate Exposure	Water-soluble sulfate (SO ₄) in soil, % by mass	Sulfate (SO ₄) in water, ppm	Cementitious material required
Negligible	0.00 - 0.10	0.0 - 150	---
Moderate and Seawater	0.10 - 0.20	150 - 1500	Type II* ** cement, or Type I cement with one of the following replacements of cement: 25% Class F, FA, or 50% GGBFS, or 10% metakaolin
Severe	0.20 - 2.00	1500 - 10,000	Type II* cement with one of the following replacements of cement: 25% Class F, FA, or 50% GGBFS, or 10% metakaolin

* Type I cement with a maximum 8% tricalcium aluminate may be used in lieu of Type II Cement.

** Class F, FA or GGBFS may be added as a replacement for Portland cement in accordance with the proportions as listed in this table.

Class C fly ash shall not be used as a replacement for Portland cement in any of the sulfate exposure conditions listed above.

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: May 10, 2006

SUBJECT: Non-Metal Drainage Structures:

Section S-708 - NON-METAL STRUCTURES AND CATTLEPASSES; of the MISSISSIPPI STANDARD SPECIFICATIONS FOR STATE AID ROAD AND BRIDGE CONSTRUCTION 2004 EDITION is hereby amended as follows:

901-S-708.02.3.2--Marking: Delete the second sentence of Subsection 708.02.3.2 on page 7-53, and substitute the following:

Machine made Pipe shall be marked in accordance with one of the following methods: 1) the pipe shall be inscribed on the outside of the pipe and stenciled on the inside of the pipe, or 2) the pipe shall be inscribed on the inside of the pipe, only. All other pipe may be stenciled.

901-S-708.22.2--Exceptions to AASHTO: Delete the sixth paragraph of Subsection 708.22.2 on page 7-61.

Supplemental Specification
901-S-714-1
Geotextile Certification

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: July 1, 2005

SUBJECT: Geotextile Certification

Section S-714 - MISCELLANEOUS MATERIALS of the MISSISSIPPI STANDARD SPECIFICATION FOR STATE AID ROAD AND BRIDGE CONSTRUCTION 2004 EDITION is hereby amended as follows:

901-S-714.13.10--Acceptance By Certification. After the second sentence of Subsection S-714.13.10 on page 7-105 insert the following:

Additionally, at least one certified test report, as per S-700.05.2, for each manufacturer's lot shall be furnished to the Engineer by the Contractor at no additional cost to the project

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: May 10, 2006

SUBJECT: Miscellaneous Materials:

Section S-714-MISCELLANEOUS MATERIALS of the MISSISSIPPI STANDARD SPECIFICATIONS FOR STATE AID ROAD AND BRIDGE CONSTRUCTION 2004 EDITION is hereby amended as follows:

Delete Subsection 714.07 on page 7-92 and substitute the following:

901-S-714.07--Other Cementitious Materials:

901-S-714.07.1--Metakaolin:

901-S-714.07.1.1--Metakaolin--General: Metakaolin shall only be used to bring the cementitious materials in Portland cement concrete and cement for soil stabilization into compliance with the requirements for cementitious materials exposed to soluble sulfate conditions. The approval of each metakaolin source shall be on a case by case basis as determined by the MDOT State Materials Engineer. Source approval will be based on, but not limited to, review of the proposed source's quality control program, production history, certified test reports, certification of shipment from the supplier, and job control sampling and testing requirements.

The Contractor shall provide suitable means for storing and protecting the metakaolin against dampness and contamination. Metakaolin which has become partially set, caked, or contains lumps shall not be used.

The MDOT State Materials Engineer shall be notified in writing of the nature, amount and identity of any processing, or other additions made to the metakaolin during production.

Metakaolin from different sources shall not be mixed or used alternately in any one class of construction or structure without written permission from the Engineer. In addition to these requirements, metakaolin shall meet the following specific requirements.

901-S-714.07.1.2--Specific Requirements: Metakaolin shall meet the requirements of AASHTO Designation: M 295 Class N with the following modifications:

1. The sum of $\text{SiO}_2 + \text{Al}_2\text{O}_3 + \text{Fe}_2\text{O}_3$ Shall be at least 85%. The Material Safety Data Sheet shall indicate the amount of crystalline silica, as measure by National Institute of Occupation Safety and Health (NIOSH) 7500 method, after removal of the mica interference, is less than 1.0%.
2. The loss on ignition shall be less than 3.0%.
3. The available alkalis, as equivalent Na_2O , shall not exceed 1.0%.
4. The amount of material retained on the No. 325 Mesh sieve shall not exceed 1.0%.
5. The strength activity index at seven (7) days shall be at least 85%.

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

DATE: May 5, 2006

SUBJECT: Concrete Bridges And Structures:

Section S-804 - CONCRETE BRIDGES AND STRUCTURES, of the MISSISSIPPI STANDARD SPECIFICATIONS FOR STATE AID ROAD AND BRIDGE CONSTRUCTION 2004 EDITION is hereby amended as follows:

901-S-804.02.1--General. Add the following materials to the list of materials in Subsection 804.02.01 on page 8-51.

Ground Granulated Blast Furnace Slag (GGBFS)	S-714.06
Metakaolin	901-S-714.07.01

901-S-804.02.10--Portland Cement Concrete Mix Design. Change Note ***** of Subsection S-804.02.10 on page 8-56 as follows:

***** Class DS Concrete for drilled shafts shall have an 8 ± 1 -inch slump. In the event of free fall method of concrete placement is used, the slump shall be 6 ± 1 inch.

Delete the last paragraph of Subsection S-804.02.10 on page 8-57 and substitute the following:

Either Type A, D, F, G or mid-range chemical admixture shall be used in all classes of concrete. Any combination of water reducing admixtures shall be approved by the Engineer before their use.

901-S-804.05--Basis of Payment. Add "901" prefix to the pay items listed on page 8-108.

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION
AFFIDAVIT

(To be Executed in Duplicate)

State of Mississippi
County of Pontotoc

I, Matthew Bollinger (Name of person signing affidavit), individually, and in my capacity as Manager (Title) of Patton Construction LLC (Name of Firm, Partnership, or Corporation) being duly sworn, on oath, do depose and say as follows:

That Patton Construction LLC (Name of Firm, Partnership, or Corporation), Bidder on Project No. LSBP-54(31) in Panola County, Mississippi has not either directly or indirectly entered into any agreement, participated in any collusion; or otherwise taken any action in restraint of free competitive bidding in connection with this contract; nor have any of its officers, partners, employees, or principal owners,

Further, being duly sworn or under penalty of perjury under the laws of the United States and the State of Mississippi; certifies that, except as noted below, the company or any person associated therewith in the capacity of owner, partner, director, manager, auditor, or any position involving the administration of federal funds:


- (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- (b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgement rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in Item (b) of this subsection; and
- (d) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

Initial here " _____ " if exceptions are attached and made a part thereof. Any exceptions shall address to whom it applies, initiating agency and dates of such action.

The Bidder shall provide immediate written notice to the Board of Supervisors and the State Aid Engineer at any time, prior to or after award, that it is known a certification was erroneous when executed or has become erroneous by reason of changed circumstances.

NOTE: Exceptions will not necessarily result in denial of award but will be considered in determining bidder responsibility. Providing false information may result in criminal prosecution or administrative sanctions.

All of the foregoing and attachments (when indicated) are true and correct.



Signature: [Handwritten Signature]
 Title: Manager
 Notary Public: Tammy H. Lindsey

Sworn before me this 24 day of February 2024
 My commission expires Sept. 2, 2027

NOTE: FAILURE TO PROPERLY SIGN AND NOTARIZE THIS AFFIDAVIT WILL DISQUALIFY THE BID.

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION
AFFIDAVIT

(To be Executed in Duplicate)

State of Mississippi

County of Pontotoc

I, Matthew Bollinger (Name of person signing affidavit), individually, and in my

capacity as Manager (Title) of Patton Construction LLC
(Name of Firm, Partnership, or Corporation) being duly sworn, on oath, do depose and say as follows:

That Patton Construction LLC (Name of Firm, Partnership, or Corporation), Bidder

on Project No LSBP-54(31) in Panola County, Mississippi has not either directly or indirectly entered into any agreement, participated in any collusion; or otherwise taken any action in restraint of free competitive bidding in connection with this contract; nor have any of its officers, partners, employees, or principal owners

Further, being duly sworn or under penalty of perjury under the laws of the United States and the State of Mississippi; certifies that, except as noted below, the company or any person associated therewith in the capacity of owner, partner, director, manager, auditor, or any position involving the administration of federal funds.


- (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- (b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgement rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in Item (b) of this subsection; and
- (d) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

Initial here " _____ " if exceptions are attached and made a part thereof. Any exceptions shall address to whom it applies, initiating agency and dates of such action

The Bidder shall provide immediate written notice to the Board of Supervisors and the State Aid Engineer at any time, prior to or after award, that it is known a certification was erroneous when executed or has become erroneous by reason of changed circumstances.

NOTE: Exceptions will not necessarily result in denial of award but will be considered in determining bidder responsibility. Providing false information may result in criminal prosecution or administrative sanctions.

All of the foregoing and attached (if any) are true and correct.

(SEAL) 

Signature: [Handwritten Signature]
 Title: Manager
 Notary Public: Tammy H. Lindsey

Sworn before me this 15 day of February 2024
 My commission expires Sept. 2, 2027

NOTE: **FAILURE TO PROPERLY SIGN AND NOTARIZE THIS AFFIDAVIT WILL DISQUALIFY THE BID.**

EEV Certification
REV. 06-12

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
OFFICE OF STATE AID ROAD CONSTRUCTION

CONTRACTOR EEV CERTIFICATION AND AGREEMENT

Project No: LSBP-54(31) County: Panola

By executing this Certification and Agreement, the undersigned verifies its compliance with Senate Bill 2988 from the 2008 Mississippi Legislative Session, "Mississippi Employment Protection Act," as published in Laws, 2008 and codified in the Mississippi Code of 1972, as amended, and any rules or regulations promulgated by Office of State Aid Road Construction, Department of Employment Security, State Tax Commission, Secretary of State, and Department of Human Services in accordance with the Mississippi Administrative Procedures Law (Section 25-43-1 et seq., Mississippi Code of 1972, as amended), stating affirmatively that the individual, firm, or corporation which is contracting with the County and the Office of State Aid Road Construction has registered with and is participating in a federal work authorization program* operated by the United States Department of Homeland Security to electronically verify information of newly hired employees pursuant to the Immigration Reform and Control Act of 1986, Pub. L. 99-603, 100 Stat 3359, as amended. The undersigned agrees to inform the Office of State Aid Road Construction if the undersigned is no longer registered or participating in the program.

The undersigned agrees that, should it employ or contract with any subconsultant(s) and/or subcontractor(s) in connection with the performance of this Contract, the undersigned will secure from such subconsultant(s) and/or subcontractor(s) verification of compliance with the Mississippi Employment Protection Act. The undersigned further agrees to maintain records of such compliance and provide a copy of each such verification to the Office of State Aid Road Construction, if requested, for the benefit of the County and the Office of State Road Construction of this Contract.

231987
EEV* Company Identification Number [Required]

The undersigned certifies that the above information is complete, true and correct to the best of my knowledge and belief. The undersigned acknowledges that any violation may be subject to the cancellation of the contract, ineligibility for any state or public contract for up to three (3) years, the loss of any license, permit, certificate or other document granted by any agency, department or government entity for the right to do business in Mississippi for up to one (1) year, or both, any and all additional costs incurred because of the contract cancellation or the loss of any license or permit, and may be subject to additional felony prosecution for knowingly or recklessly accepting employment for compensation from an unauthorized alien as defined by 8 U.S.C §1324a(h)(3), said action punishable by imprisonment for not less than one (1) year nor more than five (5) years, a fine of not less than One Thousand Dollars (\$1,000.00) nor more than Ten Thousand Dollars (\$10,000.00), or both, in addition to such prosecution and penalties as provided by Federal law.


BY: [Signature]
Authorized Officer or Agent

2/6/2024
Date

Matthew Bollinger
Printed Name of Authorized Officer or Agent

Manager
Title of Authorized Officer or Agent of Contractor

SWORN TO AND SUBSCRIBED before me on this the 6 day of February, 2024.



[Signature]
NOTARY PUBLIC
My Commission Expires: Sept. 2, 2027

* As of the effective date of the Mississippi Employment Protection Act, the applicable federal work authorization program is E-Verify™ operated by the U.S. Citizenship and Immigration Services of the U.S. Department of Homeland Security, in conjunction with the Social Security Administration.

SPECIAL PROVISION
901-S-618-1
Project No. LSBP-54(31)
County: PANOLA

November, 2022 .

SUBJECT: SUPPLEMENT TO TRAFFIC CONTROL PLAN

The Project Road shall be closed to all traffic within the project limits. Thru traffic can detour around the work by means of local county roads.

The Contractor shall provide access of local traffic to properties fronting on the roadway at all times from one end of the construction area to the other.

Signs advising traffic of the alterations in normal traffic flow shall be posted as designated by the Traffic Control Plan Sheet No.3 of the plans and shall be removed when no longer needed.

The specific requirements of the Contractor's responsibility are as required by Subsection S-104.04, S-105.15, S-107.07 and S-107.10, the Traffic Control Plans, General Notes and Construction Notes on Sheets No.3 of the plans and Part VI of the MUTCD, Latest Edition.

The requirements of this Special Provision do not alter or in any way change the requirements of foregoing or any other requirement of the contract except as specifically stated herein as an alteration or change.

To this end Larry L. Britt, PE, is designated as the responsible person to insure the Contractor constructs, installs, and maintains the devices called for on the Traffic Control Plan. An inspection of the traffic control signs and devices shall be performed at periods not exceeding one week, regardless of construction activity within the project. The Contractor will be required to immediately rectify any noted deficiencies.

SECTION 902
PROPOSAL

Date 2/8/2024

Proposal of Patton Construction, LLC

of P.O. Box 1074, Pontotoc, MS 38863

for constructing the following designated project within the time hereinafter specified.

The Plans are composed of drawings and blue prints on file in the office of the Chancery Clerk of Panola
County at Batesville Mississippi.

The Specifications are the currently approved Standard Specifications of the Office of State Aid Road Construction of the Mississippi Department of Transportation and the Federal Highway Administration, except where superseded or amended by Special Provisions and Revisions of the Specifications attached hereto and made a part thereof.

Board of Supervisors

Panola County, Batesville, Mississippi

Sirs: The following is made on behalf of Patton Construction, LLC

And, no others. Evidence of my (our) authority to submit the Proposal is hereby furnished. The Proposal is made without collusion on the part of any person, firm or corporation. I (we) certify that I (we) have carefully examined the Plans, and the Specifications, including the Special Provisions and Revisions herein, and have personally examined the site of the work. On the basis of the Specifications, Special Provisions, Revisions and Plans I (we) propose to furnish all necessary machinery, tools, apparatus and other means of construction and do all the work and furnish all materials in the manner specified. I (we) understand that the quantities mentioned below are approximate only and are subject to increase or decrease, and hereby propose to perform any increased or decreased quantities of work at the unit prices bid.

The following is my (our) itemized Proposal:

SECTION 902 – Proposal (Continued)

In the event of award of the Contract to me (us) under this Proposal, I (we) contemplate the sub-contracting of the following items, to the persons or firms named after each item in accordance with Special Provisions providing for the sub-contracting attached hereto if such sub-contracting thereof is approved by the Board of Supervisors and the State Aid Engineer. In the event of disapproval of such sub-contracting, I (we) agree to perform such item or items of work with my (our) own organization, in full compliance with all applicable terms of this Proposal.

NOTE: Bidder will insert below a list of the specific Pay Items and Quantities thereof which he proposes to sub-contract, and the names and addresses of the persons or firms to whom he proposes to sub-contract, and the names and addresses of the persons or firms to whom he proposes to sub-contract each Item.

Pay Item No. _____	_____	_____	_____
	(quantity)	of	(description)
To _____			
Pay Item No. _____	_____	_____	_____
	(quantity)	of	(description)
To _____			
Pay Item No. _____	_____	_____	_____
	(quantity)	of	(description)
To _____			
Pay Item No. _____	_____	_____	_____
	(quantity)	of	(description)
To _____			
Pay Item No. _____	_____	_____	_____
	(quantity)	of	(description)
To _____			
Pay Item No. _____	_____	_____	_____
	(quantity)	of	(description)
To _____			

I hereby certify that the persons or firms are names above as sub-contractors with the knowledge and consent of the persons or firms names.

Signed _____
 By Matt Bellinger

In the event of the award of this contract to the above named bidder, for the performance of the work, and in the further event that the sub-contractor(s) named herein are approved by the Board of Supervisors and the State Aid Engineer, the sub-contractor or subcontractors shall execute the following:

I (we) hereby certify that the use of our names as sub-contractors on the above items was and is with our knowledge and consent.

_____	20	_____	_____
_____	20	_____	_____
_____	20	_____	_____
_____	20	_____	_____

For the construction of: BOX BRIDGE & APPROACHES on 0.090 mile(s) of county road(s) known as River Road in Panola County, Mississippi under Local System Bridge Program (LSBP) LSBP-54(31)
I (We) agree to complete the entire project within 90 Working Days.

SPECIAL NOTICE TO BIDDERS

BIDS WILL NOT BE CONSIDERED UNLESS BOTH UNIT PRICES AND ITEM TOTALS ARE ENTERED



Ref. No.	Pay Item No.	Description	Approx. Quantity	Unit	Unit Price	Item Total
Roadway Items						
1	S-200-A	MOBILIZATION	1.000	LS	XXXXXXXXXX	\$25,000.00
2	S-201-A	CLEARING AND GRUBBING	1.000	LS	XXXXXXXXXX	\$5,00.00
3	S-202-B	REMOVAL OF BRIDGE (STA.11+00)	1.000	UN	\$7,500.00	\$7,500.00
4	S-202-E	REMOVAL OF PIPE (ALL SIZES)	30.000	LF	\$20.00	\$600.00
5	S-203-A	UNCLASSIFIED EXCAVATION (FM)	2,045.000	CY	\$10.00	\$20,450.00
6	S-203-H	EXCESS EXCAVATION (FM)	340.000	CY	\$20.00	\$17,000.00
7	S-206-A	STRUCTURE EXCAVATION	150.000	CY	\$25.00	\$19,525.00
8	S-232-A	GEOTEXTILE FABRIC STABILIZATION (TYPE III) NON-WOVEN, (AOS < 0.43 mm)	525.000	SY	\$2.00	\$1,050.00
9	247-A	TEMPORARY STREAM DIVERSION	1.000	EA	\$15,000.00	\$15,000.00
10	S-304-B	GRANULAR MATERIAL, (CLASS 4, GROUP "C")	680.000	TON	\$21.50	\$14,620.00
11	S-304-D	CRUSHED STONE (SIZE 57)	355.000	TON	\$55.00	\$19,525.00
12	S-603-C-A	18" REINFORCED CONCRETE PIPE, CLASS III	40.000	LF	\$75.00	\$3,000.00
13	S-603-C-A	36" REINFORCED CONCRETE PIPE, CLASS III	40.000	LF	\$150.00	\$6,000.00
14	S-617-A	RIGHT-OF-WAY MARKERS (TYPE I)	9.000	EA	\$250.00	\$2,250.00

15	S-618-A	MAINTENANCE OF TRAFFIC	1.000	LS	\$7,500.00	\$7,500.00
16	S-618-B	ADDITIONAL CONSTRUCTION SIGNS	0.000	SF	\$10.00	\$0.00

Subtotal Participating Roadway Items

Erosion Control Items

17	S-212-B	COMMERCIAL FERTILIZER (13:13:13)	0.950	TON	\$2,000.00	\$1,900.00
18	S-212-F	AMMONIUM NITRATE	0.100	TON	\$2,000.00	\$200.00
19	S-214-A	SEEDING	0.950	AC	\$1,000.00	\$1,425.00
20	S-215-A	VEGETATIVE MATERIALS FOR MULCH	2.850	TON	\$400.00	\$1,140.00
21	S-227-A	EXCELSIOR BLANKET	250.000	SY	\$2.00	\$500.00
22	S-233-A	TEMPORARY SILT FENCE (TYPE I) (AOS 0.15 mm - 0.84 mm)	200.000	LF	\$4.00	\$800.00
23	237-A	WATTLES, 20" DIAMETER	160.000	LF	\$5.00	\$800.00
24	S-815-A	LOOSE RIPRAP, 300 LB.	700.000	TON	\$75.00	\$52,500.00
25	S-815-E	GEOTEXTILE UNDER RIPRAP, TYPE V, NON-WOVEN AOS < 0.43 mm	670.000	SY	\$2.00	\$1,340.00

Subtotal Participating Erosion Control Items

Box Bridge Items

26	901-S-804-B	BOX BRIDGE CONCRETE, CLASS "BB"	265.635	CY	\$725.00	\$192,585.38
27	S-805-A	REINFORCEMENT	50,284.000	LB	\$1.75	\$87,997.00

Subtotal Participating Box Bridge Items

TOTAL BID AMOUNT **\$479,232.38**

SECTION 902 – Proposal (Continued)

I (we) further propose to perform all "force account or extra work" that may be required of me(us) on the basis provided in the Specifications and to give such work my(our) personal attention in order to see that it is economically performed.

I (we) further propose to execute the attached contract agreement (Section 903) as soon as the work is awarded to me (us) and to begin and complete the work within the time limit provided for in the Specifications and Notice to Contractors. I (we) also propose to execute the attached contract bond (Section 904) in an amount not less than one hundred (100) per cent of the total of my (our) bid. This bond shall not only serve to guarantee the completion of the work on my (our) part, but also to guarantee the excellence of both workmanship and materials until the work is finally accepted.

I (we) enclose a certified check (bid bond) for 5% of bid (\$ _____) Dollars and hereby agree that in case of my (our) failure to execute the contract and furnish bond within FIFTEEN (15) days after notice of award, the amount of this check (bid bond) will be forfeited to the County of Panola, State of Mississippi, as liquidated damages arising out of my (our) failure to execute the contract as proposed. It is understood that in case I am (we are) not awarded the work, the check will be returned as provided in the Specifications.

Respectfully submitted,

By

Title

Address

Signed

Date 2/6, 2024

Manager
210 Industrial Dr.
Pontotoc, MS 38863

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____, and the names, titles and business addresses of the executives are as follows:

President

Address

Secretary

Address

Treasurer

Address

Proposed Guaranty

Insert here or attached hereto certified check or Proposal Guaranty Bond in the amount as required in the Notice to Contractors.

Each agent representing such Surety Company must file with the contracting county his power of attorney duly executed by said Surety Company.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 903

CONTRACT (Rev. 03-11-2010)

CONTRACT FOR LSBP-54(31)

LOCATED IN THE COUNTY OF Panola

STATE OF MISSISSIPPI
COUNTY OF Panola

This contract entered into by and between the Board of Supervisors of Panola County, Mississippi, on the one hand, and the undersigned contractor on the other, witnesseth:

That in consideration of the payment by the Board of Supervisors of the prices set out in the proposal hereto attached, to the undersigned contractor, such payment to be made in the manner and at the time or times specified in the specifications and the special provisions, if any, the undersigned contractor hereby agrees to accept the prices stated in the proposal in full compensation for the furnishing of all materials and equipment and the executing of all the work contemplated in this contract.

It is understood and agreed that the advertising according to law, the notice to contractors, the instructions to bidders, the proposal for the contract, the specifications, the revisions of the specifications, the special provisions, and also the plans for the work therein contemplated, said plans showing more particularly the details of the work to be done shall be held to be, and are hereby made a part of this contract by specific reference thereto and with like effect as if each and all of said instruments had been set out fully herein in words and figures.

It is further agreed that for the same consideration the undersigned contractor shall be responsible for all loss or damage arising out of the nature of the work aforesaid, or from the action of the elements, and unforeseen obstructions or difficulties which may be encountered in the prosecution of the same and for all risks of every description connected with the work for faithfully completing the whole work in good and workmanlike manner according to the approved Plans, Specifications, Special Provisions and requirements of the Board of Supervisors and the State Aid Engineer.

It is further agreed that the work shall be done under the direct supervision and to the complete satisfaction of the County Engineer, or his authorized representatives, subject to inspection at all times and approval by the State Aid Engineer, and when Federal Funds are involved, by the Federal Highway Administration, or their agents as the case may be, in accordance with those Acts of the Legislature of the State of Mississippi approved by the Governor and such rules and regulations issued pursuant thereto by the State Aid Engineer of the Mississippi Department of Transportation Authorized Federal Agencies.

The Contractor agrees that all labor as outlined in the Special Provisions will be secured from list furnished by

Panola County Employment Office

It is agreed and understood that each and every provision of law and clause required by law to be inserted in this contract shall be deemed to be inserted herein and this contract shall be read and enforced as though it were included herein and if through mere mistake or otherwise any such provision is not inserted, or is not correctly inserted, then upon the application of either party hereto, the contract shall forthwith be physically amended to make such insertion.

The Contractor agrees that he has read each and every clause of this Contract, and fully understands the meaning of same and that he will comply with all the terms, covenants and agreements therein set forth.

Witness our signatures this the _____ day of _____ 20 _____

(1) _____ APPROVED _____ 20 _____
Contractor(s)

By _____ (3) _____
State Aid Engineer

TITLE _____
Signed and Sealed in the presence of:
(names and addresses of witnesses) APPROVED _____ 20 _____

(1) _____ (4) TRANSPORTATION COMMISSION OF THE
S OF MISSISSIPPI (Approval of the
Commission not Required when no Federal Funds are
involved.)

(2) BOARD OF SUPERVISORS

Panola _____ County

By _____ By _____
Cole Flint, President Executive Director

Award authorized by the Board of Supervisors of _____ Tate _____

County in session on the _____ Day of _____ 20 _____

Minute Book No. _____, Page no. _____

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904

CONTRACT BOND (Rev. 03-11-2010)

CONTRACT BOND FOR LSBP-54(31)

LOCATED IN THE COUNTY OF PANOLA

STATE OF MISSISSIPPI

COUNTY OF PANOLA

Know all men by these presents: that we, _____
Principal, a _____ residing at _____ in the
State of _____ and _____ residing at One Tower
Square, Hartford in the State of _____ authorized to do business in the State of Mississippi,
under the laws thereof, as surety, are held and firmly bound unto the Board of Supervisors of
PANOLA County, State of Mississippi, in the Penal sum of
_____/100 (\$ _____) Dollars,
lawful money of the United States of America. To be paid to it for which payment well and truly to
be made, we bind ourselves, our heirs, administrators, successors, or assigns jointly and severally
by these presents.

Signed and sealed this the _____ day of _____ A. D., 20 _____.

The conditions of this bond are such, that whereas the said _____
principal, has (have) entered into a contract with the Board of Supervisors of PANOLA
County of the State of Mississippi, bearing the date of the _____ day of _____ A. D.,
20 hereto annexed, for the construction of certain highways in the said county as mentioned in
said contract in accordance with the plans, specifications and special provisions therefore, on file in
the office of the Chancery Clerk of the county and state herein named.

Now, therefore, if the above bounden _____ in all things shall stand to and
abide by and well and truly observe, do, keep and perform all and singular the terms, covenants,
conditions, guarantees and agreements in said contract, contained on his (their) part to be observed,
done, kept and performed and each of them, at the time and in the manner and form and furnish all
of the material and equipment specified in said contract in strict accordance with the terms of said
contract which said plans, specifications and special provisions are included in and form a part of
said contract and shall maintain, the said work contemplated until

its final completion and acceptance as specified in the currently approved specifications, and save
harmless said Board of Supervisors from any loss or damage arising out of or occasioned by the

negligence, wrongful or criminal act, overcharge, fraud, or any other loss or damage whatsoever, on the part of said principal(s), his (their) agents, servants, or employees in the performance of said work or in any manner connected therewith, an shall be liable and responsible in a civil action instituted by the Board of Supervisors at the instance of the State Aid Engineer or any officer of the said county authorized in such cases, for double any amount in money or property, the Board of Supervisors may lose or be overcharged or otherwise defrauded of, by reason of any wrongful or criminal act, if any, of the Contractor(s), his (their) agents, or employees, and shall promptly pay the said agents, servants and employees and all persons furnishing labor, material, equipment or supplies therefore, including premiums incurred, for Surety Bonds, Liability Insurance, and Workmen's Compensation Insurance; with the additional obligation that such Contractor shall promptly make payment of all taxes, licenses, assessments, contributions, damages, penalties and interest thereon, when and as the same may be due this State, or any county, municipality, board, department Commission or political Subdivision; in the course of the performance of said work, and in accordance with Sections 31-5-51 et seq. of the Mississippi Code of 1972, and other State statutes applicable thereto, and shall carry out to the letter and to the satisfaction of both the Board of Supervisors of the aforesaid county and the State Aid Engineer all, each and every one of the stipulations, obligations, conditions, covenants and agreements and terms of said contract in accordance with all terms thereof and all of the expense and cost and Attorney's fees that may be incurred in the enforcement of the performance of said contract, or in the enforcement of the conditions and obligations of this bond, then this obligation shall be null and void, otherwise to be and remain in full force and virtue.

Witness our signatures this the _____ day of _____ A. D., 20__

 (CONTRACTORS) Principal

 SURETY

By: _____

By: _____
 (Signature) ATTORNEY IN FACT.

TITLE: _____
 (Contractor's Seal)

Name and address of MS agent or qualified non-resident agent

(Surety Seal)