



**CENTRALBIDDING**  
FROM CENTRAL AUCTION HOUSE

**5000145472 - Purchase of Industrial Supplies for Jefferson Parish East  
Bank Sewerage Warehouse**  
Jefferson Parish Government

Project documents obtained from [www.CentralBidding.com](http://www.CentralBidding.com)  
06-Jun-2024 08:51:43 AM



Bid Number 5000145472

**Purchase of Industrial Supplies for Jefferson Parish  
East Bank Sewerage Warehouse**

**BID DUE: June 6, 2024 AT 11:00 AM**

**ATTENTION VENDORS!!!**

**Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, [www.jeffparishbids.net](http://www.jeffparishbids.net), by the bid due date and time. Late bids will not be accepted.**

**Jefferson Parish Purchasing Department  
200 Derbigny Street  
General Government Building, Suite 4400  
Gretna, LA 70053  
Purchasing Specialist I Name: Brenda Bellow  
Purchasing Specialist I Email: [bbellow@jeffparish.net](mailto:bbellow@jeffparish.net)  
Purchasing Specialist I Phone: 504-364-2683**

DATE: 5/29/2024

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00145472

**JEFFERSON PARISH**  
PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:  
BBELLOW@jeffparish.net

**Bids will be received until 11:00 AM, 6/06/2024 via online at [www.jeffparishbids.net](http://www.jeffparishbids.net).**

**LATE BIDS WILL NOT BE ACCEPTED**

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2602(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 and/or Resolution No. 141125 as amended. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at [purchasing.jeffparish.net](http://purchasing.jeffparish.net) and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. **JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR.** Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the **LOWEST RESPONSIVE and RESPONSIBLE BIDDER**, taking into consideration the **CONFORMITY WITH THE SPECIFICATIONS** and the **DELIVERY AND/OR COMPLETION DATE**

**PROTESTS:** Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a **THIRTY (30) day** written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, *no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.*

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder by the bidder placing the Addendum number in the appropriate section. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

**USE OF BRAND NAMES AND STOCK NUMBERS:** Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

## INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A1 17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

### IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

**This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.**

**This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.**

**Please visit our E-Procurement Page at [www.jeffparishbids.net](http://www.jeffparishbids.net) to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.**

## ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies). When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is an as needed basis contract. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Cconviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

## INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications as per the appendix instructions will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

**It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.**

DATE: 5/29/2024

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00145472

**JEFFERSON PARISH**  
PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:  
BBELLOW

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	10-12 weeks
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
 NUMBER: \_\_\_\_\_  
 NUMBER: \_\_\_\_\_  
 NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: Water Technology Resources	
SIGNATURE: (Must be signed here) 	TITLE: Vice President
PRINT OR TYPE NAME: Matt Waldor	
ADDRESS: 9201 E Bloomington Fwy Suite Z	
CITY, STATE: Bloomington MN	ZIP: 55420
TELEPHONE: (952) 641-9004	FAX: (952) 885-9173
EMAIL ADDRESS: contact@wtrvalves.com    mattwaldor@wtrvalves.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 21,290.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145472

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	EA	<p>PURCHASE OF INDUSTRIAL SUPPLIES FOR JEFFERSON PARISH EAST BANK SEWERAGE WAREHOUSE</p> <p>0001 - Valve, check, wafer, 4 in, ductile iron body, external</p>	\$ 360.00	\$ 720.00
2	1.00	EA	<p>spring and lever, stainless steel hardware, 2-1/4 in face to face, ANSI class 150, ANSI B16.1, Enduro-bond, Milliken 700 series (0621920)</p> <p>0002 - Valve, gate, 18 inch, flanged, cast iron body, bronze mounted,</p>	\$ 16,850.00	\$ 16850.00
3	2.00	EA	<p>non-rising stem, double disc, open left, handwheel, domestic, epoxy coated. resilient seat is not acceptable. Mueller no. 18DA238006LH (0622430)</p> <p>0003 - Tee, 8 inch x 8 inch x 8 inch, ductile iron, flanged, fusion epoxy coated in, no accessories, meets AWWA, ASTM or ANSI and written proof of ISO 9000 certification. (0101060)</p>	\$ 1,860.00	\$ 3,720.00
			<p>DELIVER TO:</p> <p>East Bank Sewerage Warehouse 4901 Jefferson Hwy Suite C Jefferson, LA 70121</p>		

## WTR Double Disc Metal Seated Gate Valves AWWA C500 Standards

Contractors shall base their bids on providing Gate Valves as manufactured by Water Technology Resources (WTR) – Minneapolis, MN – to match existing WTR C500 Gate Valves.

The design shall be Metal Seated and manufactured in accordance with AWWA C500, UL-FM, and NSF61 Standards.

### Features

- Factory Testing – Certified Test Results per AWWA Standards

Valves shall be for vertical installation, be of the NRS design and be provided with 2" Ductile Iron Operating Nuts, Spur or Bevel Gears, Handwheels, and Electric Actuators – as specified.

Provide Flanged End Connections with a Face-to-Face dimensions of 17.25" provided to match dimensions of existing Gate Valves being replaced.

### Valve Materials of Construction

- Valve Body Bonnet and Wedge – Ductile Iron ASTM A536 – 65-45-12
- Wedge and Body Trim – Bronze ASTM B62
- Seating Rings – Bronze
- Stem Nut – Bronze – ASTM B62
- Stem – ANSI 304 Stainless Steel
- Nuts and Bolts – Stainless Steel ANSI 304
- Packing and Gasket – NBR
- Packing Box – Ductile Iron ASTM 65-45-12
- Gland – Brass ASTM B16
- Gland Follower – Ductile Iron – ASTM
- Tongue and Grooved Guides – 316 Stainless Steel
- Protective Coating – AWWA C550
- Disc Seating and Body Seating Rings – Bronze ASTM A148

January 5, 2024

## Valve Design


- AWWA C500 – UL/FM/NSF61
- Flanges – ANSI B16.1 and B16.2 – Class 150
- Self-Adjusting Scraper
- Factory Hydrostatic Testing & Certifications

## Options

- Rollers, Trackers, & Scrapers
- Bypass Valves Size and design per AWWA Standards
- Open CW or CCW

Base Bid shall be Water Technology Resources – Minneapolis, MN.

The Gate Valves to be furnished are replacements for the existing valves.



Respectfully Submitted,

Matt Waldor






[WATER TECHNOLOGY RESOURCES](#)

9201 E. Bloomington Fwy, Suite Z

Bloomington, MN 55420

(P) 952-641-9004 (F) 952-885-9173

[www.wtrvalves.com](http://www.wtrvalves.com)



Specification	Value
Nominal Pressure (PSI)	150PSI
Hydraulic Shell Test Pressure (PSI)	250PSI
Hydraulic Seal Test Pressure (PSI)	165PSI
Working Pressure (PSI)	< 150PSI
Working Temperature (T)	< 212 °F
Suitable Medium	WATER, OIL, GAS, etc

- Description
1. Valve design conform to AWWA C500;
  2. Flange drilled to ANSI B16.1, Class 125;
  3. Face to face dimensions as shown
  4. Working pressure 150PSI;
  5. Suitable media: Water, Oil, Gas;

NO.	NAME	MATERIAL	REMARK
16	Bracket	Carbon Steel	ASTM A216 WCB
15	Gland	DUCTILE IRON	ASTM A536 65-45-12
14	Packing	NBR	
13	Scull ring	NBR	
12	Bonnet	DUCTILE IRON	ASTM A536 65-45-12
11	Bolt & nut	Stainless Steel	SS304
10	Stem	Stainless Steel	SS304
9	Stem Nut	BRONZE	ASTM A148
8	Scraper	Stainless Steel	SS316
7	Track	Stainless Steel	SS316
6	Roller	Stainless Steel	SS316
5	Wedge	DUCTILE IRON	ASTM A536 65-45-12
4	Disc	DUCTILE IRON	ASTM A536 65-45-12
3	Disc sealing ring	BRONZE	ASTM A148
2	Body sealing ring	BRONZE	ASTM A148
1	Body	DUCTILE IRON	ASTM A536 65-45-12

Double Disc Gate Valve with Gear Reducer - 36" NRS			
APPROVED			REV00
CHECKED			
DRAWN			Dec 12, 2023
DESIGNED		SCALE	UNIT Inch
SIGNATURE	Water Technology Resources		


# SPECIFICATIONS

## FLANGED JOINT DIMENSIONS

### Flanged Joint Dimensions ANSI/AWWA C110/A21.10

SIZE	OD	BC	T	HOLE DIA.	BOLT SIZE	NO. of BOLTS
2	6.00	4.75	0.62	0.75	5/8 x 2-1/4	4
2-1/2	7.00	5.50	0.69	0.75	5/8 x 2-1/2	4
3	7.50	6.00	0.75	0.75	5/8 x 2-1/2	4
4	9.00	7.50	0.94	0.75	5/8 x 3	8
5	10.00	8.50	0.94	0.88	3/4 x 3	8
6	11.00	9.50	1.00	0.88	3/4 x 3-1/2	8
8	13.50	11.75	1.12	0.88	3/4 x 3-1/2	8
10	16.00	14.25	1.19	1.00	7/8 x 4	12
12	19.00	17.00	1.25	1.00	7/8 x 4	12
14	21.00	18.75	1.38	1.12	1 x 4-1/2	12
16	23.50	21.25	1.44	1.12	1 x 4-1/2	16
18	25.00	22.75	1.56	1.25	1-1/8 x 5	16
20	27.50	25.00	1.69	1.25	1-1/8 x 5	20
24	32.00	29.50	1.88	1.37	1-1/4 x 5-1/2	20
30	38.75	36.00	2.12	1.37	1-1/4 x 6-1/2	28
36	46.00	42.75	2.38	1.62	1-1/2 x 7	32
42	53.00	49.50	2.62	1.62	1-1/2 x 7-1/2	36
48	59.50	56.00	2.75	1.62	1-1/2 x 8	44

Dimensions in inches. Weights in pounds.





#### Note:

Flange working pressure rating 250psi, 4" through 24". Flange working pressure can be 350psi with special gasket, i.e. Flange TYTE gasket. Flange facing and drilling pattern match ASME B16.1, Class 125. Flanges 30-48" have 250psi working pressure rating.

### Base Dimensions

SIZE	BC	HOLE DIA.	NO. of BOLTS
3	3.88	0.62	4
4	4.75	0.75	4
6	5.50	0.75	4
8	7.50	0.75	4
10	7.50	0.75	4
12	9.50	0.88	4
14	9.50	0.88	4
16	9.50	0.88	4
18	11.75	0.88	4
20	11.75	0.88	4
24	11.75	0.88	4
30	14.25	1.00	4
36	17.00	1.00	4
42	21.25	1.12	4
48	22.75	1.25	4

Dimensions in inches.



#### Installation Note:


Drilling Templates are furnished in multiples of four. Standard flanged reducers, with a different number of holes in each flange, will have only two centerlines which are common to the drilling templates of both flanges.

# SPECIFICATIONS

## TEES

### TEES

SIZE	Wt.	H	J	T
2	20	4.5	4.5	0.31
2-1/2	27	5.0	5.0	0.31
3	40	5.5	5.5	0.48
4	65	6.5	6.5	0.52
5	85	7.5	7.5	0.52
6	95	8.0	8.0	0.55
8	155	9.0	9.0	0.60
10	270	11.0	11.0	0.80
12	385	12.0	12.0	0.87
14	435	14.0	14.0	0.66
16	550	15.0	15.0	0.70
18	665	16.5	16.5	0.75
20	855	18.0	18.0	0.80
24	1330	22.0	22.0	0.89
30	2150	25.0	25.0	1.03
36	3160	28.0	28.0	1.15
42	5580	31.0	31.0	1.78
42 (150 psi)	4470	31.0	31.0	1.28




Dimensions in inches. Weights in pounds.

### REDUCING TEES

SIZE	Wt.	H	J	T	T <sub>1</sub>
3 x 2	35	5.5	5.5	0.48	0.31
3 x 2-1/2	37	5.5	5.5	0.48	0.31
4 x 2	50	6.5	6.5	0.52	0.31
4 x 2-1/2	55	6.5	6.5	0.52	0.31
4 x 3	60	6.5	6.5	0.52	0.48
5 x 4	80	7.5	7.5	0.52	0.52
6 x 2	85	8.0	8.0	0.55	0.31
6 x 2-1/2	85	8.0	8.0	0.55	0.31
6 x 3	85	8.0	8.0	0.55	0.48
6 x 4	90	8.0	8.0	0.55	0.52
6 x 5	95	8.0	8.0	0.55	0.52
8 x 3	135	9.0	9.0	0.60	0.48
8 x 4	140	9.0	9.0	0.60	0.52
8 x 6	145	9.0	9.0	0.60	0.55
10 x 3	200	11.0	11.0	0.68	0.48
10 x 4	205	11.0	11.0	0.68	0.52
10 x 6	215	11.0	11.0	0.68	0.55
10 x 8	225	11.0	11.0	0.68	0.60
12 x 3	280	12.0	12.0	0.75	0.48
12 x 4	290	12.0	12.0	0.75	0.52
12 x 6	295	12.0	12.0	0.75	0.55
12 x 8	310	12.0	12.0	0.75	0.60
12 x 10	360	12.0	12.0	0.87	0.80
14 x 4	365	14.0	14.0	0.66	0.52
14 x 6	375	14.0	14.0	0.66	0.55
14 x 8	390	14.0	14.0	0.66	0.60
14 x 10	400	14.0	14.0	0.66	0.68
14 x 12	425	14.0	14.0	0.66	0.75
16 x 4	440	15.0	15.0	0.70	0.52
16 x 6	465	15.0	15.0	0.70	0.55
16 x 8	475	15.0	15.0	0.70	0.60
16 x 10	495	15.0	15.0	0.70	0.68

Dimensions in inches. Weights in pounds.

SIZE	Wt.	H	J	T	T <sub>1</sub>
16 x 12	520	15.0	15.0	0.70	0.75
16 x 14	530	15.0	15.0	0.70	0.66
18 x 6	480	13.0	15.5	0.75	0.55
18 x 8	495	13.0	15.5	0.75	0.60
18 x 10	510	13.0	15.5	0.75	0.68
18 x 12	535	13.0	15.5	0.75	0.75
18 x 14	630	16.5	16.5	0.75	0.66
18 x 16	650	16.5	16.5	0.75	0.70
20 x 6	610	14.0	17.0	0.80	0.55
20 x 8	620	14.0	17.0	0.80	0.60
20 x 10	635	14.0	17.0	0.80	0.68
20 x 12	660	14.0	17.0	0.80	0.75
20 x 14	665	14.0	17.0	0.80	0.66
20 x 16	810	18.0	18.0	0.80	0.70
20 x 18	820	18.0	18.0	0.80	0.75
24 x 6	845	15.0	19.0	0.89	0.55
24 x 8	860	15.0	19.0	0.89	0.60
24 x 10	880	15.0	19.0	0.89	0.68
24 x 12	890	15.0	19.0	0.89	0.75
24 x 14	900	15.0	19.0	0.89	0.66
24 x 16	915	15.0	19.0	0.89	0.70
24 x 18	1220	22.0	22.0	0.89	0.75
24 x 20	1255	22.0	22.0	0.89	0.80
30 x 6	1460	18.0	23.0	1.03	0.55
30 x 8	1470	18.0	23.0	1.03	0.60
30 x 10	1480	18.0	23.0	1.03	0.68
30 x 12	1490	18.0	23.0	1.03	0.75
30 x 14	1490	18.0	23.0	1.03	0.66
30 x 16	1505	18.0	23.0	1.03	0.70
30 x 18	1515	18.0	23.0	1.03	0.75
30 x 20	1540	18.0	23.0	1.03	0.80




SIZE	Wt.	H	J	T	T <sub>1</sub>
30 x 24	2025	25.0	25.0	1.03	0.89
36 x 12	2170	20.0	26.0	1.15	0.75
36 x 14	2175	20.0	26.0	1.15	0.66
36 x 16	2185	20.0	26.0	1.15	0.70
36 x 18	2190	20.0	26.0	1.15	0.75
36 x 20	2210	20.0	26.0	1.15	0.80
36 x 24	2255	20.0	26.0	1.15	0.89
36 x 30	3000	28.0	28.0	1.15	1.03
42 x 12	3165	23.0	30.0	1.28	0.75
42 x 14	3170	23.0	30.0	1.28	0.66
42 x 16	3180	23.0	30.0	1.28	0.70
42 x 18	3185	23.0	30.0	1.28	0.75
42 x 20	3205	23.0	30.0	1.28	0.80
42 x 24	3245	23.0	30.0	1.28	0.89
42 x 30	4125	31.0	31.0	1.28	1.03
42 x 36	5360	31.0	31.0	1.78	1.58
48 x 12	4315	26.0	34.0	1.42	0.75
48 x 14	4315	26.0	34.0	1.42	0.66
48 x 16	4330	26.0	34.0	1.42	0.70
48 x 18	4330	26.0	34.0	1.42	0.75
48 x 20	4350	26.0	34.0	1.42	0.80
48 x 24	4385	26.0	34.0	1.42	0.89
48 x 30	4455	26.0	34.0	1.42	1.03



Hartford, Connecticut - Pumping Station  
(12) 36" C500 Double Disc Gate Valves

**Virginia Beach, VA  
20" Gate Valve AWWA C500  
250 PSI w/Track & Scraper - 11/09**



**WTR Valves  
Bloomington MN**



Madison, Wisconsin  
(2) 24" Gate Valves - 2023