



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000146662 One Year Contract to Provide Trailers for the Jefferson
Parish Department of Fleet Management
Jefferson Parish Government**

Project documents obtained from www.CentralBidding.com
02-Dec-2024 04:11:16 PM



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

November 18, 2024

ADDENDUM # 1

Bid Number: 50-00146662

Bid Opening Date: December 03, 2024 at 2:00 pm cst

One Year Contract to Provide Trailers for the Jefferson Parish Department of Fleet Management

NOTIFICATION:

Bid packet has been revised – please see attached Revised per Addendum 1. Descriptions was changed for Items 0001, 0005 and 0011.

Please discard previous Bid packet and use the attached Revised per Addendum 1.

Sincerely,

A handwritten signature in dark ink, appearing to read "Donna Evans", is written over a horizontal line.

Donna M. Evans
Purchasing Specialist II

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form by indicating the addendum number listed above. Failure to list each addenda number on the bid form will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

JOSEPH S. YENNI BUILDING • 1221 ELMWOOD PARK BLVD • SUITE 404 • JEFFERSON, LA 70123 • PO BOX 10242 JEFFERSON, LA 70181-0242
OFFICE 504.364-2678

GENERAL GOVERNMENT BUILDING • 200 DERBIGNY ST • SUITE 4400 • GRETN, LA 70053 • PO BOX 9 • GRETN • LA 70054
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET

WEBSITE: WWW.JEFFPARISH.NET

DATE: 11/18/2024
BID NO.: 50-00146662

INVITATION TO BID
THIS IS NOT AN ORDER

revised per addendum 1
Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

PURCHASING SPECIALIST:
DMEVANS@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 12/03/2024 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE AND MUST PROVIDE PROOF OF THE SECURED SIGNATURE WITH BID SUBMISSION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 and/or Resolution No. 141125 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://www.jeffparish.gov/464/Purchasing> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://WWW.JEFFPARISH.GOV/464/PURCHASING](http://WWW.JEFFPARISH.GOV/464/PURCHASING)

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://www.jeffparish.gov/464/Purchasing> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://www.jeffparish.gov/464/Purchasing> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://www.jeffparish.gov/464/Purchasing>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 136353 or 141125 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://www.jeffparish.gov/464/Purchasing> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW. IF THE NUMBER IS NOT SPECIFIED IN THIS BOX, IT IS NOT APPLICABLE FOR THIS BID.

3, 5, 6, 10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department Building Permits. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Building Permits. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable municipality, Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Any deviation from the Standard Insurance Requirements must be requested in writing prior to bid opening. Written approval for any deviation, must be submitted with your bid submission. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instructions will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

DATE: 11/18/2024

revised per addenda Page 1 6

BID NO.: 50-00146662

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO Y

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

120 Days

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Holden Industries Inc

ADDRESS: 5624 S. State Highway 43

CITY, STATE: Southwest City MO ZIP: 64863

TELEPHONE: (800) 488-4487 FAX: (417) 762-3464

EMAIL ADDRESS: Sales@HoldenTrailers.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ _____

AUTHORIZED SIGNATURE: Rob Brooks

TITLE: Vice President

Rob Brooks

Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

DATE: 11/18/2024

REVISED PER ADDENDUM 1

Page 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146662

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>ONE YEAR CONTRACT TO PROVIDE TRAILERS FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p> <p>0001 - TAG-A-LONG LOWBOY TRAILER 40,000 LBS. TWENTY TON PAYLOAD</p> <p>CAPACITY WITH 47,600 GVWR-19 X 8'W LOAD DECK PLUS 5' FULL WIDTH BEAVERTAIL, TOW-55" L X 22 1/2" W ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES. 34" MAXIMUM DECK HEIGHT. 2" NOMINAL OAK DECK MATERIAL FULL WIDTH 8" STEEL CHANNEL HEADBOARD 5 ROTATING D-RINGS PER SIDE PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT HUTCH-9700 MULTI POINT TAG-A-LONG LOWBOY TRAILER SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 22,500 LB AXLES WITH 12 1/4" X 7 1/2" FULL AIR BRAKES WITH AUTOMATIC SLACK ADJUSTERS EIGHT 315/75R17.5 SIXTEEN PLY TIRES MOUNTED ON 8 BOLT HUB PILOTED STEEL DISC WHEELS. 12,000 LB. CAPABILITY DROPLEG TOP CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTLE EYE (1 5/8" STOCK, 3" I.D.) WITH DUAL SAFETY CHAINS. DRAWBAR STORAGE AREA. FLUSH TAG-A-LONG LOWBOY TRAILER 48,000 LBS. MOUNTED FMSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMETS. ALL WIRING MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>MANUFACTURER: <i>Molden</i> MANUFACTURER PART: <i>TD040</i></p>	\$ 27,508	\$ 27,508
2	1.00	EA	<p>0002 - 3 T0 8 LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING REMOVAL OF</p> <p>DAMAGED TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TOW EYE OR COUPLER, ELECTRIC 6 WAY OR 7 WAY WIRE WITH TOW EYE PLUG. SAFETY CHAINS, ETC. TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED. ZINC PHOSPHATE PRIMED AND FINISHED. PAINTED 5 MILS THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR. MANUFACTURER: MANUFACTURER PART:</p>	\$ No Bid	\$
3	1.00	EA	<p>0003 - 9 T0 12 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING</p>	\$ No Bid	\$

DATE: 11/18/2024

Page 8

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146662

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
4	1.00	EA	<p>REMOVAL OF DAMAGED TONGUE AND REPLACEMENT WITH 12" STEEL "H" BEAM TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTABLE TOW EYE, ELECTRICAL 6 WAY OR 7-WAY WIRE WITH PLUG, AIR BRAKE LINE CONNECTIONS IT PRESENT, SAFETY CHAINS, ETC., TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED, ZINC PHOSPHATE PRIMED. MANUFACTURER: MANUFACTURER PART:</p> <p>0004 - EXTRA HEAVY DUTY MECHANICAL FOLDING GOOSENECK LOWBOY TRAILER</p> <p>60 TON CAPACITY CONCENTRATED IN ANY 10FT SECTION. OVERALL DIMINSIONS: 8'6" W X 49'FT X 2"L (11 FT 5 IN. GOOSENECK) 24 FOOT MAIN LOADED DECK HEIGHT 6 INCH GROUND CLEARANCE 84 IN. SWING CAPACITY REAR AXLES AIR RIDE SUSPENSION 16 1/2 IN X 7 IN AIR BRAKES AUTOMATIC SLACK ADJUSTERS. NO PARKING BRAKES. ABS SYSTEM TWELVE 10 STUD HU PILOTED 8.25 X 22/5 STEEL DISC WHEELS TWELVE EXTRA HEAVY DUTY MECHANICAL 225/70R22 5'16 PLY LOW PROFILE RADIAL TIRES. 2 IN. KINGPIN SETTING FOUR BEAM DESIGN OF 13,000 PSI WEBS. 2 1/4 IN. APITONG HARDWOOD FLOORING WITH BRIDGE CLIP SAND CARRIAGE FLOORED. TWELVE SWINGING REMOVABLE OUT RIGGERS PER SIDE. ONE D-RING ON EACH SIDE OF GOOSENECK TWO D-RINGS ON EACH SIDE OF READ DECK. MECHANICAL RAISED AND LOWERED GOOSENECK USING TRUCK WINCH. AIR LOCK LATCHES ON GOOSENECK PIPE AT FRONT OF GOOSENECK WITH CABLE-LUGS FOR PICK-UP EASE LOAD BEARING WHEEL COVERS OVER REAR TIERS AND READ DECK CENTER. 12 VOLT 7 WAY PLUG. SEALED BEAM LIGHTS. MID TURN SIGNAL. REAR FLAPS, SANDBLASED, PRIMED AND FINISHED PAINT 5 MILS IMRON FLEET WHITE CONSPICUITY TAP ON BOTH SIDES. OPERATOR MANUAL. 25,000 LB. APPROXIMATLY EMPTY WITH FOB FLEET MANAGEMENT, JEFFERSON PARISH, LA.</p> <p>MANUFACTURER: <i>Hold in</i> MANUFACTURER PART: <i>MMF 60</i></p>	\$134,305 ⁰⁰	\$134,305 ⁰⁰

DATE: 11/18/2024

REVISED PER ADDENDUM 1

Page 9

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146662

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
5	1.00	EA	<p>0005 - TWENTY TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER.</p> <p>47, 600 GVWR-19 IN X 8 FT. 6 IN. LOAD DECK OPLUS 6 FT. FULL WIDTH BEAVERTAIL WITH TWO ADJUSTABLE SPRING- ASSIST LOADING RAMPS INCLUDING GRAND BRACES. 34 IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN. NOMINAL OAK DECK MATERIAL FULL WIDTH 8 IN. STEEL CHANNEL MATERIAL FIVE ROTATING D-RINGS PER SIDE PIERCED BEAM CONSTRUCTIONF OR LOW BED HEIGHT. HUCTH-H-9700 MULTI-POINT SPRING 50,000 LB.SUSPENSION WITH RADIUS ROD AXLE TRACKING RANDEM 22,5000 LB AXLE WITH ANTI-LOCK BRAKE SYSTEM. 4S2M SENSOR ALL WHEELS. 40,000 LB CAPACITY TWO SPEED CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK. 2 IN. I.D.) WITH DRAW BAR STORAGE AREA. FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMETS. ALL WIRING IN MODULATED NEOPRENE JACKET WITH SEVEN WAY SAFETY YELLOW COLOR.</p> <p>MANUFACTURER: <i>Holden</i> MANUFACTURER PART: <i>TD40</i></p>	\$ <u>28,215</u>	\$ <u>28,215⁰⁰</u>
6	1.00	EA	<p>0006 - HEAVY DUTY HYDRA NECK 35 TON DETCHABLE GOOSENECK LOWBOY TRAILER.</p> <p>CAPACITY: 70,000 LBS. TRAILER WEIGHT: 18,000 LBS. DECK WIDTH: 8'6" DECK LENGTH: 44'5" HEIGHT-24" (LOADED) 80,000 PSI MINIMUM YIELD STEEL MAIN FRAME. FOUR FABRICATED 16" DEEP CAMBERED I- BEAMS CROSSMEMBERS 10" PIERCED I-BEAM SPACED AT 24" GOOSENECK LENGTH: 102" (SWING CLEARANCE) FIFTH WHEEL HEIGHT STANDARD 50" DECKING-2" NOMINAL HARDWOOD. WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-0FRONT FLIP WITH GROUSSERS. MANUALLY RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTORS. PTO LEVEL OPERATIONS CONTROLS CONTROL VALVE AT EYE LEVEL</p>	\$ <u>89,650</u>	\$ <u>89,650</u>

DATE: 11/18/2024

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146662

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
7	1.00	EA	<p>4" RELIEF GOOSENECK. PAINT-WHITE WITH EAGER BEAVER DECALS. EIGHT TIRES 275/70R22.5 (H) STEEL BELTED RADIALS. HBS. WHEELS-4 DISC TYPE WHEELS, STEMCO OIL SEALS HUB PILOTED SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE AXLE TWO 5" DIAMETER 25,000 LBS. EACH TIE DOWNS-7 EACH PER SIDE ROTO RINGS BRAKES-ABS SYSTEM WITH SPRING BRAKES FORLER POWER PACK PARKING CAST STEEL O OUTRIGGERS 14 HP KOHLER POWER PACK.</p> <p>MANUFACTURER: <i>Holden</i> MANUFACTURER PART: <i>MPD35</i></p> <p>0007 - HEAVY DUTY HYDRA NECK 50 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p> <p>CAPACITY: 100,000 LBS. TRAILER WEIGHT: 20,500 lbs. DECK WIDTH: 8'6" DECK LENGTH: 24' OVERALL LENGTH-4'6" HEIGHT: 24"180,000 PSI MINIMUM YIELD STEEL MAINFRAME FOUR FABRICATED 16" DEEP CAMBERED I-BEAM CROSSMEMBERS-10' PIERCED I-BEAMS SPACED AT 24" GOOSENECK LENGTH: 102: (SEE CLEARANCE) FIFTH WHEEL HEIGHT-STANDARD 50" DECKING. 5.00 NOMINAL HARDWOOD WIRING HARNESS 7 WAY PLUG FRONT RAMP-FRONT RAMP WITH GROUSERS MANUAL RAISE AND LOWER VALVE. HYDRAULIC WETLINE HOOK-UP FOR TRACTOR PTO LEVEL 4" RELIEF GOOSENECK AIR LIFT 3RD AXLE PAINT-PARISH WHITE WITH EAGER BEAVER DECALS TIRES: 275.70RSS.5 (H) STEEL BELTED RADIALS HUB WHEELS-SIX DISC TYPE STEMCO OIL SEALS. HUB PILOTED SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE. AXLE THREE 5" DIAMETER. 25,000 LBS. EACH TIE DOWNS-7 INCH PER SIDE ROTO RINGS BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS 14 HP POWER PACK MANUFACTURER: <i>Holden</i> MANUFACTURER PART: <i>MPD50</i></p>	\$ 143,280	\$ 143,280 ⁰⁰
8	1.00	EA	<p>0008 - HEAVY DUTY HYDRA NECK 55 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p>	\$ 137,586	\$ 137,586

DATE: 11/18/2024

REVISED PER ADDENDUM 1

Page 11

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146662

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	1.00	EA	<p> CAPACITY: 110,000 LBS. TRAILER WEIGHT: 22,650 LBS. DECK WIDTH: 8 FT 6 IN. DECK LENGTH: 25 FT OVERALL LENGTH-51 FT OVERALL LENGTH-51 FT 2 IN. HEIGHT-24 IN. PSI-80,000 MINIMUM YIELD STEEL MAINFRAME FOUR FABRICATED 16" DEEP CABERED I-BEAMS CROSSMEMEBERS: 10" PIERCEDC 1-10 SPACED AT 24" GOOSENECK LENGTH: 102" (SWING CLEARANCE) FIFTH WHEEL HEIGHT-STANDARD 50" DECKING: 2" NOMINAL WIRING HARNESS 7 WAY ATA PLUG FRONT RAMP-FRONT FLIP WITH GROUSERS MULTI RAISE AND LOWER VALVE HYDRAULICS-WETLINE HOOK-UP FOR TRACTOR PTO OPERATIONS CONTROLS: CONTROL VALVE AT EYE LEVEL 4" RELIEF GOOSENECK. AIR LIFT 3RD AXLE PAINT: PARISH WHITE WITH EAGER BEAVER DECALS. TIRES: 275/60R22.5 DISC TYPE WHEELS STEMCO OIL SEALS. HUB PILOTED SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE. AXLE THREE 5" DIAMETER 25,000 LBS EACH TIE DOWN-7 EACH PER SIDE ROTO RINGS. BRAKES: ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS 4TH FLIP AXLE 14 HP KOHLER POWER PACK. LOAD BEARING WHEEL COVERS. ALUMINUM WHEELS. </p> <p> MANUFACTURER: <i>Holden</i> MANUFACTURER PART: <i>HPD55</i> </p> <p> 0009 - HEAVY DUTY HYDRA NECK 60 TON DETCHABLE GOOSENECK LOWBOY TRAILER. </p> <p> CAPACITY: 120,000 LBS. DECK WIDTH: 8'6" DECK LENGTH: 25 FT OVERALL LENGTH: 53 FT HEIGHT: 24 INCHES PSI-80,000 MINIMUM STEEL FRAME. FOUR CROSS MEMBERS-10" PIERCED I-BEAMS SPACED AT 24" GOOSENECK LENGTH: 102' NOMINAL HARDWOOD WIRING HARNESS-7 WAY PLUG FRONT RAMP-FRONT FLIP WITH GROUSERS QMA DUAL RAISE AND LOWER VALVE HYDRAULIC WETLINE HOOK-UP FOR TRACTOR PTO OPERATIONS. CONTROL VALVE AT EYE LEVEL. 4 IN RELIEF GOOSENECK. AIR LIFT THIRD AXLE. PAINT: PARISH WHITE WITH EAGER BEAVER DECALS. </p>	<p><i>No Bid</i></p>	

DATE: 11/18/2024

REVISED PER ADDENDUM 1

Page 12

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146662

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	1.00	EA	<p>TIRES: 275/22.5 DISC TYPE WHEELS STEMCO OIL SEALS. HUB PILOTED SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE AXLES: THREE 5" DIMETER, 25,000 LBS EACH TIE DOWNS: 7 EACH PER SIDE ROTO RINGS BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING CAST STEEL OUTRIGGERS 4TH FLIP DOWN AXLE 14 HP KOHLER POWER PACK LOAD BEARING WHEEL COVERS ALUMINIM WHEELS (OUTSIDE)</p> <p>MANUFACTURER: MANUFACTURER PART:</p> <p>0010 - EXTRA HEAVY DUTY MECHANICAL FOLDING NECK LOWBOY TRAILER. 120,000 LBS</p> <p>LOAD CAPACITY CONCENTRATED IN ANY 10 FT/ IN. LOAD AREA. MINIMUM 24 TG LOAD DECK LENGTH. 8'6" LOAD DECK HEIGHT AT RATED LOADED CAPACITY WITH MINIMUM 6"GROUND CLEARANCE THREE AXLES EACH HAVING 25,000 CAPACITY EACH AXLE 5" ROUND WITH MINIMUM 5/8 WALL THICKNESS. TAPERED SPINDLES. 77" AIR BRAKES (NO PARKING BRAKES) AUTOMATIC SLACK ADJUSTERS. 28 SPLINE ABS 4S-2M LOAD BEARING TYPE WELL COVERS OVER REAR TRI-AXLE INCLUDING CENTER AREA BETWEEN TIRES. 10 HOLE STUD (LONG) HUB PILOTED STEEL CAST DRUMS. STEMCO OIL SEALS. STEEL DISC WHEELS. 8.25 X 22.5 TWELVE ON EACH OUT RIGGERS PER SIDE. 225/70R22.5 16 PR LOW PROFILE RADIAL TIRES. MINIMUM SIX EACH OUTRIGGER PER SIDE. MINIMUM 12 EACH OUT RIGGERS PER SIDE TO EXTEND LOAD BED WIDTH. EACH OUTRIGGER PER SIDE TO EXTEND LOAD BEDQ WIDTH. EACH OTRIGGER TO BE SWING-OUT AND REMOVABLE WITH POSITIVE LATCH IN A STORED POSITION. GOOSENECK TO BE FULL LOAD WIDTH. GOOSENECK TO BE LOCKING FULL AIR POWERED WITH CONTROL SWITCH. FRONT END PIPE. FRONT END WITH CABLE SLING AND APPROACH PLATFORM. SAE 2" DRIP IN KINGPIN PLATE. HEIGHT TO BE 50" ABOVE LEVEL GROUND. THICK APITONG HARDWOOD FLOORIN. MINIMUM 10: CHANNEL CROSS MEMBERS ON 24" CENTERS FOUR BEAM DESIGN 130,000 POS YIELD FLANGES AND 80,000 LB.PSI YIELD. WEB MAIN BEAMS TRUCK LIGHT SEALED BEAM WITH MI-TURN SIGNAL. 12 VOLT ELECTRICAL PLUG AT THE FRONT OF THE TRAILER. 3M SIDE. OPERATOR AND MAINTENANCE ON-SITE. DEMONSTRATION UPON DELIVERY SAND BLASTED WITH EPOXY PRIMER. FINSH PAINTED FLEET WHITE WITH</p>	\$ No Bid	\$

DATE: 11/18/2024

REVISED PER ADDENDUM 1

Page 13

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146662

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
11	1.00	EA	<p>POLYURETHANE PAINT TO A THICKNESS TO BE 5 MILS. AIR, ELECTRIC AND HYDRAULIC TO BE INSTALLED AFTER PAINTING.</p> <p>MANUFACTURER: MANUFACTURER PART:</p> <p>0011 - FIFTEEN TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 37,600 LBS.</p> <p>GVWR-19'L X 8'6" W LOAD DECK PLUS 6 FT. FULL WIDTH BEAVERTAIL WITH TOW 72" L X 22 1/2" W ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES. 34" MAXIMUM DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2" NOMINAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD. FIVE ROTATING D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI POINT 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 15,000 LB. AXLES WITH 12 1/4 X 5" ELECTRIC BRAKES INCLUDING BRAKE AWAY SYSTEM. EIGHT 215/7R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS. 40,000 LB LIFT CAPACITY, TWO SPEED CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTEL EYE (1 5/8" STOCK 3 I.D.) WITH DUAL SAFETY CHAINS. DRAW BAR STARAGE ARE. FIVE ROTATING D-RINGS EQUALLY SPACED. TAG-A-LONG LOWBOY TRAILER 48,000 LB MOUNTED. FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMETS. ALL WIRING IN MOLDED NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED HIGHWAY YELLOW.</p> <p>MANUFACTURER: MANUFACTURER PART:</p>	\$ 27,940	\$ 27,940 ⁰⁰
12	1.00	EA	<p>0012 - INSTALL ONE SPARE TIRE CARRIER BRACKET ON THE FRONT OF THE TRAILER.</p> <p>MANUFACTURER: MANUFACTURER PART:</p>	\$ 680	\$ 680
13	1.00	EA	<p>0013 - SINGLE AXLE UTILITY TRAILER 3500 LB. GVWR</p> <p>12 FT. X 77" DSP DERBRY SR PIPE 48" TAILGATE WITH SPRING ASSIST TIRE SIZE: ST205-15-LRC RADIAL SPARE TIRE RACK ELECTRIC BRAKES 2" COUPLER 2000 LB. JACK SET BACK</p>	\$ NO Bid	

DATE: 11/18/2024

Page 14

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146662

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
14	1.00	EA	FENDERS HP FLAT STRAIGHT DOT APPROVED LIGHTS MANUFACTURER: MANUFACTURER PART: 0014 - TANDEM AXLE UTILITY TRAILER 7000 LB. GVWR 14 FT LENGTH X 83" WIDE 2 AXLES-3500 LBS ELECTRIC BRAKES 36" GATE FENDER HD FLAT STRAIGHT TIRE SIZE-ST205-15-LRC RADIAL SPARE TIRE RACK JACK 2000 LB. SET BACK DOTD APPROVED LIGHTS MANUFACTURER: MANUFACTURER PART:	\$ No Bid	\$
15	1.00	EA	0015 - TANDEM AXLE XL PIPE UTILITY TRAILER 18 FT LENGTH X 83" WIDE 2 AXLES-3500 LBS. ELECTRIC BRAKES 2" COUPLER TIRE SIZE-ST205-15 JACK-2000 LB SET BACK COLOR-OPTIMAL FLOOR-TREATED 2 FT DOVE/36" GATE SPARE MOUNT PAYLOAD 4775 FENDERS HD FLAT STRAIGHT DOTD APPROVED LIGHTS MANUFACTURER: MANUFACTURER PART:	\$ No Bid	\$
16	1.00	EA	0016 - TANDEM AXLE UTILITY TRAILER 16 FT LENGTH X 83" WIDE 2 AXLES-4490 LBS ELECTRIC BRAKES 2" COUPLER JACK-2000 LB SET BACK SPARE TIRE RACK FENDERS HD FLAT STRAIGHT TAILGATE WITH SPRING ASSIST 48'X83" COLOR-OPTIMAL DOTD APPROVED LIGHTS MANUFACTURER: MANUFACTURER PART:	\$ No Bid	\$