

DATE: 9/17/2024

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00146187

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:
KLEE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

3 Weeks

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: N/A

NUMBER: N/A

NUMBER: N/A

NUMBER: N/A

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) N/A

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:

Rocky Mountain Recreation LLC

SIGNATURE:

(Must be signed here)



TITLE:

President

PRINT OR TYPE NAME:

Janeil Norman

ADDRESS:

PO Box 68

CITY, STATE:

ZIP:

83311

Albion, ID
TELEPHONE:

FAX:

(208) 670-5079

() N/A

EMAIL ADDRESS:

rockymtnrecllc@gmail.com

TOTAL PRICE OF ALL BID ITEMS: \$ 1,416.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146187

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF SUPPLIES FOR EASTBANK PUBLIC WAREHOUSE		
1	216.00	EA	0001: PADLOCK, MASTERLOCK NUMBER 3KA, KEYED ALIKE TO# A389, NO SUBSTITUTION, SK# 580090.	\$ Not Bidding	\$ Not Bidding
2	8.00	EA	0002: KIT, PROPANE TORCH, 7-PIECE, MAG-TORCH MT700, SK# 632790. Bidding Alternate - See Attached Spec	\$ 83.50	\$ 668.00
3	24.00	EA	0003: BRUSH, UTILITY, 20 IN HANDLE, TAMPICO FILL, 2 INCH TRIM LENGTH, ADVANCE# 015, MSC# 09310483, SK# 485170.	\$ 16.50	\$ 396.00
4	12.00	EA	0004: PLUG, CORD, MALE, 20 AMPS, 125 VOL TS, WOODHEAD# 1433, SK# 881020.	\$ 22.50	\$ 270.00
5	4.00	EA	0005: LEVEL, CARPENTERS, 48 INCH, ALUMINUM, 3 VIALS, I-BEAM CONSTRUCTION, YELLOW IN COLOR, STANLEY# 42-480, SK# 488180.	\$ 32.50	\$ 130.00
6	6.00	EA	0006: LAMP, HIGH PRESSURE SODIUM, CLEAR, 150 WATTS, MEDIUM BASE, PHILLIPS# C150S55/M, SK# 482130. PLEASE DELIVER TO: EASTBANK WAREHOUSE 4901 JEFFERSON HWY., SUITE C JEFFERSON, LA. 70121	\$ 32.50	\$ 195.00
Freight Included					



HID Bulb: Universal Burning, BD17, Medium Screw (E26), 150.6 W Watt, 2100K, High Pressure Sodium

Product Details		Catalog Page 415
Brand PHILIPS	Light Appearance Warm White (3000K & Under)	
Manufacturer Part Number C150S55/M	Light Color White	
ANSI Code S55	Light Distribution Omnidirectional	
Bulb Base Type Medium Screw (E26)	Light Output 16,000 lm	
Bulb Beam Angle 360 °	Light Technology High Pressure Sodium	
Bulb Designation C150S55/M	Manufacturers Warranty Length 3 yr	
Bulb Diameter 2-3/20 in	Maximum Operating Temperature 752 °F	
Bulb Finish Clear	Maximum Operating Temperature -40 °F	
Bulb Housing Glass	Overall Length 5-3/4 in	
Bulb Operating Position Universal Burning	Rated Life 24,000 hr	
Bulb Shape BD17	Shatter-Resistant No	
Color Rendering Index 17	Standards ANSI	
Color Temperature 2100K	Voltage 62V	
Current 3.2 A	Wattage 150.6 W	
Dimmable No	Overall Bulb Shape B	
Environmental Usage Indoor/Outdoor	UNSPSC 39101617	
For Enclosed Fixtures Yes	Country of Origin China (subject to change)	
Product Description		
These high-output lamps have an E26 medium screw base, which is the most common type of light bulb base. Also known as high-output standard base light bulbs, their base is 26mm in diameter and threads into an E26 socket of a compatible fixture. They are commonly used as light sources in pathway and roadway posts and bollards.		

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

1301410010

Status:

Active

Overview:

Heavy-Duty Industrial Wiring Devices

Description:

Super-Safeway Plug, 2 Pole/2 Wire, NEMA 5-20, 125V

Documents:

RoHS Certificate of Compliance (PDF)

Product Literature (PDF)

Agency Certification	
CSA	LR6837
UL	E10176
General	
Product Family	Wiring Devices
Series	130141
IP Rating	N/A
NEMA Configuration	NEMA 5-20
Overview	Heavy-Duty Industrial Wiring Devices
Product Literature Order No	987650-8068
Product Name	Super-Safeway
Receptacle Type	N/A
Specialty	N/A
Type	Plug
UPC	78678870122
Woodhead	Yes
Physical	
Flange	No
Flip Lid	No
Gender	Male
Length	N/A
Locking Blade	No
Poles	2-pole/3-wire
Electrical	
Cord Type	N/A
Current - Maximum per Contact	20.0A
GFCI	No
Lighted Connector	No
Voltage - Maximum	125V
Material Info	
Engineering Number	1433



Series image - Reference only

EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com

Please visit the [Contact Us](#) section for any non-product compliance questions.

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

China RoHS

Search Parts in this Series

130141 Series

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

STANLEY I-Beam Level: Level & Plumb, I-Beam, 2, Plain, Top Read Window, 48 in Overall Lg, Acrylic, 0



Product Details

Catalog Page **N/A**

Level Type I-Beam	Vial Material Acrylic
Magnetic Nonmagnetic	Vial Readability (Level) Top & Side Read
Magnets Included 0	Hand Grip Type Plain
Color Yellow	Number of Hand Grips 2
Overall Length 48 in	Number of V-Grooves 0
Overall Width 2-1/4 in	Accuracy (Standard) 0.0015 in
Overall Height 1 in	Manufacturer Part Number 42-480
Number of 30° Vials 0	Brand STANLEY
Number of 45° Vials 0	Frame Material Aluminum
Number of Level Vials 1	UNSPSC 27111802
Number of Plumb Vials 2	Country of Origin Thailand (subject to change)

Product Description

Standard I-beam levels have a long, flanged frame that makes them lighter and easier to grip than box levels. Their frame length allows more accurate readings across longer distances than the shorter frame of torpedo levels.

20" Long Handle Utility Brush - Tampico Bristle and Hardwood Block



This utility brush has natural Tampico bristles staple-set into a hardwood brush block. Trim length is 2", overall length is 20". This durable brush is ideal for a wide variety of cleaning and scrubbing applications including use on wheels and fenders.

BERNZOMATIC Torch Kit: Pencil Flame, External Lighter, Adj Flame, Fixed Tip

Mfr. Model PK1001



Product Details

Brand **BERNZOMATIC**

For Fuel Type **Propane**

Compatible Fuel Cylinder Size
14.1 oz
16 oz

Flame Type **Pencil**

Ignition Type **External Lighter**

Flame Adjustment **Adjustable Flame**

Tip Adjustment **Fixed Tip**

Heating Capacity (Propane) **2,500 BtuH**

Manufacturer Part Number **PK1001**

Product Description

Precision hand torches produce an adjustable, wide-pencil flame for detailed work. They are often used for simple small to medium diameter soldering and thawing and heating small surfaces.

Catalog Page **N/A**

Maximum Soft Solder Diameter (Propane) **3 in**

Maximum Soft Solder Diameter (MAP-Pro) **4 in**

Maximum Silver Braze Diameter (Propane) **1 in**

Maximum Silver Braze Diameter (MAP-Pro) **1 in**

Maximum Flame Temperature (Propane) **3,400 °F**

Torch Series **PK1001KC**

Includes **Flux Brush; Solid Wire Solder; Torch; Water-Soluble Flux**

Product Type **Hand Torch & Cylinder Kit**

UNSPSC **23171517**

Country of Origin **USA (subject to change)**