

ITC#16

# SAFETY DATA SHEET



AF315

## Section 1. Identification

GHS product identifier : AF315  
 Other means of identification : Not available.  
 Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against  
 Not applicable.

Supplier's details : Betco Corporation LTD  
 400 Van Camp Road  
 Bowling Green, OH 43402  
 www.betco.com  
 888-462-3826

Emergency telephone number (with hours of operation) : Chemtrec (800) 424-9300 24 hour

## Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of nonpesticide chemicals. Please read complete product label.

Classification of the substance or mixture : Not classified.

### GHS label elements

Signal word : No signal word. (Per OSHA) DANGER (Per EPA)  
 Hazard statements : No known significant effects or critical hazards. (Per OSHA)  
 Corrosive. Causes irreversible eye damage.  
 Harmful if swallowed.  
 (Previous statements per EPA.)

### Precautionary statements

Prevention : Not applicable.  
 Response : Not applicable.  
 Storage : Not applicable.  
 Disposal : Not applicable.  
 Hazards not otherwise classified : None known.

### Section 3. Composition/information on ingredients

Substance/mixture : Mixture  
 Other means of identification : Not available.

#### CAS number/other identifiers

CAS number : Not applicable.  
 Product code : 315

| Ingredient name   | %       | CAS number |
|---|---------|------------|
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | ≥1 - <3 | 68424-85-1 |
| Isopropyl alcohol   | ≥1 - <3 | 67-63-0    |
| Alcohols, C12-15, ethoxylated   | ≥1 - <3 | 68131-39-5 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

**Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

##### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards. (Per OSHA) Causes irreversible eye damage. (Per EPA)

**Inhalation** : No known significant effects or critical hazards.

**Skin contact** : No known significant effects or critical hazards.

**Ingestion** : No known significant effects or critical hazards. (Per OSHA) Harmful if swallowed. (Per EPA)

##### Over-exposure signs/symptoms

**Eye contact** : No specific data.

**Inhalation** : No specific data.

**Skin contact** : No specific data.

**Ingestion** : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

## Section 5. Fire-fighting measures

### Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
metal oxide/oxides

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

**For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

**Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

**Protective measures** : Put on appropriate personal protective equipment (see Section 8).

**Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

**Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

| Ingredient name   | Exposure limits  |
|-------------------|--|
| Isopropyl alcohol | <p><b>ACGIH TLV (United States, 4/2014).</b><br/>           TWA: 200 ppm 8 hours.<br/>           STEL: 400 ppm 15 minutes.</p> <p><b>OSHA PEL 1989 (United States, 3/1989).</b><br/>           TWA: 400 ppm 8 hours.<br/>           TWA: 980 mg/m<sup>3</sup> 8 hours.<br/>           STEL: 500 ppm 15 minutes.<br/>           STEL: 1225 mg/m<sup>3</sup> 15 minutes.</p> <p><b>NIOSH REL (United States, 10/2013).</b><br/>           TWA: 400 ppm 10 hours.<br/>           TWA: 980 mg/m<sup>3</sup> 10 hours.<br/>           STEL: 500 ppm 15 minutes.<br/>           STEL: 1225 mg/m<sup>3</sup> 15 minutes.</p> <p><b>OSHA PEL (United States, 2/2013).</b><br/>           TWA: 400 ppm 8 hours.<br/>           TWA: 980 mg/m<sup>3</sup> 8 hours.</p> |

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: safety glasses

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. < 1 hour (breakthrough time): disposable vinyl

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product

## Section 8. Exposure controls/personal protection

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Personal protective equipment (Pictograms)** :



## Section 9. Physical and chemical properties

### Appearance

**Physical state** : Liquid.

**Color** : Blue.-Green.

**Odor** : Fruity. Floral.

**Odor threshold** : Not available.

**pH** : 6.5 to 8

**Melting point** : Not available.

**Boiling point** : Not available.

**Flash point** : Closed cup: 99°C (210.2°F) [Product does not sustain combustion.]

**Evaporation rate** : Not available.

**Flammability (solid, gas)** : Not available.

**Lower and upper explosive (flammable) limits** : Not available.

**Vapor pressure** : Not available.

**Vapor density** : Not available.

**Relative density** : 1

**Solubility** : Easily soluble in the following materials: cold water and hot water.

**Partition coefficient: n-octanol/water** : Not available.

**Auto-ignition temperature** : Not available.

**Decomposition temperature** : Not available.

**Viscosity** : Not available.

## Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** : The product is stable.

**Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

**Conditions to avoid** : No specific data.

**Incompatible materials** : No specific data.

**Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name   | Result      | Species | Dose        | Exposure |
|---|-------------|---------|-------------|----------|
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | LD50 Oral   | Rat     | 426 mg/kg   | -        |
| Isopropyl alcohol   | LD50 Dermal | Rabbit  | 12800 mg/kg | -        |
| Alcohols, C12-15, ethoxylated   | LD50 Oral   | Rat     | 5000 mg/kg  | -        |
|   | LD50 Oral   | Rat     | 2 g/kg      | -        |

#### Irritation/Corrosion

| Product/ingredient name   | Result                   | Species | Score | Exposure                | Observation |
|---|--------------------------|---------|-------|-------------------------|-------------|
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | Skin - Severe irritant   | Rabbit  | -     | 25 milligrams           | -           |
| Isopropyl alcohol   | Eyes - Moderate irritant | Rabbit  | -     | 24 hours 100 milligrams | -           |
|   | Eyes - Moderate irritant | Rabbit  | -     | 10 milligrams           | -           |
|   | Eyes - Severe irritant   | Rabbit  | -     | 100 milligrams          | -           |
|   | Skin - Mild irritant     | Rabbit  | -     | 500 milligrams          | -           |

#### Sensitization

Not available.

#### Mutagenicity

Not available.

#### Carcinogenicity

Not available.

#### Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Isopropyl alcohol       | -    | 3    | -   |

#### Reproductive toxicity

Not available.

#### Teratogenicity

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal.  
Routes of entry not anticipated: Inhalation.

#### Potential acute health effects

Eye contact : No known significant effects or critical hazards. (Per OSHA) Causes irreversible eye

## Section 11. Toxicological information

|              |  |
|--------------|--|
| Inhalation   | : No known significant effects or critical hazards.  |
| Skin contact | : No known significant effects or critical hazards.  |
| Ingestion    | : No known significant effects or critical hazards. (Per OSHA) Harmful if swallowed. (Per EPA) |

### Symptoms related to the physical, chemical and toxicological characteristics

|              |                     |
|--------------|---------------------|
| Eye contact  | : No specific data. |
| Inhalation   | : No specific data. |
| Skin contact | : No specific data. |
| Ingestion    | : No specific data. |

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

|                             |                  |
|-----------------------------|------------------|
| Potential immediate effects | : Not available. |
| Potential delayed effects   | : Not available. |

#### Long term exposure

|                             |                  |
|-----------------------------|------------------|
| Potential immediate effects | : Not available. |
| Potential delayed effects   | : Not available. |

#### Potential chronic health effects

Not available.

|                       |   |
|-----------------------|---|
| General               | : No known significant effects or critical hazards. |
| Carcinogenicity       | : No known significant effects or critical hazards. |
| Mutagenicity          | : No known significant effects or critical hazards. |
| Teratogenicity        | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects     | : No known significant effects or critical hazards. |

### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### Toxicity

| Product/ingredient name   | Result                               | Species  | Exposure |
|---|--------------------------------------|--|----------|
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | Acute EC50 670 µg/l Fresh water      | Algae - Chlorella pyrenoidosa - Exponential growth phase | 96 hours |
|   | Acute EC50 5.9 ppb Fresh water       | Daphnia - Daphnia magna                                  | 48 hours |
|   | Acute LC50 64 ppb Fresh water        | Fish - Oncorhynchus mykiss                               | 96 hours |
|   | Chronic NOEC 4.15 ppb Marine water   | Daphnia - Daphnia magna                                  | 21 days  |
|   | Chronic NOEC 32.2 ppb                | Fish - Pimephales promelas                               | 34 days  |
| Isopropyl alcohol   | Acute LC50 1400000 µg/l Marine water | Crustaceans - Crangon crangon                            | 48 hours |
|   | Acute LC50 4200000 µg/l Fresh water  | Fish - Rasbora heteromorpha                              | 96 hours |
| Alcohols, C12-15, ethoxylated   | Acute EC50 0.7 mg/l Fresh water      | Algae - Pseudokirchneriella subcapitata                  | 96 hours |

## Section 12. Ecological information

|                                  |   |          |
|----------------------------------|---|----------|
| Acute EC50 302 µg/l Fresh water  | Daphnia - Daphnia magna - Neonate       | 48 hours |
| Acute LC50 1400 µg/l Fresh water | Fish - Pimephales promelas              | 96 hours |
| Chronic NOEC 1 mg/l Fresh water  | Algae - Pseudokirchneriella subcapitata | 96 hours |
| Chronic NOEC 83 µg/l Fresh water | Daphnia - Daphnia magna - Neonate       | 21 days  |

### Persistence and degradability

Not available.

### Bioaccumulative potential

| Product/ingredient name       | LogP <sub>ow</sub> | BCF | Potential |
|-------------------------------|--------------------|-----|-----------|
| Isopropyl alcohol             | 0.05               | -   | low       |
| Alcohols, C12-15, ethoxylated | 2.03 to 6.24       | -   | high      |

### Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

|                            | DOT Classification | TDG Classification | Mexico Classification | ADR/RID        | IMDG           | IATA           |
|----------------------------|--------------------|--------------------|-----------------------|----------------|----------------|----------------|
| UN number                  | Not regulated.     | Not regulated.     | Not regulated.        | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name    | -                  | -                  | -                     | -              | -              | -              |
| Transport hazard class(es) | -                  | -                  | -                     | -              | -              | -              |
| Packing group              | -                  | -                  | -                     | -              | -              | -              |
| Environmental hazards      | No.                | No.                | No.                   | No.            | No.            | No.            |
| Additional information     | -                  | -                  | -                     | -              | -              | -              |

## Section 14. Transport information

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL and the IBC Code** : Not available.

## Section 15. Regulatory information

**U.S. Federal regulations** : **TSCA 4(a) proposed test rules:** Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides  
**TSCA 8(a) PAIR:** 2-(4-tert-butylbenzyl)propionaldehyde  
**TSCA 8(a) CDR Exempt/Partial exemption:** Not determined  
 Not determined.  
**Clean Water Act (CWA) 307:** Copper, [29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, chlorosulfonyl sulfo derivs., compds. with 2-(dimethylamino)ethanol; copper  
**Clean Water Act (CWA) 311:** propylene oxide

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

| Name            | %    | EHS  | SARA 302 TPQ |           | SARA 304 RQ |           |
|-----------------|------|------|--------------|-----------|-------------|-----------|
|                 |      |      | (lbs)        | (gallons) | (lbs)       | (gallons) |
| propylene oxide | <0.1 | Yes. | 10000        | 1444.3    | 100         | 14.4      |

**SARA 304 RQ** : 444444444.4 lbs / 201777777.8 kg [53304049.6 gal / 201777777.8 L]

### SARA 311/312

**Classification** : Not applicable.

#### Composition/information on ingredients

| Name  | %       | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|---|---------|-------------|----------------------------|----------|---------------------------------|---------------------------------|
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | ≥1 - <3 | No.         | No.                        | No.      | Yes.                            | No.                             |
| Isopropyl alcohol   | ≥1 - <3 | Yes.        | No.                        | No.      | Yes.                            | No.                             |
| Alcohols, C12-15, ethoxylated   | ≥1 - <3 | No.         | No.                        | No.      | Yes.                            | No.                             |

### SARA 313

## Section 15. Regulatory information

|                                 | Product name      | CAS number | %       |
|---------------------------------|-------------------|------------|---------|
| Form R - Reporting requirements | Isopropyl alcohol | 67-63-0    | ≥1 - <3 |
| Supplier notification           | Isopropyl alcohol | 67-63-0    | ≥1 - <3 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### State regulations

- Massachusetts** : The following components are listed: ISOPROPYL ALCOHOL  
**New York** : None of the components are listed.  
**New Jersey** : The following components are listed: ISOPROPYL ALCOHOL; 2-PROPANOL  
**Pennsylvania** : The following components are listed: Isopropanol

### California Prop. 65

**WARNING:** This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

| Ingredient name | Cancer | Reproductive | No significant risk level | Maximum acceptable dosage level |
|-----------------|--------|--------------|---------------------------|---------------------------------|
| propylene oxide | Yes.   | No.          | No.                       | No.                             |

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### International lists

#### National inventory

- Australia** : Not determined.  
**Canada** : Not determined.  
**China** : Not determined.  
**Europe** : Not determined.  
**Japan** : **Japan inventory (ENCS):** Not determined.  
**Japan inventory (ISHL):** Not determined.  
**Malaysia** : Not determined.  
**New Zealand** : Not determined.  
**Philippines** : Not determined.  
**Republic of Korea** : Not determined.  
**Taiwan** : Not determined.

## Section 16. Other information


### Hazardous Material Information System (U.S.A.)

|                        |   |   |
|------------------------|---|---|
| Health                 | * | 2 |
| Flammability           |   | 1 |
| Instability/Reactivity |   | 0 |
| Special                |   |   |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### Procedure used to derive the classification

| Classification  | Justification |
|-----------------|---------------|
| Not classified. |               |

### History

Date of printing : 9/6/2016  
 Date of issue/Date of revision : 9/6/2016  
 Date of previous issue : 3/23/2016  
 Version : 2

Key to abbreviations : ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 UN = United Nations

References : Not available.

☑ Indicates information that has changed from previously issued version.

### Notice to reader

## **Section 16. Other information**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Item # 17



# SAFETY DATA SHEET

Spot Bet

## Section 1. Identification

GHS product identifier : Spot Bet  
Other means of identification : Not available.  
Product type : Liquid.

### Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details : Betco Corporation  
1001 Brown Avenue  
Toledo, OH 43607  
www.betco.com  
888-462-3826

Emergency telephone number (with hours of operation) : Chemtrec 800-424-9300 (24 Hour)

## Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

### GHS label elements

Signal word : No signal word.  
Hazard statements : No known significant effects or critical hazards.

### Precautionary statements

Prevention : Not applicable.  
Response : Not applicable.  
Storage : Not applicable.  
Disposal : Not applicable.

Hazards not otherwise classified : None known.

## Section 3. Composition/information on ingredients

Substance/mixture : Mixture  
Other means of identification : Not available.

### CAS number/other identifiers

CAS number : Not applicable.  
Product code : 425

| Ingredient name     | %       | CAS number |
|---------------------|---------|------------|
| 3-butoxypropan-2-ol | ≥1 - <3 | 5131-66-8  |

### Section 3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

##### Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

##### Over-exposure signs/symptoms

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

#### Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
  - carbon dioxide
  - carbon monoxide

## Section 5. Fire-fighting measures

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: safety glasses
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. > 8 hours (breakthrough time): butyl rubber
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Personal protective equipment (Pictograms)** :



## Section 9. Physical and chemical properties

### Appearance

- Physical state** : Liquid.
- Color** : Clear.
- Odor** : Pleasant.
- Odor threshold** : Not available.
- pH** : 8 to 9
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: >100°C (>212°F)
- Evaporation rate** : Not available.

## Section 9. Physical and chemical properties

|  |  |
|--|--|
| Lower and upper explosive (flammable) limits | : Not available.   |
| Vapor pressure                               | : Not available.   |
| Vapor density                                | : Not available.   |
| Relative density                             | : 1.00432  |
| Solubility                                   | : Easily soluble in the following materials: cold water and hot water. |
| Partition coefficient: n-octanol/water       | : Not available.   |
| Auto-ignition temperature                    | : Not available.   |
| Decomposition temperature                    | : Not available.   |
| Viscosity                                    | : Not available.   |

## Section 10. Stability and reactivity

|                                    |  |
|------------------------------------|--|
| Reactivity                         | : No specific test data related to reactivity available for this product or its ingredients.           |
| Chemical stability                 | : The product is stable.   |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur.                      |
| Conditions to avoid                | : No specific data.  |
| Incompatible materials             | : No specific data.  |
| Hazardous decomposition products   | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name | Result      | Species | Dose       | Exposure |
|-------------------------|-------------|---------|------------|----------|
| 3-butoxypropan-2-ol     | LD50 Dermal | Rabbit  | 3100 mg/kg | -        |

#### Irritation/Corrosion

Not available.

#### Sensitization

Not available.

#### Mutagenicity

Not available.

#### Carcinogenicity

Not available.

#### Reproductive toxicity

Not available.

#### Teratogenicity

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

## Section 11. Toxicological information

Not available.

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

#### Long term exposure

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

### Potential chronic health effects

Not available.

- General** : No known significant effects or critical hazards.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Teratogenicity** : No known significant effects or critical hazards.
- Developmental effects** : No known significant effects or critical hazards.
- Fertility effects** : No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

| Route  | ATE value      |
|--------|----------------|
| Dermal | 221983.5 mg/kg |

Spot Bet

## Section 12. Ecological information

### Toxicity

Not available.

### Persistence and degradability

Not available.

### Bioaccumulative potential

| Product/ingredient name | LogP <sub>ow</sub> | BCF | Potential |
|-------------------------|--------------------|-----|-----------|
| 3-butoxypropan-2-ol     | 1.2                | -   | low       |

### Mobility in soil

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

|                            | DOT Classification | TDG Classification | Mexico Classification | ADR/RID        | IMDG           | IATA           |
|----------------------------|--------------------|--------------------|-----------------------|----------------|----------------|----------------|
| UN number                  | Not regulated.     | Not regulated.     | Not regulated.        | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name    | -                  | -                  | -                     | -              | -              | -              |
| Transport hazard class(es) | -                  | -                  | -                     | -              | -              | -              |
| Packing group              | -                  | -                  | -                     | -              | -              | -              |
| Environmental hazards      | No.                | No.                | No.                   | No.            | No.            | No.            |
| Additional information     | -                  | -                  | -                     | -              | -              | -              |

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Spot Bet

## Section 14. Transport information

Transport in bulk according : Not available.  
to Annex II of MARPOL  
73/78 and the IBC Code

## Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) PAIR: (2-methoxymethylethoxy)propanol  
TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
TSCA 12(b) one-time export: (2-methoxymethylethoxy)propanol  
Not determined.  
Clean Water Act (CWA) 311: Formaldehyde, solution

Clean Air Act Section 112 : Not listed  
(b) Hazardous Air  
Pollutants (HAPs)

Clean Air Act Section 602 : Not listed  
Class I Substances

Clean Air Act Section 602 : Not listed  
Class II Substances

DEA List I Chemicals : Not listed  
(Precursor Chemicals)

DEA List II Chemicals : Not listed  
(Essential Chemicals)

### SARA 302/304

#### Composition/information on ingredients

| Name                   | %    | EHS  | SARA 302 TPQ |           | SARA 304 RQ |           |
|------------------------|------|------|--------------|-----------|-------------|-----------|
|                        |      |      | (lbs)        | (gallons) | (lbs)       | (gallons) |
| Formaldehyde, solution | <0.1 | Yes. | 500          | 73.9      | 100         | 14.8      |

SARA 304 RQ : 2666666.7 lbs / 1210666.7 kg [318448.6 gal / 1205459.1 L]

### SARA 311/312

Classification : Not applicable.

#### Composition/information on ingredients

| Name                | %       | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|---------------------|---------|-------------|----------------------------|----------|---------------------------------|---------------------------------|
| 3-butoxypropan-2-ol | ≥1 - <3 | Yes.        | No.                        | No.      | Yes.                            | No.                             |

### State regulations

Massachusetts : The following components are listed: DIPROPYLENE GLYCOL METHYL ETHER

New York : None of the components are listed.

New Jersey : The following components are listed: DIPROPYLENE GLYCOL METHYL ETHER;  
(2-METHOXYMETHYLETHOXY) PROPANOL

Pennsylvania : The following components are listed: PROPANOL, (2-METHOXYMETHYLETHOXY)-

### California Prop. 65

**WARNING:** This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

| Ingredient name        | Cancer | Reproductive | No significant risk level | Maximum acceptable dosage level |
|------------------------|--------|--------------|---------------------------|---------------------------------|
| Formaldehyde, solution | Yes    | No           | Yes                       | No                              |

## Section 15. Regulatory information

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### International lists

#### National inventory

|                   |  |
|-------------------|--|
| Australia         | : Not determined.                        |
| Canada            | : Not determined.                        |
| China             | : All components are listed or exempted. |
| Europe            | : Not determined.                        |
| Japan             | : All components are listed or exempted. |
| Malaysia          | : Not determined.                        |
| New Zealand       | : All components are listed or exempted. |
| Philippines       | : Not determined.                        |
| Republic of Korea | : Not determined.                        |
| Taiwan            | : Not determined.                        |

## Section 16. Other information


### Hazardous Material Information System (U.S.A.)

|                  |   |   |
|------------------|---|---|
| Health           | * | 1 |
| Flammability     |   | 1 |
| Physical Hazards |   | 0 |
|                  |   |   |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

## Section 16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### Procedure used to derive the classification

| Classification  | Justification |
|-----------------|---------------|
| Not classified. |               |

### History

Date of printing : 4/1/2015.

Date of issue/Date of revision : 4/1/2015.

Date of previous issue : No previous validation.

Version : 1

Key to abbreviations : ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 UN = United Nations

References : Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

## SAFETY DATA SHEET

Zep

## Enforcer (R) BugMax (R) Fogger

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : Enforcer (R) BugMax (R) Fogger

EPA ID Number: 1021-2762-40849

Material number : 000000000001047965

**Manufacturer or supplier's details**

Company : Zep Commercial Sales & Service, a unit of Zep, Inc.

Address : 1310 Seaboard Industrial Blvd., NW  
Atlanta, GA 30318

Telephone : 404-352-1680

| Emergency telephone numbers    |  |
|--------------------------------|--|
| For SDS Information            | : Compliance Services 1-877-428-9937   |
| For a Medical Emergency        | : 877-541-2016 Toll Free - All Calls Recorded  |
| For a Transportation Emergency | : CHEMTREC: 800-424-9300 - All Calls Recorded.<br>In the District of Columbia 202-483-7616 |

## SECTION 2. HAZARDS IDENTIFICATION

## Emergency Overview

|            |                                    |
|------------|------------------------------------|
| Appearance | Aerosol containing a liquefied gas |
| Colour     | opaque, white                      |
| Odour      | characteristic                     |

## GHS Classification

Flammable aerosols : Category 1  
 Gases under pressure : Liquefied gas  
 Respiratory sensitisation : Category 1

## GHS Label element

Hazard pictograms : 

Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.  
 H280 Contains gas under pressure; may explode if heated.  
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements : **Prevention:**  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P211 Do not spray on an open flame or other ignition source.

## Enforcer (R) BugMax (R) Fogger

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P285 In case of inadequate ventilation wear respiratory protection.

**Response:**

P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.

**Storage:**

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

P501 Dispose of contents/container in accordance with local regulation.

**Potential Health Effects****Carcinogenicity:****IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous components**

| Chemical Name        | CAS-No.    | Concentration [%] |
|----------------------|------------|-------------------|
| propane              | 74-98-6    | >= 20 - < 30      |
| butane               | 106-97-8   | >= 10 - < 20      |
| alkanes, C12-14-iso- | 68551-19-9 | >= 10 - < 20      |
| Cypermethrin         | 52315-07-8 | >= 0.1 - < 1      |

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

If inhaled : If symptoms persist, call a physician.

# SAFETY DATA SHEET



## Enforcer (R) BugMax (R) Fogger

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

- 
- If unconscious place in recovery position and seek medical advice.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
If on clothes, remove clothes.  
If skin irritation persists, call a physician.
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
DO NOT induce vomiting unless directed to do so by a physician or poison control center.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam  
Carbon dioxide (CO2)  
Dry chemical  
Water spray jet
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon dioxide (CO2)  
Carbon monoxide  
Smoke
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.  
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, : Use personal protective equipment.

# SAFETY DATA SHEET



## Enforcer (R) BugMax (R) Fogger

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

- |   |   |
|---|---|
| protective equipment and emergency procedures         | Ensure adequate ventilation.<br>Remove all sources of ignition.<br>Evacuate personnel to safe areas.<br>Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. |
| Environmental precautions                             | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities.                     |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Sweep up or vacuum up spillage and collect in suitable container for disposal.                    |

---

### SECTION 7. HANDLING AND STORAGE

- |                             |  |
|-----------------------------|--|
| Advice on safe handling     | : Do not breathe vapours or spray mist.<br>Avoid exposure - obtain special instructions before use.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>Take precautionary measures against static discharges.<br>Provide sufficient air exchange and/or exhaust in work rooms.<br>Dispose of rinse water in accordance with local and national regulations.<br>Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.<br>Always replace cap after use. |
| Conditions for safe storage | : BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.<br>No smoking.<br>Keep in a dry, cool and well-ventilated place.<br>Containers which are opened must be carefully resealed and kept upright to prevent leakage.<br>Observe label precautions.<br>Electrical installations / working materials must comply with the technological safety standards.  |
| Materials to avoid          | : Oxidizing agents<br>Do not store near acids.<br>Store and keep away from bases and alkalies.   |

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

## SAFETY DATA SHEET



## Enforcer (R) BugMax (R) Fogger

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

| Components | CAS-No.  | Value type<br>(Form of exposure) | Control parameters /<br>Permissible concentration | Basis     |
|------------|----------|----------------------------------|---|-----------|
| propane    | 74-98-6  | TWA                              | 1,000 ppm   | ACGIH     |
|            |          | TWA                              | 1,000 ppm<br>1,800 mg/m3                          | NIOSH REL |
|            |          | TWA                              | 1,000 ppm<br>1,800 mg/m3                          | OSHA Z-1  |
|            |          | TWA                              | 1,000 ppm<br>1,800 mg/m3                          | OSHA P0   |
| butane     | 106-97-8 | TWA                              | 800 ppm<br>1,900 mg/m3                            | NIOSH REL |
|            |          | TWA                              | 800 ppm<br>1,900 mg/m3                            | OSHA P0   |

**Personal protective equipment**

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Ensure that eyewash stations and safety showers are close to the workstation location.  
Safety glasses

Skin and body protection : impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands before breaks and at the end of workday.  
When using do not smoke.  
When using do not eat or drink.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : Aerosol containing a liquefied gas

Colour : opaque, white

Odour : characteristic

Odour Threshold : no data available

pH : not applicable

Melting point/freezing point : no data available

Boiling point : no data available

Flash point : > 110 °C  
Method: closed cup

# SAFETY DATA SHEET



## Enforcer (R) BugMax (R) Fogger

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

|  |                                |
|--|--------------------------------|
| Evaporation rate                       | : > 1<br>n-Butyl Acetate = 1.0 |
| Upper explosion limit                  | : no data available            |
| Lower explosion limit                  | : no data available            |
| Vapour pressure                        | : no data available            |
| Relative vapour density                | : no data available            |
| Density                                | : 0.9604 g/cm <sup>3</sup>     |
| Solubility(ies)                        |                                |
| Water solubility                       | : dispersible                  |
| Solubility in other solvents           | : not determined               |
| Partition coefficient: n-octanol/water | : no data available            |
| Auto-ignition temperature              | : not determined               |
| Thermal decomposition                  | : no data available            |
| Viscosity                              |                                |
| Viscosity, kinematic                   | : no data available            |

---

### SECTION 10. STABILITY AND REACTIVITY

|                                    |   |
|------------------------------------|---|
| Reactivity                         | : Stable  |
| Chemical stability                 | : Stable under normal conditions.   |
| Possibility of hazardous reactions | : Vapours may form explosive mixture with air.<br>No decomposition if stored and applied as directed. |
| Conditions to avoid                | : Heat, flames and sparks.<br>Extremes of temperature and direct sunlight.                            |
| Incompatible materials             | : Oxidizing agents<br>Acids<br>Bases  |
| Hazardous decomposition products   | : Carbon oxides   |

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

|                           |   |
|---------------------------|---|
| Acute inhalation toxicity | : Acute toxicity estimate : > 10 mg/l<br>Exposure time: 4 h |
|---------------------------|---|

# SAFETY DATA SHEET



## Enforcer (R) BugMax (R) Fogger

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

Test atmosphere: dust/mist  
Method: Calculation method

### Components:

#### propane:

Acute inhalation toxicity : LC50 mouse: 1,237 mg/l  
Exposure time: 2 h

LC50 rat: 658 mg/l  
Exposure time: 4 h

LC50 rat: 1,355 mg/l

#### butane:

Acute inhalation toxicity : LC50 mouse: 1,237 mg/l  
Exposure time: 2 h

LC50 rat: 1,355 mg/l

### Skin corrosion/irritation

#### Product:

Result: No skin irritation

### Serious eye damage/eye irritation

#### Product:

Remarks: Irritating to eyes.

### Respiratory or skin sensitisation

no data available

### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

propane:

butane:

alkanes, C12-14-iso-:

Cypermethrin:

### STOT - single exposure

no data available

### STOT - repeated exposure

no data available

**SAFETY DATA SHEET**



**Enforcer (R) BugMax (R) Fogger**

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

**Aspiration toxicity**

no data available

**Further information**

Product:

Remarks: no data available

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

no data available

**Persistence and degradability**

no data available

**Bioaccumulative potential**

Product:

Partition coefficient: n-octanol/water : Remarks: no data available

Components:

**butane :**

Partition coefficient: n-octanol/water : Pow: 2.89

**Mobility in soil**

no data available

**Other adverse effects**

no data available

Product:

Regulation 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water

# SAFETY DATA SHEET



## Enforcer (R) BugMax (R) Fogger

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

### SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):  
ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada):  
UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

### SECTION 15. REGULATORY INFORMATION

This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

#### Pesticide Labeling Information Required Under U.S. FIFRA Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### CAUTION

Harmful if swallowed.

Causes moderate eye irritation.

Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Observe label precautions.

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard  
Sudden Release of Pressure Hazard

**SAFETY DATA SHEET**



**Enforcer (R) BugMax (R) Fogger**

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

Acute Health Hazard

- SARA 302** : SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
- SARA 313** : SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
- California Prop 65** This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

- TSCA** On TSCA Inventory  
**DSL** This product contains one or several components that are not on the Canadian DSL nor NDSL.  
**AICS** On the inventory, or in compliance with the inventory  
**NZIoC** On the inventory, or in compliance with the inventory  
**PICCS** Not in compliance with the inventory  
**IECSC** Not in compliance with the inventory


**Inventory Acronym and Validity Area Legend:**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECl (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

**SECTION 16. OTHER INFORMATION**

Further information

NFPA:



HMIS III:

|                        |           |
|------------------------|-----------|
| <b>HEALTH</b>          | <b>3*</b> |
| <b>FLAMMABILITY</b>    | <b>4</b>  |
| <b>PHYSICAL HAZARD</b> | <b>2</b>  |

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

OSHA GHS Label Information:

**SAFETY DATA SHEET**



**Enforcer (R) BugMax (R) Fogger**

Version 1.0

Revision Date 06/08/2015

Print Date 07/14/2017

Hazard pictograms :



Signal word :

**Danger:**

Hazard statements :

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements :

**Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. In case of inadequate ventilation wear respiratory protection.

**Response:** IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.

**Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:** Dispose of contents/container in accordance with local regulation.

|                |            |
|----------------|------------|
| Version:       | 1.0        |
| Revision Date: | 06/08/2015 |
| Print Date:    | 07/14/2017 |

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®, Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®, Rexodan®, Mykal™, and a number of private labeled brands.

Item # 19

Y-115

Safety Data Sheet



Revision Number: 008.0

Issue Date: 04/17/2015

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier used on the label: Combat® Roach Killing Bait L, Combat® Source Kill 2, Combat® Roach Killing Bait S, Combat® Source Kill 1

Other means of identification: 1532034 (Killing Bait L, Source Kill 2); 1532036 (Killing Bait S); EPA Reg. 64240-2

Recommended use of the chemical and restrictions on use: Insecticide (Roach bait), Use biocides safety. Always read the label and product information before use

Name, address and telephone number of the chemical manufacturer: Combat Insect Control Systems C/O The Dial Corporation, 7201 E. Henkel Way, Scottsdale, AZ 85255-9672 USA

CHEMTREC: 1-800-424-9300 (24 hours daily)
Internet: www.henkelna.com

Emergency telephone number: Medical Emergencies: 1-888-689-9082

2. HAZARD IDENTIFICATION

The hazards described in this OSHA Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

Table with 2 columns: HAZARD CLASS and HAZARD CATEGORY. Rows include EYE IRRITATION (2A), SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (1), ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT (1), and CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT (1).

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal word: DANGER
Hazard Statement(s): Causes serious eye irritation. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.



Symbol(s):

Precautionary Statements:

Prevention: Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear eye and face protection.
Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. If eye irritation persists: Get medical attention. Collect spillage.
Storage: Not prescribed.
Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Hazards not otherwise classified: Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

| Chemical Name*  | CAS Number (Unique Identifier) | Concentration |
|-----------------|--------------------------------|---------------|
| Vegetable oil   | Proprietary                    | 10 - 30 %     |
| Hydramethylnon  | Proprietary                    | 1 - 5 %       |
| Sugar           | Proprietary                    | 1 - 5 %       |
| Carboxylic Acid | Proprietary                    | 1 - 5 %       |
| Fatty Acid      | Proprietary                    | 0.1 - 1 %     |

\*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

### 4. FIRST AID MEASURES

#### Description of necessary measures

**Inhalation:** Remove from exposure area to fresh air. Treat symptomatically and supportively. If any symptoms appear, get medical attention.

**Skin contact:** Rinse affected area with mild soap and water until no evidence of product remains. Get medical attention if irritation persists.

**Eye contact:** Rinse eyes with plenty of water for at least 15 minutes while holding eyelids open. Get medical attention if pain or irritation develops.

**Ingestion:** Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact physician or local poison control center.

#### Most important symptoms and effects, both acute and delayed

After eye contact: May cause moderate to severe irritation. After skin contact: Repeated or prolonged excessive exposure may cause irritation or dermatitis. After ingestion: Nausea and possible vomiting may occur. After inhalation: Unlikely to occur due to the physical properties of the product.

#### Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes with plenty of water until no evidence of product remains. After skin contact: Rinse affected area with mild soap and water until no evidence of product remains. After ingestion: Dilution by rinsing the mouth and giving a glass of water to drink is generally recommended. After inhalation: Remove from exposure area to fresh air.

### 5. FIRE FIGHTING MEASURES

#### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Dry chemical, carbon dioxide, water spray or regular foam.

**Unsuitable extinguishing media:** None known

#### Specific hazards arising from the chemical

Irritating smoke, carbon monoxide, and carbon dioxide.

#### Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Shut off all ignition sources. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Isolate area. Keep unnecessary personnel away. Avoid breathing vapors, keep upwind.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Ventilate spill area if possible. Do not touch spilled material. Spills present a slipping hazard. Keep unnecessary personnel away. Make sure area is slip-free before re-opening to traffic.

#### Environmental Precautions

This product is toxic to fish and aquatic invertebrates. This product should not be directly discharged into lakes, streams, ponds, estuaries, oceans, public water supplies, or other waters. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment washwater.

#### Methods and materials for containment and cleaning up

**SMALL SPILLS:** Sweep or scoop up and place into containers for later disposal. Wash site of spillage thoroughly with water. **LARGE SPILLS:** Ventilate closed spaces before entering. Sweep or scoop up and place into suitable clean, dry containers for reclamation or later disposal. Do not flush spilled material into sewer. Dispose in suitable waste container. Keep unnecessary people away from spill.

### 7. HANDLING AND STORAGE

Combat Insect Control Systems C/O The Dial Corporation; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

Combat® Insecticide

Page 2 of 6

**Precautions for safe handling**

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Keep the containers closed when not in use. Avoid generating dusts.

**Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, ventilated area out of reach of children and away from sources of heat, moisture, and incompatible substances. Store in suitable labeled containers. Store the containers tightly closed. Storage areas for large quantities (warehouse) should be well ventilated.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL   | AIHA WEEL | OTHER |
|------------------------|-----------|--|-----------|-------|
| Vegetable oil          | None      | 5 mg/m <sup>3</sup> PEL<br>Respirable fraction.<br>15 mg/m <sup>3</sup> PEL Total<br>dust. | None      | None  |
| Hydramethylnon         | None      | None   | None      | None  |
| Carboxylic Acid        | None      | None   | None      | None  |

**Appropriate engineering controls**

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

**Individual protection measures**

**Respiratory:** Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits. If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).

**Eye:** Safety glasses are required to prevent eye contact where dusty conditions may occur.

**Hand/Body:** Protective gloves are required where repeated or prolonged skin contact may occur. Protective clothing is required where repeated or prolonged skin contact may occur.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

|   |                         |
|---|-------------------------|
| <b>Appearance:</b>                              | piece, brown            |
| <b>Odor:</b>                                    | odorless/characteristic |
| <b>Odor threshold:</b>                          | Not available           |
| <b>pH:</b>                                      | Not applicable          |
| <b>Melting point/ range:</b>                    | 60 °C (140°F)           |
| <b>Boiling point/range:</b>                     | Not available.          |
| <b>Flash point:</b>                             | Not applicable          |
| <b>Evaporation rate:</b>                        | Not available.          |
| <b>Flammable/Explosive limits - lower:</b>      | Not available.          |
| <b>Flammable/Explosive limits - upper:</b>      | Not available.          |
| <b>Vapor pressure:</b>                          | Not available.          |
| <b>Vapor density:</b>                           | Not available.          |
| <b>Solubility in water:</b>                     | Insoluble               |
| <b>Partition coefficient (n-octanol/water):</b> | Not available.          |
| <b>Autoignition temperature:</b>                | Not available.          |
| <b>Decomposition temperature:</b>               | Not available.          |
| <b>Viscosity:</b>                               | Not available.          |
| <b>VOC content:</b>                             | Not available.          |
| <b>Specific gravity:</b>                        | Not applicable          |

---

## 10. STABILITY AND REACTIVITY

---

|  |  |
|--|--|
| <b>Reactivity:</b>                         | This product may react with strong alkalis.  |
| <b>Chemical stability:</b>                 | Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).                       |
| <b>Possibility of hazardous reactions:</b> | Hazardous polymerization has not been reported to occur under normal temperatures and pressures. |
| <b>Conditions to avoid:</b>                | Avoid storing in direct sunlight and avoid extremes of temperature.                              |
| <b>Incompatible materials:</b>             | Strong oxidizers and reducing agents   |

Hazardous decomposition products: Thermal decomposition products may include oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

### Likely routes of exposure including symptoms related to characteristics

**Inhalation:** Unlikely to occur due to the physical properties of the product. Dust may cause mucous membrane irritation with coughing, dryness and sore throat.  
**Skin contact:** Repeated or prolonged excessive exposure may cause irritation or dermatitis.  
**Eye contact:** May cause moderate irritation.  
**Ingestion:** May cause mild gastrointestinal irritation with nausea, vomiting, diarrhea and abdominal pain.  
**Physical/Chemical:** No physical/chemical hazards are anticipated for this product.

### Other relevant toxicity information:

This product is an insecticide. The use of this product by consumers is safe under normal and reasonable foreseen use.

Acute oral product toxicity: LD50 > 5,000 mg/kg  
 Acute dermal product toxicity: LD50 > 2,000 mg/kg

### Numerical measures of toxicity, including delayed and immediate effect

| Hazardous Component(s) | LD50s and LC50s   | Immediate and Delayed Health Effects                    |
|------------------------|---|---|
| Vegetable oil          | None  | No Target Organs  |
| Hydramethylnon         | Oral LD50 (RAT) = 1,300 mg/kg<br>Oral LD50 (RAT) = 1,131 mg/kg<br>Inhalation LC50 (RAT, 4 h) = > 5,000 mg/l | No Data   |
| Sugar                  | None  | Irritant  |
| Carboxylic Acid        | Oral LD50 (RAT) = 74 g/kg   | Irritant, Eyes, Skin, Blood                             |
| Fatty Acid             | None  | Allergen, Central nervous system, Irritant, Respiratory |

### Carcinogenicity information

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen |
|------------------------|----------------|-----------------|-----------------|
| Vegetable oil          | No             | No              | No              |
| Hydramethylnon         | No             | No              | No              |
| Sugar                  | No             | No              | No              |
| Carboxylic Acid        | No             | No              | No              |
| Fatty Acid             | No             | No              | No              |

**Carcinogenicity** None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).

**Mutagenicity** None of the ingredients in this product are known to cause mutagenicity.

**Toxicity to reproduction** Hydramethylnon is currently listed under California Proposition 65 for developmental effects in males.

## 12. ECOLOGICAL INFORMATION

### Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

### Toxicity to fish:

| Hazardous substances CAS-No. | Value type | Value         | Acute Toxicity Study | Exposure time | Species  | Method   |
|------------------------------|------------|---------------|----------------------|---------------|--|--|
| Vegetable oil                | LC50       | > 10,000 mg/l | Fish                 | 96 h          | Brachydanio rerio (new name: Danio rerio)<br>Ictalurus punctatus | OECD Guideline 203 (Fish, Acute Toxicity Test)<br>DIN 38412-15 |
| Hydramethylnon               | LC50       | 0.09 mg/l     | Fish                 | 96 h          |  |  |
| Sugar                        | LC50       | > 60,000 mg/l | Fish                 |               |  |  |

Toxicity to aquatic invertebrates:

| Hazardous substances CAS-No. | Value type | Value      | Acute Toxicity Study | Exposure time | Species       | Method   |
|------------------------------|------------|------------|----------------------|---------------|---------------|--|
| Vegetable oil                | EC50       | > 100 mg/l | Daphnia              | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Hydramethylnon               | EC50       | 1.14 mg/l  | Daphnia              | 48 h          | Daphnia magna |  |

**Toxicity to algae:**

| Hazardous substances CAS-No. | Value type | Value      | Acute Toxicity Study | Exposure time | Species   | Method       |
|------------------------------|------------|------------|----------------------|---------------|---|--------------|
| Vegetable oil                | EC50       | > 100 mg/l | Algae                | 72 h          | Scenedesmus subspicatus (new name: Desmodesmus subspicatus) | DIN 38412-09 |

**Persistence and Degradability:** The persistence and degradability of this product has not been determined.

| Hazardous substances CAS-No. | Result value          | Route of application | Species | Method   |
|------------------------------|-----------------------|----------------------|---------|--|
| Vegetable oil                | readily biodegradable | aerobic              | 100 %   | EU Method C.4-E (Determination of the "Ready" Biodegradability Closed Bottle Test) |
| Sugar                        | readily biodegradable | aerobic              | 100 %   | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)                  |
| Carboxylic Acid              | readily biodegradable | aerobic              | 93 %    | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)                  |

**Bioaccumulation Potential:** The bioaccumulation potential of this product has not been determined.

**Mobility:** The mobility of this product (in soil and water) has not been determined.

### 13. DISPOSAL CONSIDERATIONS

- Waste Number and Description:** Not applicable, not regulated.
- Disposal Considerations:**
- Disposal of products:** Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.
  - Disposal of packages:** Do not reuse this container. Never place unused product down any indoor or outdoor drain. Dispose of container and unused contents in accordance with federal, state and local requirements.
- Additional information:** Observe all federal, state and local regulations when storing or disposing of this substance

### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

**U.S. Department of Transportation Ground (49 CFR)**

- Proper shipping name:** Not regulated
- Hazard class or division:** None
- Identification number:** None
- Packing group:** None

**International Air Transportation (ICAO/IATA)**

- Proper shipping name:** Environmentally hazardous substance, solid, N.O.S.
- Hazard class or division:** 9
- Identification number:** UN3077
- Packing group:** III

**Water Transportation (IMO/IMDG)**

- Proper shipping name:** Environmentally hazardous substance, solid, N.O.S.
- Hazard class or division:** 9
- Identification number:** UN3077
- Packing group:** III

---

## 15. REGULATORY INFORMATION

---

**Occupational safety and health act:** Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

**United States Regulatory Information:**

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

**TSCA 12 (b) Export Notification:** None above reporting de minimis

**CERCLA/SARA Section 302:** None above reporting de minimis.

**CERCLA/SARA Section 311/312:** Not available.

**CERCLA/SARA Section 313:** The following components are subject to reporting levels established by SARA Title III, Section 313:

Hydramethylnon

**California Proposition 65:** This product contains Hydramethylnon which is listed by California Proposition 65.

**Export Restrictions:** This is a pesticide product registered by the US Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. Refer to the pesticide label for specific hazard information. The pesticide label also includes other important information, including directions for use.

**Canada Regulatory Information:**

**CEPA DSL/NDSL Status:** One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

---

## 16. OTHER INFORMATION

---

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

**This safety data sheet contains changes from the previous version in sections: 2**

**Prepared by:** R&D Support Services

**Issue date:** 04/17/2015

**Supersedes:** Rev. 7, 08/13/2014



ITEM # 31

# SAFETY DATA SHEET

## 1. Identification

**Product number** 1000007838  
**Product identifier** EJ-015 HI-TECH RE-FRESH HOSPITAL DIS  
**Revision date** 11-11-2016  
**Company information** Economical Janitorial & Paper Supplies, Inc.  
 1420 Sams Ave.  
 Suite F  
 Harahan, LA 70123 United States  
**Company phone** General Assistance 1-800-735-6745  
**Emergency telephone US** 1-866-836-8855  
**Emergency telephone outside US** 1-952-852-4646  
**Version #** 10  
**Supersedes date** 02-09-2016  
**Recommended use** Disinfectant  
**Recommended restrictions** None known.

## 2. Hazard(s) identification

**Physical hazards** Flammable aerosols Category 1  
**Health hazards** Sensitization, skin Category 1  
**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Danger  
**Hazard statement** Extremely flammable aerosol. May cause an allergic skin reaction.  
**Precautionary statement**  
**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing gas. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.  
**Response** If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.  
**Storage** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.  
**Environmental hazards** Hazardous to the aquatic environment, acute hazard Category 3  
 Hazardous to the aquatic environment, long-term hazard Category 3  
**Hazard(s) not otherwise classified (HNOC)** None known.  
**Supplemental information** None.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name | Common name and synonyms | CAS number | %       |
|---------------|--------------------------|------------|---------|
| Ethyl Alcohol |                          | 64-17-5    | 40 - 60 |

| Chemical name                            | Common name and synonyms | CAS number | %        |
|--|--------------------------|------------|----------|
| Butane                                   |                          | 106-97-8   | 10 - 20  |
| Propane                                  |                          | 74-98-6    | 2.5 - 10 |
| Biphenyl-2-ol                            |                          | 90-43-7    | 0.1 - 1  |
| Lemon Terpenes                           |                          | 68917-33-9 | 0.1 - 1  |
| Sodium Nitrite                           |                          | 7632-00-0  | 0.1 - 1  |
| Other components below reportable levels |                          |            | 20 - 40  |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Move to fresh air. Call a physician if symptoms develop or persist.  |
| <b>Skin contact</b>   | In case of eczema or other skin disorders: Seek medical attention and take along these instructions.                   |
| <b>Eye contact</b>  | Rinse with water. Get medical attention if irritation develops and persists.   |
| <b>Ingestion</b>  | Rinse mouth. Get medical attention if symptoms occur.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Headache. Coughing. May cause an allergic skin reaction. Dermatitis. Rash.   |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| <b>General information</b>  | Wash contaminated clothing before reuse.   |

#### 5. Fire-fighting measures

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                                  | Alcohol resistant foam. Powder. Carbon dioxide (CO2).  |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards arising from the chemical</b>                    | Contents under pressure. Pressurized container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.  |
| <b>Special protective equipment and precautions for firefighters</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.   |
| <b>Fire fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.   |
| <b>General fire hazards</b>  | Extremely flammable aerosol.   |

#### 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing gas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.  |
| <b>Methods and materials for containment and cleaning up</b>               | Refer to attached safety data sheets and/or instructions for use. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Prevent product from entering drains. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. |
| <b>Environmental precautions</b>   | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.  |

## 7. Handling and storage

**Precautions for safe handling** Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty containers. Avoid breathing gas. Avoid contact with eyes, skin, and clothing. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Level 2 Aerosol.

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                  | Type | Value                  |
|-----------------------------|------|------------------------|
| Ethyl Alcohol (CAS 64-17-5) | PEL  | 1900 mg/m3<br>1000 ppm |
| Propane (CAS 74-98-6)       | PEL  | 1800 mg/m3<br>1000 ppm |

#### US. ACGIH Threshold Limit Values

| Components                  | Type | Value    |
|-----------------------------|------|----------|
| Butane (CAS 106-97-8)       | STEL | 1000 ppm |
| Ethyl Alcohol (CAS 64-17-5) | STEL | 1000 ppm |

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components                  | Type | Value                  |
|-----------------------------|------|------------------------|
| Butane (CAS 106-97-8)       | TWA  | 1900 mg/m3<br>800 ppm  |
| Ethyl Alcohol (CAS 64-17-5) | TWA  | 1900 mg/m3<br>1000 ppm |
| Propane (CAS 74-98-6)       | TWA  | 1800 mg/m3<br>1000 ppm |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Face shield is recommended. Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** For prolonged or repeated skin contact use suitable protective gloves.

#### Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

#### Respiratory protection

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### Appearance

Product name: 15.5 OZ HI-TECH RE-FRSH H DSNFCT LB 12PK

SDS US

Product #: 1000007838 Version #: 10 Revision date: 11-11-2016 Issue date: 05-06-2015

3 / 10

|   |  |
|---|--|
| <b>Physical state</b>                               | Gas.                                       |
| <b>Form</b>   | Aerosol.                                   |
| <b>Color</b>  | Not available.                             |
| <b>Odor</b>   | Not available.                             |
| <b>Odor threshold</b>                               | Not available.                             |
| <b>pH</b>   | Not available.                             |
| <b>Melting point/freezing point</b>                 | Not available.                             |
| <b>Initial boiling point and boiling range</b>      | 161.21 °F (71.78 °C) estimated             |
| <b>Flash point</b>                                  | -156.0 °F (-104.4 °C) PROPELLANT estimated |
| <b>Evaporation rate</b>                             | Not available.                             |
| <b>Flammability (solid, gas)</b>                    | Not available.                             |
| <b>Upper/lower flammability or explosive limits</b> |  |
| <b>Flammability limit - lower (%)</b>               | 4.3 % estimated                            |
| <b>Flammability limit - upper (%)</b>               | Not available.                             |
| <b>Explosive limit - lower (%)</b>                  | Not available.                             |
| <b>Explosive limit - upper (%)</b>                  | Not available.                             |
| <b>Vapor pressure</b>                               | 75 - 85 psig @70F estimated                |
| <b>Vapor density</b>                                | Not available.                             |
| <b>Relative density</b>                             | Not available.                             |
| <b>Solubility(ies)</b>                              |  |
| <b>Solubility (water)</b>                           | Not available.                             |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.                             |
| <b>Auto-ignition temperature</b>                    | 699.8 °F (371 °C) estimated                |
| <b>Decomposition temperature</b>                    | Not available.                             |
| <b>Viscosity</b>                                    | Not available.                             |
| <b>Other information</b>                            |  |
| <b>Explosive properties</b>                         | Not explosive.                             |
| <b>Oxidizing properties</b>                         | Not oxidizing.                             |
| <b>Specific gravity</b>                             | 0.79 estimated                             |

## 10. Stability and reactivity

|   |   |
|---|---|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.   |
| <b>Possibility of hazardous reactions</b> | Hazardous polymerization does not occur.  |
| <b>Conditions to avoid</b>                | Avoid temperatures exceeding the flash point. Contact with incompatible materials.            |
| <b>Incompatible materials</b>             | Strong oxidizing agents. Nitrates. Fluorine. Chlorine.  |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products are known.  |

## 11. Toxicological information

### Information on likely routes of exposure

|   |  |
|---|--|
| <b>Inhalation</b>   | No adverse effects due to inhalation are expected.                         |
| <b>Skin contact</b>   | May cause an allergic skin reaction.                                       |
| <b>Eye contact</b>  | Direct contact with eyes may cause temporary irritation.                   |
| <b>Ingestion</b>  | Expected to be a low ingestion hazard.                                     |
| <b>Symptoms related to the physical, chemical and toxicological characteristics</b> | Headache. Coughing. May cause an allergic skin reaction. Dermatitis. Rash. |

**Information on toxicological effects**

**Acute toxicity** May cause an allergic skin reaction.

| Components                     | Species | Test Results  |
|--------------------------------|---------|---|
| Biphenyl-2-ol (CAS 90-43-7)    |         |   |
| <u>Acute</u>                   |         |   |
| <b>Dermal</b>                  |         |   |
| LD50                           | Rabbit  | > 5000 mg/kg, 24 Hours  |
|                                | Rat     | > 2000 mg/kg, 24 Hours  |
| <b>Inhalation</b>              |         |   |
| LC50                           | Rat     | > 949 mg/m3, 1f <1L: Consumer<br>Commodity Hours<br>> 36 mg/m3, 4 Hours |
| <b>Oral</b>                    |         |   |
| LD50                           | Rat     | 2733 mg/kg  |
| Butane (CAS 106-97-8)          |         |   |
| <u>Acute</u>                   |         |   |
| <b>Inhalation</b>              |         |   |
| LC50                           | Mouse   | 1237 mg/l, 120 Minutes<br>52 %, 120 Minutes                             |
|                                | Rat     | 1355 mg/l   |
| Ethyl Alcohol (CAS 64-17-5)    |         |   |
| <u>Acute</u>                   |         |   |
| <b>Inhalation</b>              |         |   |
| LC50                           | Cat     | 85.41 mg/l, 4.5 Hours<br>43.68 mg/l, 6 Hours                            |
|                                | Mouse   | > 60000 ppm<br>79.43 mg/l, 134 Minutes                                  |
|                                | Rat     | > 115.9 mg/l, 4 Hours<br>51.3 mg/l, 6 Hours                             |
| <b>Oral</b>                    |         |   |
| LD50                           | Monkey  | 6000 mg/kg  |
|                                | Mouse   | 10500 ml/kg   |
|                                | Pig     | > 5000 mg/kg  |
|                                | Rat     | 10470 mg/kg<br>7800 ml/kg   |
| Propane (CAS 74-98-6)          |         |   |
| <u>Acute</u>                   |         |   |
| <b>Inhalation</b>              |         |   |
| LC50                           | Mouse   | 1237 mg/l, 120 Minutes<br>52 %, 120 Minutes                             |
|                                | Rat     | 1355 mg/l<br>658 mg/l/4h  |
| Sodium Nitrite (CAS 7632-00-0) |         |   |
| <u>Acute</u>                   |         |   |
| <b>Oral</b>                    |         |   |
| LD50                           | Rat     | 180 mg/kg   |

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity**  
 Biphenyl-2-ol (CAS 90-43-7) 3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**  
 Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens**  
 Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not likely, due to the form of the product.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

| Components                     |      | Species  | Test Results                 |
|--------------------------------|------|--|------------------------------|
| Biphenyl-2-ol (CAS 90-43-7)    |      |  |                              |
| <b>Aquatic</b>                 |      |  |                              |
| Crustacea                      | EC50 | Water flea (Daphnia magna)                           | 1 - 2.4 mg/l, 48 hours       |
| Fish                           | LC50 | Fathead minnow (Pimephales promelas)                 | 3.4 mg/l, 96 hours           |
| Ethyl Alcohol (CAS 64-17-5)    |      |  |                              |
| <b>Aquatic</b>                 |      |  |                              |
| Crustacea                      | EC50 | Water flea (Daphnia magna)                           | 7700 - 11200 mg/l, 48 hours  |
| Fish                           | LC50 | Fathead minnow (Pimephales promelas)                 | > 100.1 mg/l, 96 hours       |
| Sodium Nitrite (CAS 7632-00-0) |      |  |                              |
| <b>Aquatic</b>                 |      |  |                              |
| Crustacea                      | EC50 | Greasyback shrimp (Metapenaeus ensis)                | 16.14 - 26.61 mg/l, 48 hours |
| Fish                           | LC50 | Rainbow trout, donaldson trout (Oncorhynchus mykiss) | 0.15 - 0.25 mg/l, 96 hours   |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

### Bioaccumulative potential

#### Partition coefficient n-octanol / water (log Kow)

|               |       |
|---------------|-------|
| Biphenyl-2-ol | 3.09  |
| Butane        | 2.89  |
| Ethyl Alcohol | -0.31 |
| Propane       | 2.36  |

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

|  |   |
|--|---|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.  |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.  |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).  |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.  |

### 14. Transport information

#### DOT

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | Aerosols, flammable, (each not exceeding 1 L capacity)                  |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | -   |
| <b>Label(s)</b>                     | 2.1   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Special provisions</b>           | N82   |
| <b>Packaging exceptions</b>         | 306   |
| <b>Packaging non bulk</b>           | None  |
| <b>Packaging bulk</b>               | None  |

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking.

#### IATA

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | Aerosols, flammable   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | -   |
| <b>Label(s)</b>                     | 2.1   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Environmental hazards</b>        | No.   |
| <b>ERG Code</b>                     | 10L   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Other information</b>            |   |
| <b>Passenger and cargo aircraft</b> | Allowed with restrictions.  |
| <b>Cargo aircraft only</b>          | Allowed with restrictions.  |
| <b>Packaging Exceptions</b>         | LTD QTY   |

#### IMDG

|                                   |                 |
|-----------------------------------|-----------------|
| <b>UN number</b>                  | UN1950          |
| <b>UN proper shipping name</b>    | AEROSOLS        |
| <b>Transport hazard class(es)</b> |                 |
| <b>Class</b>                      | 2.1             |
| <b>Subsidiary risk</b>            | -               |
| <b>Label(s)</b>                   | 2.1             |
| <b>Packing group</b>              | Not applicable. |
| <b>Environmental hazards</b>      |                 |
| <b>Marine pollutant</b>           | No.             |
| <b>EmS</b>                        | F-D, S-U        |

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.  
 Packaging Exceptions LTD QTY  
 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.  
 DOT



IATA; IMDG



**15. Regulatory information**

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Sodium Nitrite (CAS 7632-00-0) Listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
 Immediate Hazard - Yes  
 Delayed Hazard - No  
 Fire Hazard - Yes  
 Pressure Hazard - No  
 Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

| Chemical name  | CAS number | % by wt. |
|----------------|------------|----------|
| Biphenyl-2-ol  | 90-43-7    | 0.1 - 1  |
| Sodium Nitrite | 7632-00-0  | 0.1 - 1  |

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)  
**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations**

**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not listed.

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Butane (CAS 106-97-8)

**US. Massachusetts RTK - Substance List**

Biphenyl-2-ol (CAS 90-43-7)

Butane (CAS 106-97-8)

Ethyl Alcohol (CAS 64-17-5)

Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

**US. New Jersey Worker and Community Right-to-Know Act**

Biphenyl-2-ol (CAS 90-43-7)

Butane (CAS 106-97-8)

Ethyl Alcohol (CAS 64-17-5)

Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Biphenyl-2-ol (CAS 90-43-7)

Butane (CAS 106-97-8)

Ethyl Alcohol (CAS 64-17-5)

Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

**US. Rhode Island RTK**

Biphenyl-2-ol (CAS 90-43-7)

Butane (CAS 106-97-8)

Propane (CAS 74-98-6)

Sodium Nitrite (CAS 7632-00-0)

**US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

**US - California Proposition 65 - CRT: Listed date/Carcinogenic substance**

Biphenyl-2-ol (CAS 90-43-7)

Listed: August 4, 2000

**International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                       | Existing Chemicals List (ECL)  | No                     |
| New Zealand                 | New Zealand Inventory  | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

Issue date 05-06-2015

Revision date 11-11-2016

Product name: 15.5 OZ HI-TECH RE-FRSH H DSNFCT LB 12PK

sds us

Product #: 1000007838 Version #: 10 Revision date: 11-11-2016 Issue date: 05-06-2015

9 / 10

|                             |   |
|-----------------------------|---|
| <b>Version #</b>            | 10  |
| <b>Disclaimer</b>           | We cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. |
| <b>Revision information</b> | Product and Company Identification: Alternate Trade Names   |

# SAFETY DATA SHEET

Quat-Stat

## Section 1. Identification

GHS product identifier : Quat-Stat  
 Other means of identification : Not available.  
 Product type : Liquid.

### Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

Supplier's details : Betco Corporation  
 1001 Brown Avenue  
 Toledo, OH 43607  
 www.betco.com  
 888-462-3826

Emergency telephone number (with hours of operation) : Chemtrec 800-424-9300 (24 Hour)

## Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of nonpesticide chemicals. Please read complete product label.

Classification of the substance or mixture : SKIN CORROSION/IRRITATION - Category 1  
 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1  
 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 2  
 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.  
 May cause damage to organs.  
 May cause damage to organs through prolonged or repeated exposure.  
 (Previous statements per OSHA)  
 CORROSIVE. Causes irreversible eye damage and skin burns.  
 Harmful if swallowed.  
 (Previous statements per EPA)

### Precautionary statements

Prevention : Wear protective gloves: 1 - 4 hours (breakthrough time): butyl rubber. Wear eye or face protection: Recommended: splash goggles. Wear protective clothing. Do not breathe vapor. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.

## Section 2. Hazards identification

**Response** : Get medical attention if you feel unwell. IF exposed or if you feel unwell: Call a POISON CENTER or physician. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

**Storage** : Store locked up.

**Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Hazards not otherwise classified** : None known.

## Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture

**Other means of identification** : Not available.

### CAS number/other identifiers

**CAS number** : Not applicable.

**Product code** : 350

| Ingredient name  | %         | CAS number |
|--|-----------|------------|
| Agral 90   | ≥3 - <5   | 9016-45-9  |
| sodium carbonate   | ≥1 - <3   | 497-19-8   |
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides                | ≥1 - <2.5 | 68391-01-5 |
| Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl] dimethyl, chlorides | ≥1 - <3   | 85409-23-0 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

**Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

**Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Skin contact** : Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

## Section 4. First aid measures

- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

- Eye contact** : Causes serious eye damage. (Per OSHA) Causes irreversible eye damage. (Per EPA)
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes severe burns. (Per OSHA) Causes skin burns. (Per EPA)
- Ingestion** : No known significant effects or critical hazards. (Per OSHA) Harmful if swallowed. (Per EPA)

#### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:  
pain  
watering  
redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:  
pain or irritation  
redness  
blistering may occur
- Ingestion** : Adverse symptoms may include the following:  
stomach pains

### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

## Section 5. Fire-fighting measures

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
metal oxide/oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

**Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

### Control parameters

#### Occupational exposure limits

None.

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead. Recommended: splash goggles

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. 1 - 4 hours (breakthrough time): butyl rubber

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Personal protective equipment (Pictograms)**



## Section 9. Physical and chemical properties

### Appearance

- Physical state : Liquid.
- Color : Purple.
- Odor : Pleasant.
- Odor threshold : Not available.
- pH : 11.4 to 12.4
- Melting point : Not available.
- Boiling point : Not available.
- Flash point : Closed cup: Not applicable. [Product does not sustain combustion.]
- Evaporation rate : Not available.
- Flammability (solid, gas) : Not available.
- Lower and upper explosive (flammable) limits : Not available.
- Vapor pressure : Not available.
- Vapor density : Not available.
- Relative density : 1.03771
- Solubility : Easily soluble in the following materials: cold water and hot water.
- Partition coefficient: n-octanol/water : Not available.
- Auto-ignition temperature : Not available.
- Decomposition temperature : Not available.
- Viscosity : Not available.

## Section 10. Stability and reactivity

- Reactivity : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability : The product is stable.
- Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid : No specific data.
- Incompatible materials : Reactive or incompatible with the following materials:  
acids
- Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name | Result    | Species | Dose       | Exposure |
|-------------------------|-----------|---------|------------|----------|
| sodium carbonate        | LD50 Oral | Rat     | 4090 mg/kg | -        |

#### Irritation/Corrosion

## Section 11. Toxicological information

| Product/ingredient name | Result   | Species          | Score  | Exposure                                 | Observation |
|-------------------------|--|------------------|--------|--|-------------|
| Agral 90                | Eyes - Severe irritant                         | Guinea pig       | -      | 20 milligrams                            | -           |
|                         | Eyes - Severe irritant                         | Mouse            | -      | 20 milligrams                            | -           |
|                         | Eyes - Severe irritant                         | Rabbit           | -      | 20 milligrams                            | -           |
|                         | Skin - Mild irritant                           | Human            | -      | 72 hours 15 milligrams Intermittent      | -           |
| sodium carbonate        | Skin - Mild irritant                           | Rabbit           | -      | 500 milligrams                           | -           |
|                         | Eyes - Mild irritant                           | Rabbit           | -      | 0.5 minutes 100 milligrams               | -           |
|                         | Eyes - Moderate irritant                       | Rabbit           | -      | 24 hours 100 milligrams                  | -           |
|                         | Eyes - Severe irritant<br>Skin - Mild irritant | Rabbit<br>Rabbit | -<br>- | 50 milligrams<br>24 hours 500 milligrams | -<br>-      |

**Sensitization**

Not available.

**Mutagenicity**

Not available.

**Carcinogenicity**

Not available.

**Reproductive toxicity**

Not available.

**Teratogenicity**

Not available.

**Specific target organ toxicity (single exposure)**

| Name  | Category   | Route of exposure | Target organs  |
|---|------------|-------------------|----------------|
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides | Category 2 | Not determined    | Not determined |

**Specific target organ toxicity (repeated exposure)**

| Name     | Category   | Route of exposure | Target organs   |
|----------|------------|-------------------|-----------------|
| Agral 90 | Category 2 | Oral              | heart and liver |

**Aspiration hazard**

Not available.

**Information on the likely routes of exposure** : Routes of entry anticipated: Oral, Dermal, Inhalation.

**Potential acute health effects**

- Eye contact** : Causes serious eye damage. (Per OSHA) Causes irreversible eye damage. (Per EPA)
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : Causes severe burns. (Per OSHA) Causes skin burns. (Per EPA)
- Ingestion** : No known significant effects or critical hazards. (Per OSHA) Harmful if swallowed. (Per EPA)

## Section 11. Toxicological information

|                     |  |
|---------------------|--|
| <b>Eye contact</b>  | : Adverse symptoms may include the following:<br>pain<br>watering<br>redness                           |
| <b>Inhalation</b>   | : No specific data.  |
| <b>Skin contact</b> | : Adverse symptoms may include the following:<br>pain or irritation<br>redness<br>blistering may occur |
| <b>Ingestion</b>    | : Adverse symptoms may include the following:<br>stomach pains   |

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

|                                    |                  |
|------------------------------------|------------------|
| <b>Potential immediate effects</b> | : Not available. |
| <b>Potential delayed effects</b>   | : Not available. |

#### Long term exposure

|                                    |                  |
|------------------------------------|------------------|
| <b>Potential immediate effects</b> | : Not available. |
| <b>Potential delayed effects</b>   | : Not available. |

#### Potential chronic health effects

Not available.

|                              |  |
|------------------------------|--|
| <b>General</b>               | : May cause damage to organs through prolonged or repeated exposure. |
| <b>Carcinogenicity</b>       | : No known significant effects or critical hazards.                  |
| <b>Mutagenicity</b>          | : No known significant effects or critical hazards.                  |
| <b>Teratogenicity</b>        | : No known significant effects or critical hazards.                  |
| <b>Developmental effects</b> | : No known significant effects or critical hazards.                  |
| <b>Fertility effects</b>     | : No known significant effects or critical hazards.                  |

### Numerical measures of toxicity

#### Acute toxicity estimates

| Route               | ATE value     |
|---------------------|---------------|
| Oral                | 10275.3 mg/kg |
| Dermal              | 48888.9 mg/kg |
| Inhalation (vapors) | 22.22 mg/l    |

## Section 12. Ecological information

### Toxicity

| Product/ingredient name | Result                           | Species  | Exposure |
|-------------------------|----------------------------------|--|----------|
| Agral 90                | Acute EC50 12 mg/l Fresh water   | Algae - Pseudokirchneriella subcapitata          | 96 hours |
|                         | Acute LC50 2.6 µg/l Fresh water  | Crustaceans - Thamnocephalus platyurus - Nauplii | 48 hours |
|                         | Acute LC50 4800 µg/l Fresh water | Daphnia - Daphnia pulex - Larvae                 | 48 hours |
|                         | Acute LC50 1300 µg/l Fresh water | Fish - Lepomis macrochirus                       | 96 hours |
|                         | Chronic NOEC 8 mg/l Fresh water  | Algae - Pseudokirchneriella subcapitata          | 96 hours |
|                         | Chronic NOEC 35 µg/l Fresh water | Fish - Oryzias latipes - Fry                     | 100 days |

## Section 12. Ecological information

|  |                                    |                            |          |
|--|------------------------------------|----------------------------|----------|
|  | Acute LC50 265000 µg/l Fresh water | Daphnia - Daphnia magna    | 48 hours |
|  | Acute LC50 300000 µg/l Fresh water | Fish - Lepomis macrochirus | 96 hours |

**Persistence and degradability**

Not available.

**Bioaccumulative potential**

Not available.

**Mobility in soil**

Soil/water partition coefficient (K<sub>oc</sub>) : Not available.

Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

|                            | DOT Classification   | TDG Classification   | Mexico Classification  | ADR/RID   | IMDG  | IATA   |
|----------------------------|--|--|--|---|---|--|
| UN number                  | 1760   |  | 1760   | 1760  | 1760  | 1760   |
| UN proper shipping name    | Corrosive Liquids, N.O.S. (Quaternary Ammonium Chloride)                                 | Product Not available.   | Corrosive Liquids, N.O.S. (Quaternary Ammonium Chloride)                                 | Corrosive Liquids, N.O.S. (Quaternary Ammonium Chloride)  | Corrosive Liquids, N.O.S. (Quaternary Ammonium Chloride)  | Corrosive Liquids, N.O.S. (Quaternary Ammonium Chloride)                                   |
| Transport hazard class(es) | 8<br> | 8<br> | 8<br> | 8<br><br> | 8<br><br> | 8<br> |
| Packing group              | III  | III  | III  | III   | III   | III  |
| Environmental hazards      | No.  | No.  | No.  | Yes.  | Yes.  | No.  |

## Section 14. Transport information

|                        |                                 |   |   |   |   |  |
|------------------------|---------------------------------|---|---|---|---|--|
| Additional information | <u>Limited quantity</u><br>Yes. | - | - | The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.<br><br><u>Tunnel code</u><br>(E) | The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg. | The environmentally hazardous substance mark may appear if required by other transportation regulations. |
|------------------------|---------------------------------|---|---|---|---|--|

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not available.

## Section 15. Regulatory information

**U.S. Federal regulations** : TSCA 8(a) PAIR: Agral 90  
 TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
 Not determined.  
 Clean Water Act (CWA) 311: sodium hydroxide

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

### SARA 311/312

**Classification** : Immediate (acute) health hazard  
 Delayed (chronic) health hazard

#### Composition/information on ingredients

## Section 15. Regulatory information

| Name  | %         | Fire hazard | Sudden release of pressure | Reactive | Immediate (acute) health hazard | Delayed (chronic) health hazard |
|---|-----------|-------------|----------------------------|----------|---------------------------------|---------------------------------|
| Agral 90  | ≥3 - <5   | No.         | No.                        | No.      | Yes.                            | Yes.                            |
| sodium carbonate  | ≥1 - <3   | No.         | No.                        | No.      | Yes.                            | No.                             |
| Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides               | ≥1 - <2.5 | No.         | No.                        | No.      | Yes.                            | No.                             |
| Quaternary ammonium compounds, C12-14-alkyl[(ethylphenyl)methyl]dimethyl, chlorides | ≥1 - <3   | No.         | No.                        | No.      | Yes.                            | No.                             |

### State regulations

- Massachusetts : None of the components are listed.  
 New York : None of the components are listed.  
 New Jersey : The following components are listed: ETHYL ALCOHOL; ALCOHOL  
 Pennsylvania : The following components are listed: DENATURED ALCOHOL

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### International lists

#### National inventory

- Australia : Not determined.  
 Canada : Not determined.  
 China : Not determined.  
 Europe : Not determined.  
 Japan : Not determined.  
 Malaysia : Not determined.  
 New Zealand : Not determined.  
 Philippines : Not determined.  
 Republic of Korea : Not determined.  
 Taiwan : Not determined.

## Section 16. Other information

### Hazardous Material Information System (U.S.A.)

|              |     |
|--------------|-----|
| Health       | * 2 |
| Flammability | 0   |
|              | 0   |

## Section 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

### National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

### Procedure used to derive the classification

| Classification     | Justification         |
|--------------------|-----------------------|
| Skin Corr. 1, H314 | On basis of test data |
| Eye Dam. 1, H318   | On basis of test data |
| STOT SE 2, H371    | Calculation method    |
| STOT RE 2, H373    | Calculation method    |

### History

- Date of printing : 4/10/2015.
- Date of issue/Date of revision : 4/10/2015.
- Date of previous issue : No previous validation.
- Version : 1
- Key to abbreviations : ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 UN = United Nations
- References : Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

## Material Safety Data Sheet

**Woodstream**  
Woodstream Corporation  
69 North Locust Street  
Lititz, PA 17543

**MSDS No:** 389  
**Domestic Emergency Phone:** 800-424-9300  
**International Emergency Phone:** 703-527-3887  
**Information Phone:** 800-800-1819  
**Intl Info Phone:** 717-626-2125

**SECTION I: MATERIAL IDENTIFICATION**

**Product Number/Size:** M309 1 Each  
**Trade Name:** GLUE BOARD FOR TIN CAT  
**Also Known As:** Glue Board  
**Description:** Glue Board  
**Chemical Composition:** Hot Melt Adhesive  
**Regulatory Licenses:** None

**SECTION II: INGREDIENTS**

| <u>Non-Hazardous Component (s)</u> | <u>CAS #</u> | <u>Chemical Formula</u> |
|------------------------------------|--------------|-------------------------|
| Hot Melt Adhesive (Mixture)        | N/A          | Proprietary             |

**SECTION III: PHYSICAL DATA**

|   |   |
|---|---|
| <b>Boiling Point:</b> Not Available                     | <b>Viscosity:</b> Not Available                     |
| <b>Vapor Pressure (mm Hg):</b> Not Available            | <b>Odor:</b> Mild                                   |
| <b>Vapor Density (AIR=1):</b> HEAVIER THAN AIR          | <b>Specific Gravity (Water=1):</b> 0.875            |
| <b>Bulk Density:</b> 7.5 PPG                            | <b>Percent, Volatile by Volume %:</b> Not Available |
| <b>Freezing Point:</b> Not Available                    | <b>Evaporation Rate (Xylene=1):</b> Not Available   |
| <b>Solubility in Water:</b> Insoluble                   | <b>Physical State:</b> Viscous Liquid               |
| <b>Appearance:</b> Clear to Light Yellow Viscous Liquid | <b>pH:</b> Not Available                            |

**SECTION IV: FIRE AND EXPLOSION HAZARD DATA**

|  |   |
|--|---|
| <b>Flash Point (method):</b> >400°F                    | <b>NFPA Health Rating:</b> Not Rated              |
| <b>Autoignition Temp.:</b> Not Available               | <b>NFPA Fire Rating:</b> Not Rated                |
| <b>Flammable Lel:</b> Not Available                    | <b>NFPA Reactivity Rating:</b> Not Rated          |
| <b>Flammable Uel:</b> Not Available                    | <b>Extinguishing Material:</b> CO2, CHEMICAL FOAM |
| <b>Hazardous Products of Combustion:</b> Carbon Oxides |   |

**SECTION V: HEALTH HAZARD DATA**

**General Statement:** None of the ingredients of this material meet the definition of "Hazardous Chemical" given in OSHA Hazard communication regulation 29 CFR 1910.1200(c).

**Occupational Exposure Limit:** No Limits

**Effects of Over Exposure:** None Expected

**Carcinogenicity:** None listed per OSHA, NTP, IARC

**Chronic Effects:** None Expected

**Rec. Exp. Limits:** No Limits

**Potential Health Effects:** None Expected

**Acute Oral:** Not Available

**Acute Dermal:** Not Available

**Acute Inhalation:** Not Available

**Eye Irritation:** Not An Irritant

**Skin Irritation:** Not An Irritant

**Sensitization:** Not A Sensitizer

| <u>Route of Entry</u> | <u>Symptoms/Effects of Overexposure</u> | <u>First Aid</u>  |
|-----------------------|---|---|
| Skin                  | None expected due to product form.      | Due to product form not a reasonable route of exposure. If contact should occur wash with soap and water. If irritation occurs get medical attention. |
| Inhalation            | None expected due to product form.      | Due to product form not a reasonable route of exposure.   |
| Eye                   | None expected due to product form.      | Due to product form not a reasonable route of exposure. If contact should occur get medical attention.  |
| Ingestion             | None expected due to product form.      | Due to product form not a reasonable route of exposure.   |

#### SECTION VI: REACTIVITY DATA

|                                  |                         |
|----------------------------------|-------------------------|
| <u>Stability:</u>                | Stable                  |
| <u>Conditions to avoid:</u>      | Excessive Heat          |
| <u>Materials to avoid:</u>       | Oils Will Dissolve Glue |
| <u>Hazardous Decomposition:</u>  | Will Not Occur          |
| <u>Conditions to avoid:</u>      | None Known              |
| <u>Hazardous Polymerization:</u> | Will Not Occur          |
| <u>Conditions to avoid:</u>      | None Known              |

#### SECTION VII: SPILL OR LEAK PROCEDURES

|  |   |
|--|---|
| <u>Steps to be taken if material is released or spilled:</u> | Due to product form it can be picked up and placed in trash or restored. Glue can be dissolved using any vegetable oil. Apply vegetable oil to spilled glue, wipe up with rag and dispose of in trash receptacle. |
| <u>Waste Disposal Method:</u>                                | Incinerate or manage at a permitted waste management facility. Dispose of in accordance with local, state and federal regulations.  |
| <u>Product Disposal Method:</u>                              | Discard used traps by securely wrapping in several layers of newspaper and discarding in trash.   |

#### SECTION VIII: SPECIAL PROTECTION INFORMATION

|                                    |  |
|------------------------------------|--|
| <u>Respiratory Protection:</u>     | Not Required   |
| <u>Protective Gloves:</u>          | Not Required   |
| <u>Eye Protection:</u>             | Not Required   |
| <u>Protective Clothing:</u>        | Not Required   |
| <u>Ventilation:</u>                | Not Required   |
| <u>Other Protective Equipment:</u> | None Require   |
| <u>Protection Note:</u>            | Personal protection information provided in this Section is based upon general information as to normal uses and conditions. |

#### SECTION IX: SPECIAL PRECAUTIONS

|                              |  |
|------------------------------|--|
| <u>Storage and Handling:</u> | Store in a cool dry area away from heat.   |
| <u>Other Precautions:</u>    | Spilled glue can be dissolved using vegetable or mineral oils. Apply oil to glue and wipe up with rag. |
| <u>Precaution Note:</u>      | None   |

#### SECTION X: ECOLOGICAL INFORMATION

|                            |               |
|----------------------------|---------------|
| <u>Ecotoxicity:</u>        | Not Ecotoxic  |
| <u>Environmental Fate:</u> | Not Available |

---

**SECTION XI: TRANSPORTATION INFORMATION****DOT HAZARD DESCRIPTION**

**DOT Proper Shipping Name:** Not Hazardous  
**Identification Number:** N/A  
**DOT Hazard Class/Division:** N/A  
**Packaging Group:** N/A  
**Packaging Instructions:** N/A  
**Special Instructions:** N/A  
**Placard:** Not Required  
**Emergency Response Guide#:** N/A  
**US Surface Freight Class:** See NMFTA Manual

**IATA CLASSIFICATION**

**IATA Proper Shipping Name:**  
**Identification Number:** N/A  
**IATA Hazard Class/Division:**  
**Packaging Group:** N/A  
**IATA Bulk Packaging Inst:** N/A  
**IATA Shipping Notes:** N/A

**IMO CLASSIFICATION**

**IMO Proper Shipping Name:**  
**Identification Number:** N/A  
**IMO Hazard Class/Division:**  
**Packaging Group:** N/A  
**IMO Shipping Notes:** N/A  
**IMO Bulk Packaging Inst:** N/A  
**IMO Stowage Category:** N/A

---

**SECTION XII: REGULATORY INFORMATION**

**SARA Title III:** Not Regulated  
**SARA Product Classification:** Not Classified  
**Acute:** N/A  
**Chronic:** N/A  
**Fire:** N/A  
**Reactivity:** N/A  
**Pressure Generating:** N/A  
**311/312 Hazard Categories:** None  
**313 Reportable Ingredients:** None  
**TSCA Regulatory:** Not Regulated  
**State Regulations:** None  
**Proposition 65 Statement:** None Listed

---

**SECTION XIII: OTHER INFORMATION**

**Memo:** While this information and recommendations set forth are believed to be accurate as of the date hereof, Woodstream Corp. makes no warranty with respect hereto and disclaims all liability from reliance thereon.

**Date MSDS Prepared:** 1/15/2003  
**Supersedes Date:** 2/1/2001

**Contact:** Nathan P. Ehresman  
**Title:** Regulatory Affairs

I TCM #24

# Material Safety Data Sheet

MSDS#: 142-18

Page 1 of 2

Sanford Corporation  
2711 Washington Boulevard  
Bellwood, IL 60104

Telephone Number: 1-800-323-0749  
Initiated By: Susan Nyborg  
Date of Last Revision: June 1, 2001  
Medical Emergency No: 1-800-228-5635

## Section One: Product Identification

Product Name: Expo<sub>R</sub> Cleaner for Dry Erase Surfaces  
Colors: Clear

Sanford Corporation is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D4236 and is labeled with the CL Cautionary Label Seal. Products bearing the CL Seal are certified to be properly labeled in a program of toxicological evaluation by a medical expert for any known health risks and with information on the safe and proper use of these materials. Conforms to ASTM D4236. This MSDS is applicable for the consumer use of the following product numbers: 81801, 81803

## Section Two: Composition

Water, isopropyl alcohol (67-63-0), ethylene glycol monobutyl ether (111-76-2)

## Section Three: Physical and Chemical Characteristics

**For isopropanol:**  
Boiling Point: 180°F at 760 mm Hg  
Vapor Pressure (mm Hg): 33 mm Hg at 68°F  
Specific Gravity: 0.78 at 77°F  
Solubility in Water: Not available  
Appearance and Odor: Clear liquid; characteristic alcohol odor  
Evaporation Rate: 7.7 (ethyl ether = 1)

## Section Four: Fire and Explosion Hazard Data

Flash Point (Method Used): 105°F (TCC) for mixture  
Flammability Limits (% by volume): Lower: 2.5% for isopropanol Upper: Not available  
Extinguishing Medium: N/A  
Special Fire Fighting Procedures: N/A  
Unusual Fire and Explosion Hazards: N/A

### Section Five: Reactivity Data

|                           |                               |
|---------------------------|-------------------------------|
| Stability:                | Stable                        |
| Conditions to Avoid:      | Avoid extreme heat and flame. |
| Chemical Incompatibility: | None known                    |
| Hazardous Decomposition:  | None known                    |
| Hazardous Polymerization: | Will not occur.               |

### Section Six: Health Hazard Data

Chemicals Listed as Carcinogens or Potential Carcinogen:

|                              |    |
|------------------------------|----|
| IARC Monographs:             | No |
| National Toxicology Program: | No |
| OSHA Regulated:              | No |

WARNING: FLAMMABLE. MAY BE HARMFUL BY INGESTION OR BY SKIN CONTACT. MAY BE HARMFUL IF SWALLOWED. EYE IRRITANT. CONTAINS: 2-BUTOXY ETHANOL/ACETATE, ISOPROPYL ALCOHOL.  
 PRECAUTIONS: Avoid ingestion. Keep away from eyes. Do not store or use near heat or flame. KEEP OUT OF REACH OF CHILDREN. FIRST AID: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If skin contact occurs, wash with soap and water for 5 minutes. If swallowed, get prompt medical attention. For further health information, contact a poison control center or call 1-800-228-5635.

### Section Seven: Precautions for Safe Handling and Use

|  |   |
|--|---|
| Steps to Be Taken in Case Material Is Released or Spill: | Wipe up with absorbent material.                                  |
| Waste Disposal Method:                                   | Dispose in accordance with Federal, State, and Local Regulations. |
| Precautions to Be Taken in Handling and Storage:         | Use in a well-ventilated area.                                    |
| Other Precautions:                                       | Aim nozzle away from eyes.  |

### Section Eight: Personal Protection and Exposure Control Measures

|                         |   |
|-------------------------|---|
| Eye Protection:         | None under normal use conditions. Avoid eye contact.            |
| Skin Protection:        | None under normal use conditions. Avoid prolonged skin contact. |
| Respiratory Protection: | None under normal use conditions.                               |
| Ventilation:            | Use in a well-ventilated area.                                  |
| Protective Clothing:    | None under normal use conditions.                               |

| HMIS Code           |     |
|---------------------|-----|
| Health              | 2   |
| Flammability        | 2   |
| Reactivity          | 0   |
| Personal Protection | N/A |

Sanford Corporation has been advised by council that the OSHA Hazard Communication Standard does not apply to the Sanford product described in this MSDS. The reason for the exemption is contained in 29 CFR 1910.1200 (b)(6)(ix), as amended July 1, 1994, per the Code of Federal Regulations. The information contained in this MSDS is forwarded to you for your information, but is not meant to imply that the product is covered by the Hazard Communication Standard, nor is the MSDS meant to comply with all the requirements of the Hazard Communication Standard.

0 = Minimal / 4 = Severe Hazard

## MATERIAL SAFETY DATA SHEET

**BAYER ADVANCED LLC**  
 1500 Urban Center Dr.  
 Birmingham, AL 35242

**TRANSPORTATION EMERGENCY:**  
 CALL CHEMTREC: (800) 424-9300  
 DISTRICT OF COLUMBIA: (202) 483-7616

**NON-TRANSPORTATION:**  
 BAYER EMERGENCY PHONE: (877) 229-3763  
 BAYER INFORMATION PHONE: (877) 229-3724

**1. CHEMICAL PRODUCT IDENTIFICATION:**  
**PRODUCT NAME:** BAYER ADVANCED HOME Home Pest Control Indoor/Outdoor Insect Killer RTU  
**PRODUCT CODE:** 41018  
**CHEMICAL FAMILY:** Pyrethroid Insecticide  
**CHEMICAL NAME:** Cyano(4-fluoro-3-phenoxyphenyl)methyl 3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate  
**SYNONYMS:** Cyfluthrin  
**FORMULA:** C22 H18 Cl2 F N O3  
**PRODUCT USE:** Consumer Insecticide

**HAZARDS IDENTIFICATION Continued:**  
**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** No specific medical conditions are known which may be aggravated by exposure to the active ingredient in this product. As with all materials which can cause upper respiratory tract irritation, persons with a history of asthma, emphysema, or hyperreactive airway disease may be more susceptible to overexposure.

**2. COMPOSITION/INFORMATION ON INGREDIENTS:**

| INGREDIENT NAME                   | EXPOSURE LIMITS        | CONCENTRATION (%) |
|-----------------------------------|------------------------|-------------------|
| ***** HAZARDOUS INGREDIENTS ***** |                        |                   |
| Cyfluthrin                        | OSHA : Not Established | 0.1%              |
| 68359-37-5                        | ACGIH: Not Established |                   |

**4. FIRST AID MEASURES:**  
**FIRST AID FOR EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.  
**FIRST AID FOR SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.  
**FIRST AID FOR INHALATION:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.  
**FIRST AID FOR INGESTION:** Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.  
**NOTE TO PHYSICIAN:** The active ingredient is a cyanopyrethroid that can cause paraesthesia effects with sufficient exposure. Published data indicate that vitamin E acetate can prevent and/or mitigate symptoms of paraesthesia caused by synthetic pyrethroids.

**3. HAZARDS IDENTIFICATION:**

**EMERGENCY OVERVIEW                      CAUTION!**

**Color:** White or off-white; **Form:** Liquid; Turbid aqueous emulsion; Harmful if inhaled; Causes eye irritation; Harmful if swallowed.

**POTENTIAL HEALTH EFFECTS:**  
**ROUTE(S) OF ENTRY:** Inhalation; Skin Contact; Eye Contact; Ingestion  
**HUMAN EFFECTS AND SYMPTOMS OF OVEREXPOSURE:**  
**ACUTE EFFECTS OF EXPOSURE:** Exposure during the labeled use of this product is expected to be minimal. Consumers should refer to the packaging label for proper handling procedures. Sufficient exposure to cyfluthrin, the active ingredient in this product, may cause eye or skin irritation characterized by redness or itching. In addition, sufficient exposure to cyfluthrin may produce paraesthesia (a tingling or burning sensation on the surface of the skin). This is a frequently reported symptom associated with sufficient dermal exposure to alpha-cyano (or Type II) synthetic pyrethroids and normally subsides without treatment within 24 hours. Mucous membrane irritation involving the nose, throat and upper respiratory tract may occur from inhalation of aerosols containing cyfluthrin. Based on EPA Toxicity Category criteria, this product is mildly toxic by the oral and dermal routes of exposure. See Section 11 for additional toxicology information.  
**CHRONIC EFFECTS OF EXPOSURE:** Based on animal studies, no adverse effects are expected from chronic exposure to this product.  
**CARCINOGENICITY:** This product is not listed by NTP, IARC or regulated as a carcinogen by OSHA.

**5. FIRE FIGHTING MEASURES:**  
**FLASH POINT:** Greater than 200°F (93°C)  
**EXTINGUISHING MEDIA:** Foam; Dry Chemical  
**SPECIAL FIRE FIGHTING PROCEDURES:** Keep out of smoke. Cool exposed containers with water spray. Fight fire from upwind position. Use self-contained breathing equipment. Contain runoff by diking to prevent entry into sewers or waterways. Equipment or materials involved in pesticide fires may become contaminated.

**6. ACCIDENTAL RELEASE MEASURES:**  
**SPILL OR LEAK PROCEDURES:** Isolate area and keep unauthorized people away. Do not walk through spilled material. Avoid breathing vapors and skin contact. Remove sources of ignition if combustible or flammable vapors may be present and ventilate area. Wear proper protective equipment. Dike contaminated area with absorbent granules, soil, sand, etc. If large spill, material should be recovered. Small spills can be absorbed with absorbent granules, spill control pads, or any

MATERIAL SAFETY DATA SHEET

**ACCIDENTAL RELEASE MEASURES Continued:**

**SPILL OR LEAK PROCEDURES continued:**

absorbent materials. Carefully sweep up absorbed spilled material. Place in covered container for reuse or disposal. Scrub contaminated area with detergent and bleach solution and/or detergent and lye in water solution. Repeat. Rinse with water. Use dry absorbent material such as clay granules to absorb and collect wash solution for proper disposal. Contaminated soil may have to be disposed. Do not allow material to enter streams, sewers, or other waterways or contact vegetation.

**7. HANDLING AND STORAGE:**

**STORAGE TEMPERATURE(MIN/MAX):** Greater than 32°F/30-day avg. not to exceed 38°C (100°F)

**SHELF LIFE:** Time/temperature dependent. Contact Bayer for additional information.

**SPECIAL SENSITIVITY:** Not established

**HANDLING/STORAGE PRECAUTIONS:** Do not allow product to contaminate material which is intended for use or consumption by humans or animals.

**8. PERSONAL PROTECTION:**

**REQUIRED WORK/HYGIENE PROCEDURES:** Exposure during the labeled use of this product is expected to be minimal. Consumers should refer to the packaging label for proper handling procedures. However, if exposure to this product is possible while handling large quantities such as in subsequent manufacturing, transportation spills or other emergencies, the following personal protection is recommended.

**EYE PROTECTION REQUIREMENTS:** Splash-proof goggles

**SKIN PROTECTION REQUIREMENTS:** Long sleeves and trousers

**HAND PROTECTION REQUIREMENTS:** Chemical-resistant gloves such as latex or nitrile

**VENTILATION REQUIREMENTS:** Control exposure levels through the use of general and local exhaust ventilation.

**RESPIRATOR REQUIREMENTS:** If needed, based on the conditions of use, wear a NIOSH-approved organic vapor respirator with particulate pre-filter.

**ADDITIONAL PROTECTIVE MEASURES:** Clean water and soap should be available for washing in case of eye or skin contamination. Educate and train employees in safe use of the product. Follow all label instructions. Launder clothing separately after use. Wash thoroughly after handling.

**9. PHYSICAL AND CHEMICAL PROPERTIES:**

**PHYSICAL FORM:** Liquid  
**APPEARANCE:** Turbid aqueous emulsion  
**COLOR:** White or off-white  
**ODOR:** Not Noted  
**MOLECULAR WEIGHT:** 434.3 (for cyfluthrin)  
**pH:** 4.9 @ 25°C  
**BOILING POINT:** 100°C (212°F)  
**MELTING/FREEZING POINT:** 0°C (32°F)  
**VISCOSITY:** 2 cps @ 20°C  
**SOLUBILITY IN WATER:** >99%  
**SPECIFIC GRAVITY:** 1.00 @ 20 /20°C  
**BULK DENSITY:** Not applicable  
**VAPOR PRESSURE:** 7.2 x 10-9 mm Hg @ 20°C (for cyfluthrin)

**10. STABILITY AND REACTIVITY:**

**STABILITY:** This is a stable material.

**HAZARDOUS POLYMERIZATION:** Will not occur.

**INCOMPATIBILITIES:** Alkaline or oxidizing media

**INSTABILITY CONDITIONS:** Not established

**DECOMPOSITION PRODUCTS:** Not established

**11. TOXICOLOGICAL INFORMATION:**

Acute toxicity studies have not been performed on this product as formulated containing 0.1% of the active ingredient, cyfluthrin. The acute toxicity data provided are from other cyfluthrin formulations. The acute eye irritation study has been performed on another formulation containing 0.1% active ingredient. All other acute toxicity data provided are from a formulation containing 24% active ingredient. The non-acute information pertains to cyfluthrin technical.

**ACUTE TOXICITY:**

**ORAL LD50:** Male rat: 647 mg/kg - Female rat: 695 mg/kg

**DERMAL LD50:** Male and Female Rabbit: >2000 mg/kg

**INHALATION LC50:** 4 Hr Exposure to Liquid Aerosol: Male Rat: 0.716 mg/L (analytical) – Female Rat: 0.924 mg/L (analytical); 1 Hr exposure to Liquid Aerosol: Rat: >2.029 mg/L (analytical)

**EYE EFFECTS:** Rabbit: Minimal irritation to the conjunctiva was observed with all irritation clearing within 24 hours post-treatment.

**SKIN EFFECTS:** Rabbit: Moderate dermal irritant.

**SENSITIZATION:** Guinea Pig: Positive dermal sensitizer

**SUBCHRONIC TOXICITY:**

In a 3 week dermal toxicity study, cyfluthrin technical was administered to rats for 6 hours/day at dose levels of 100, 340 or 1000 mg/kg. Animals received a total of 17-18 applications in a period of 22-23 days. An additional control and high-dose group were treated and maintained for 14-15 days following treatment so as to ascertain the extent of recovery. Effects observed included reduced feed consumption, red nasal discharge, urine stains, and findings at the dose site (scabbing, crusty, discolored and raised zones). Histologically, epidermal and dermal alterations in treated skin were observed in animals of the mid- and high-dose groups. Similar, but slightly less severe microscopic alterations were also observed in the high-dose recovery group. The overall NOEL was 100 mg/kg. In a 13 week inhalation study, rats were exposed to cyfluthrin at aerosol concentrations of 0.09, 0.71 or 4.51 mg/m<sup>3</sup> for 6 hours/day, 5 days/week. The NOEL was 0.09 mg/m<sup>3</sup> based on reduced body weight gains.

**CHRONIC TOXICITY:**

Cyfluthrin has been investigated in chronic feeding studies using two different strains of rats. In each study, cyfluthrin was administered for 2 years at dietary concentrations ranging from 50 to 450 ppm. Body weight gains were decreased at concentrations of 150 ppm and greater. Changes in clinical chemistries occurred at 450 ppm. In one of the studies, histopathology revealed a numerical increase in mammary gland adenocarcinomas at 450 ppm. This finding was not statistically significant when compared to the controls and is not considered to be compound-related. In each study, the overall NOEL was 50 ppm based on decreased body weight gains. In a 1 year feeding study, dogs were administered cyfluthrin at dietary concentrations of 50, 100, 360 or 650 ppm. Beginning on week 8, the high-dose was reduced to 500 ppm for the remainder of the study due to severe clinical neurological symptoms. Body weights were decreased for animals of the high-dose. Neurological findings (gait abnormalities and postural reaction deficits) were observed at doses of 360 ppm and greater. The NOEL was 100 ppm.

**TOXICOLOGICAL INFORMATION:**

**CARCINOGENICITY:**

Cyfluthrin was investigated for carcinogenicity in chronic studies using several different strains of rats and mice. In rats, the maximum level tested was 450 ppm. Maximum levels tested in mice were 1400 and 1600 ppm for males and females, respectively. There was no evidence of a carcinogenic potential observed in any of the strains in either species.

**MUTAGENICITY:**

Numerous in vitro and in vivo mutagenicity studies have been conducted on cyfluthrin, all of which are negative.

**DEVELOPMENTAL TOXICITY:**

In developmental toxicity studies using rats, cyfluthrin was administered during gestation by oral gavage at doses ranging from 1 to 30 mg/kg. The overall NOEL from these studies for maternal toxicity was 3 mg/kg. No developmental effects were observed at any of the doses tested. In each study, the NOEL for developmental toxicity was equivalent to the highest dose tested. The NOELs for developmental toxicity for the initial study and the subsequent study were 30 and 10 mg/kg, respectively. Rabbits were administered cyfluthrin during gestation by oral gavage at doses ranging from 5 to 180 mg/kg. At maternally toxic levels, there was an increased incidence of post-implantation losses. The overall NOEL derived from these studies for both maternal and developmental toxicity was 20 mg/kg. In an inhalation study, rats were exposed during gestation to cyfluthrin at aerosol concentrations of 0.46, 2.55 or 11.9 mg/m<sup>3</sup> for 6 hours/day. NOELs for maternal and developmental toxicity were less than 0.46 and 0.46 mg/m<sup>3</sup>, respectively.

**REPRODUCTION:**

In a reproduction study, cyfluthrin was administered to rats for 3 generations at dietary concentrations of 50, 150 and 450 ppm. Reproductive effects observed at parentally toxic levels included reductions in viability, lactation, litter size, feed consumption, and pup birth weights and body weight gains. Coarse tremors were observed in some offspring at 450 ppm. The NOEL for both parental and reproductive effects was 50 ppm. In another reproduction study, cyfluthrin was administered to rats for 2 generations at dietary concentrations of 50, 125 or 400 ppm. Coarse tremors occurring in conjunction with parental toxicity were observed in the offspring in the mid- and high-dose groups. Based on this finding, the neonatal NOEL was 50 ppm. The NOELs for parental and reproductive toxicity were 50 and 400 ppm, respectively.

**NEUROTOXICITY:**

Numerous neurotoxicity studies have been conducted on cyfluthrin. Oral gavage studies using hens have indicated that at extremely high dose levels (5000 mg/kg), minimal nerve damage occurs. When rats were administered cyfluthrin daily at oral doses of 40 to 80 mg/kg for 14 days, minimal nerve effects were seen. These effects were completely reversible within a 3 month recovery period. In dermal and inhalation studies which are more relevant to field exposure, there was no evidence of delayed neurotoxicity in hens. In a special investigative study, litters of neonatal mice (10 days of age) and their mothers were exposed to cyfluthrin via inhalation (whole body exposure). Mice were exposed to aerosol concentrations of 5, 15 or 50 mg/m<sup>3</sup> for 6.3 hours/day for 7 successive days. Motor activity was measured in the offspring at 4 months of age (approximately 3.5 months post-exposure). At 50 mg/m<sup>3</sup>, all of the offspring died or were sacrificed in a moribund state following the first exposure. Mortalities were not observed at any of the other levels. Clinical symptoms were observed immediately after exposure in young mice at 15 mg/m<sup>3</sup>, and included decreased motility, temporary scratching, and tonic convulsions. There was an increase in motor activity in mice at 15 mg/m<sup>3</sup>. Histopathological investigations did not reveal any treatment-related findings in mice at the age of 4 months.

**12. ECOLOGICAL INFORMATION:**

This product is highly toxic to aquatic invertebrates and fish. Bayer will provide a summary of specific ecological effects data upon written request. As with any pesticide, this product should be used according to label directions and should be kept out of streams, lakes and other aquatic habitats of concern.

**13. DISPOSAL CONSIDERATIONS**

**WASTE DISPOSAL METHOD:** Follow container label instructions for disposal of wastes generated during use in compliance with the FIFRA product label. In other situations, bury in an EPA-approved landfill or burn in an incinerator approved for pesticide destruction. Do not reuse container.

**14. TRANSPORTATION INFORMATION:**

**TECHNICAL SHIPPING NAME:** Cyfluthrin  
**FREIGHT CLASS PACKAGE:** Insecticides, NOI - NMFC 102100  
**PRODUCT LABEL:** Not Noted  
**DOT (DOMESTIC SURFACE)**  
**HAZARD CLASS OR DIVISION:** Non-Regulated  
**IMO / IMDG CODE (OCEAN)**  
**HAZARD CLASS DIVISION NUMBER:** Non-Regulated  
**ICAO / IATA (AIR)**  
**HAZARD CLASS DIVISION NUMBER:** Non-Regulated

**15. REGULATORY INFORMATION:**

**OSHA STATUS:** This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.  
**TSCA STATUS:** This product is exempt from TSCA Regulation under FIFRA Section 3 (2)(B)(ii) when used as a pesticide.  
**CERCLA REPORTABLE QUANTITY:** None  
**SARA TITLE III:**  
**SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES:** None  
**SECTION 311/312 HAZARD CATEGORIES:** Immediate Health Hazard; Delayed Health Hazard  
**SECTION 313 TOXIC CHEMICALS:** Cyfluthrin - 0.1% (CAS No. 68359-37-5)  
**RCRA STATUS:** If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

**16. OTHER INFORMATION:**

**NFPA 704M RATINGS:**  
 Health 2      Flammability 1      Reactivity 0      Other  
 0=Insignificant    1=Slight    2=Moderate    3=High    4=Extreme  
 Bayer's method of hazard communication is comprised of Product Labels and Material Safety Data Sheets. NFPA ratings are provided by Bayer as a customer service.  
**REASON FOR ISSUE:** Revise Section 4 (modify first aid statements)  
**PREPARED BY:** V. C. Standart

MATERIAL SAFETY DATA SHEET

---

**OTHER INFORMATION Continued:**

|                  |                        |
|------------------|------------------------|
| APPROVED BY:     | D. C. Eberhart         |
| TITLE:           | Product Safety Manager |
| APPROVAL DATE:   | 06/27/2000             |
| SUPERSEDES DATE: | 10/11/1999             |
| MSDS NUMBER:     | 36837                  |

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Bayer Corporation. The data on this sheet relates only to the specific material designated herein. Bayer Corporation assumes no legal responsibility for use or reliance upon these data.

Item # 26

Y-117

Safety Data Sheet



Revision Number: 006.0

Issue Date: 04/17/2015

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier used on the label: Combat® Ant Killing Bait
Combat® Source Kill 4

Other means of identification: 1532041; EPA Reg. 64240-3

Recommended use of the chemical and restrictions on use: Insecticide (Ant bait), Use biocides safety. Always read the label and product information before use

Name, address and telephone number of the chemical manufacturer:
Combat Insect Control Systems C/O The Dial Corporation
7201 E. Henkel Way
Scottsdale, AZ 85255-9672 USA

CHEMTREC: 1-800-424-9300 (24 hours daily)
Internet: www.henkelna.com

Emergency telephone number: Medical Emergencies: 1-888-689-9082

2. HAZARD IDENTIFICATION

The hazards described in this OSHA Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

Table with 2 columns: HAZARD CLASS and HAZARD CATEGORY. Rows include SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE (1), ACUTE HAZARDS TO THE AQUATIC ENVIRONMENT (2), and CHRONIC HAZARDS TO THE AQUATIC ENVIRONMENT (2).

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal word: DANGER
Hazard Statement(s): Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.



Symbol(s):

Precautionary Statements:

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required.
Response: IF exposed or concerned: Get medical attention. Collect spillage.
Storage: Not prescribed
Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Hazards not otherwise classified: Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

| Chemical Name*      | CAS Number (Unique Identifier) | Concentration |
|---------------------|--------------------------------|---------------|
| Table Sugar         | Proprietary                    | 10 - 30 %     |
| Vegetable oil       | Proprietary                    | 10 - 30 %     |
| Polyethylene glycol | Proprietary                    | 5 - 10 %      |
| Hydramethylnon      | 67485-29-4                     | 1 - 5 %       |
| Preservative        | Proprietary                    | 0.1 - 1 %     |

\*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

### 4. FIRST AID MEASURES

#### Description of necessary measures

**Inhalation:** Remove from exposure area to fresh air. Treat symptomatically and supportively. If any symptoms appear, get medical attention.  
**Skin contact:** Rinse affected area with mild soap and water until no evidence of product remains. Get medical attention if irritation persists.  
**Eye contact:** Rinse eyes with plenty of water until no evidence of product remains. Get medical attention if pain or irritation develops.  
**Ingestion:** Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact physician or local poison control center.

#### Most important symptoms and effects, both acute and delayed

After eye contact: May cause mild irritation. After skin contact: Repeated or prolonged excessive exposure may cause irritation or dermatitis. After ingestion: Nausea and possible vomiting may occur. After inhalation: Unlikely to occur due to the physical properties of the product.

#### Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes with plenty of water until no evidence of product remains. After skin contact: Rinse affected area with mild soap and water until no evidence of product remains. After ingestion: Dilution by rinsing the mouth and giving a glass of water to drink is generally recommended. After inhalation: Remove from exposure area to fresh air.

### 5. FIRE FIGHTING MEASURES

#### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Dry chemical, carbon dioxide, water spray or regular foam.  
**Unsuitable extinguishing media:** None known

#### Specific hazards arising from the chemical

Irritating smoke, carbon monoxide, and carbon dioxide.

#### Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Shut off all ignition sources. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Isolate area. Keep unnecessary personnel away. Avoid breathing vapors, keep upwind.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Ventilate spill area if possible. Do not touch spilled material. Spills present a slipping hazard. Keep unnecessary personnel away. Make sure area is slip-free before re-opening to traffic.

#### Environmental Precautions

This product is toxic to fish and aquatic invertebrates. This product should not be directly discharged into lakes, streams, ponds, estuaries, oceans, public water supplies, or other waters. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment washwater.

#### Methods and materials for containment and cleaning up

**SMALL SPILLS:** Sweep or scoop up and place into containers for later disposal. Wash site of spillage thoroughly with water. **LARGE SPILLS:** Ventilate closed spaces before entering. Sweep or scoop up and place into suitable clean, dry containers for reclamation or later disposal. Do not flush spilled material into sewer. Dispose in suitable waste container. Keep unnecessary people away from spill.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Do not get in eyes, on skin, on clothing. Do not take internally. Use with adequate ventilation. Keep the containers closed when not in use. Avoid generating dusts.

#### Conditions for safe storage, including any incompatibilities

Combat Insect Control Systems C/O The Dial Corporation; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

Store in a cool, dry, ventilated area out of reach of children and away from sources of heat, moisture, and incompatible substances. Store in suitable labeled containers. Store the containers tightly closed. Storage areas for large quantities (warehouse) should be well ventilated.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

| Hazardous Component(s) | ACGIH TLV    | OSHA PEL   | AIHA WEEL                    | OTHER |
|------------------------|--------------|--|------------------------------|-------|
| Table Sugar            | 10 mg/m3 TWA | 5 mg/m3 PEL<br>Respirable fraction.<br>15 mg/m3 PEL Total<br>dust. | None                         | None  |
| Vegetable oil          | None         | 5 mg/m3 PEL<br>Respirable fraction.<br>15 mg/m3 PEL Total<br>dust. | None                         | None  |
| Polyethylene glycol    | None         | None   | 10 mg/m3 TWA<br>Particulate. | None  |
| Hydramethylnon         | None         | None   | None                         | None  |

### Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

### Individual protection measures

**Respiratory:** Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits. If respiratory protection is required, it must be based on the contamination levels found in the workplace, must not exceed the working limits of the respirator and be jointly approved by the National Institute for Occupational Safety and Health and the Mine Safety and Health Administration (NIOSH-MSHA).

**Eye:** Safety glasses are required to prevent eye contact where dusty conditions may occur.

**Hand/Body:** Protective gloves are required where repeated or prolonged skin contact may occur.  
Protective clothing is required where repeated or prolonged skin contact may occur.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                         |
|---|-------------------------|
| <b>Appearance:</b>                              | piece, brown            |
| <b>Odor:</b>                                    | odorless/characteristic |
| <b>Odor threshold:</b>                          | Not available           |
| <b>pH:</b>                                      | Not applicable          |
| <b>Melting point/ range:</b>                    | 60 °C (140°F)           |
| <b>Boiling point/range:</b>                     | Not available.          |
| <b>Flash point:</b>                             | Not applicable          |
| <b>Evaporation rate:</b>                        | Not available.          |
| <b>Flammable/Explosive limits - lower:</b>      | Not available.          |
| <b>Flammable/Explosive limits - upper:</b>      | Not available.          |
| <b>Vapor pressure:</b>                          | Not available.          |
| <b>Vapor density:</b>                           | Not available.          |
| <b>Solubility in water:</b>                     | Insoluble               |
| <b>Partition coefficient (n-octanol/water):</b> | Not available.          |
| <b>Autoignition temperature:</b>                | Not available.          |
| <b>Decomposition temperature:</b>               | Not available.          |
| <b>Viscosity:</b>                               | Not available.          |
| <b>VOC content:</b>                             | Not available.          |
| <b>Specific gravity:</b>                        | Not applicable          |

## 10. STABILITY AND REACTIVITY

**Reactivity:** This product may react with strong alkalis.

**Chemical stability:** Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

**Possibility of hazardous reactions:** Hazardous polymerization has not been reported to occur under normal temperatures and pressures.

**Conditions to avoid:** Avoid storing in direct sunlight and avoid extremes of temperature.

**Incompatible materials:** Strong oxidizers and reducing agents

Combat Insect Control Systems C/O The Dial Corporation; 7201 E. Henkel Way; Scottsdale, AZ 85255-9672

Hazardous decomposition products: Thermal decomposition products may include oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

### Likely routes of exposure including symptoms related to characteristics

**Inhalation:** Unlikely to occur due to the physical properties of the product. Dust may cause mucous membrane irritation with coughing, dryness and sore throat.

**Skin contact:** Repeated or prolonged excessive exposure may cause irritation or dermatitis.

**Eye contact:** May cause mild transient irritation.

**Ingestion:** May cause mild gastrointestinal irritation with nausea, vomiting, diarrhea and abdominal pain.

**Physical/Chemical:** No physical/chemical hazards are anticipated for this product.

### Other relevant toxicity information:

This product is an insecticide. The use of this product by consumers is safe under normal and reasonable foreseen use.

**Acute oral product toxicity:** LD50 > 5,000 mg/kg

**Acute dermal product toxicity:** LD50 > 2,000 mg/kg

### Numerical measures of toxicity, including delayed and immediate effect

| Hazardous Component(s) | LD50s and LC50s   | Immediate and Delayed Health Effects |
|------------------------|---|--------------------------------------|
| Table Sugar            | Oral LD50 (RAT) = 29.700 mg/kg  | Skin, Nuisance dust                  |
| Vegetable oil          | None  | No Target Organs                     |
| Polyethylene glycol    | None  | Irritant                             |
| Hydramethylnon         | Oral LD50 (RAT) = 1.300 mg/kg<br>Oral LD50 (RAT) = 1.131 mg/kg<br>Inhalation LC50 (RAT, 4 h) = > 5.000 mg/l | No Data                              |
| Preservative           | None  | No Data                              |

### Carcinogenicity information

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen |
|------------------------|----------------|-----------------|-----------------|
| Table Sugar            | No             | No              | No              |
| Vegetable oil          | No             | No              | No              |
| Polyethylene glycol    | No             | No              | No              |
| Hydramethylnon         | No             | No              | No              |
| Preservative           | No             | No              | No              |

### Carcinogenicity

None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).

### Mutagenicity

None of the ingredients in this product are known to cause mutagenicity.

### Toxicity to reproduction

Hydramethylnon is currently listed under California Proposition 65 for developmental effects in males.

## 12. ECOLOGICAL INFORMATION

### Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

### Toxicity to fish:

| Hazardous substances CAS-No. | Value type | Value         | Acute Toxicity Study | Exposure time | Species                                   | Method   |
|------------------------------|------------|---------------|----------------------|---------------|---|--|
| Table Sugar                  | LC50       | > 700 mg/l    | Fish                 | 96 h          | Brachydanio rerio (new name: Danio rerio) | OECD Guideline 203 (Fish, Acute Toxicity Test)<br>OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Vegetable oil                | LC50       | > 10.000 mg/l | Fish                 | 96 h          | Brachydanio rerio (new name: Danio rerio) |  |
| Hydramethylnon               | LC50       | 0,09 mg/l     | Fish                 | 96 h          | Ictalurus punctatus                       |  |
| Preservative                 | LC50       | 90 mg/l       | Fish                 | 48 h          | Leuciscus idus                            |  |

### Toxicity to aquatic invertebrates:

| Hazardous substances CAS-No. | Value type | Value      | Acute Toxicity Study | Exposure time | Species       | Method   |
|------------------------------|------------|------------|----------------------|---------------|---------------|--|
| Vegetable oil                | EC50       | > 100 mg/l | Daphnia              | 48 h          | Daphnia magna |  |
| Hydramethylnon               | EC50       | 1,14 mg/l  | Daphnia              | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Preservative                 | EC50       | 105 mg/l   | Daphnia              | 24 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

**Toxicity to algae:**

| Hazardous substances CAS-No. | Value type | Value      | Acute Toxicity Study | Exposure time | Species   | Method  |
|------------------------------|------------|------------|----------------------|---------------|---|---|
| Vegetable oil                | EC50       | > 100 mg/l | Algae                | 72 h          | Scenedesmus subspicatus (new name: Desmodesmus subspicatus) | DIN 38412-09                                      |
| Polyethylene glycol          | EC50       | > 100 mg/l | Algae                | 72 h          | Scenedesmus subspicatus (new name: Desmodesmus subspicatus) | OECD Guideline 201 (Alga, Growth Inhibition Test) |

**Persistence and Degradability:** The persistence and degradability of this product has not been determined.

| Hazardous substances CAS-No. | Result value          | Route of application | Species   | Method   |
|------------------------------|-----------------------|----------------------|-----------|--|
| Table Sugar                  | readily biodegradable | aerobic              | 73 - 90 % | EU Method C.4-E (Determination of the "Ready" Biodegradability Closed Bottle Test) |
| Vegetable oil                | readily biodegradable | aerobic              | 100 %     | EU Method C.4-E (Determination of the "Ready" Biodegradability Closed Bottle Test) |
| Preservative                 | readily biodegradable | aerobic              | 88,1 %    | EU Method C.4-F (Determination of the "Ready" Biodegradability MITI Test)          |

**Bioaccumulation Potential:** The bioaccumulation potential of this product has not been determined.

**Mobility:** The mobility of this product (in soil and water) has not been determined.

### 13. DISPOSAL CONSIDERATIONS

**Waste Number and Description:** Not applicable, not regulated.

**Disposal Considerations:**

**Disposal of products:** Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law.

**Disposal of packages:** Do not reuse this container. Never place unused product down any indoor or outdoor drain. Dispose of container and unused contents in accordance with federal, state and local requirements.

**Additional information:** Observe all federal, state and local regulations when storing or disposing of this substance

### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

**U.S. Department of Transportation Ground (49 CFR)**

Proper shipping name: Not regulated  
Hazard class or division: None  
Identification number: None  
Packing group: None

**International Air Transportation (ICAO/IATA)**

Proper shipping name: Environmentally hazardous substance, solid, N.O.S. (Hydramethylnon)  
Hazard class or division: 9

Identification number: UN3077  
Packing group: III

**Water Transportation (IMO/IMDG)**

Proper shipping name: Environmentally hazardous substance, solid, N.O.S. (Hydramethylnon)  
Hazard class or division: 9  
Identification number: UN3077  
Packing group: III

---

## 15. REGULATORY INFORMATION

---

**Occupational safety and health act:** Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

**United States Regulatory Information:**

**TSCA 8 (b) Inventory Status:** All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.  
**TSCA 12 (b) Export Notification:** None above reporting de minimis  
**CERCLA/SARA Section 302:** None above reporting de minimis  
**CERCLA/SARA Section 311/312:** Not available.  
**CERCLA/SARA Section 313:** The following components are subject to reporting levels established by SARA Title III, Section 313: Hydramethylnon  
**California Proposition 65:** This product contains Hydramethylnon which is listed by California Proposition 65.

**Export Restrictions:** This is a pesticide product registered by the US Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. Refer to the pesticide label for specific hazard information. The pesticide label also includes other important information, including directions for use.

**Canada Regulatory Information:**

**CEPA DSL/NDL Status:** One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.

---

## 16. OTHER INFORMATION

---

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This safety data sheet contains changes from the previous version in sections: 2, 3, 8, 11, 12

Prepared by: R&D Support Services


Issue date: 04/17/2015

Supersedes: Rev. 5, 09/02/2014

Item # 27

# MATERIAL SAFETY DATA SHEET

ECONOMICAL JANITORIAL & PAPER SUPPLIES, INC.  
1420-F SAMS AVENUE, HARAHAN, LA 70123 (504) 464-7166 Date: JANUARY 1, 2013



EMERGENCY PHONE NUMBER (800) -- 535-5053 INFOTRAC

SECTION: I TRADE NAME : SPARKLE  
IDENTIFICATION CHEMICAL FAMILY : CLEANING COMPOUND  
OF PRODUCT PRODUCT NUMBER : 5807  
SHIPPING DESCRIPTION: CLEANING COMPOUND, NOS

SECTION: II - HAZARDOUS INGREDIENTS

| HAZARDOUS COMPONENTS | OSHA PEL | ACGIH   | TLV | CAS #   |
|----------------------|----------|---------|-----|---------|
| ISOPROPANOL          | 400 PPM  | 400 PPM |     | 67-63-0 |

SECTION 313 - SUPPLIER NOTIFICATION:  
THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372.  
\*\*\*CAS #\*\*\* CHEMICAL NAME % By Wt.

THIS INFORMATION MUST BE INCLUDED IN ALL MSDS THAT ARE COPIED AND DISTRIBUTED FOR THIS

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT = >212 DEGREES F  
SPECIFIC GRAVITY (H28 = 1) = .9884  
SOLUBILITY IN WATER = 100%  
APPEARANCE = BLUE LIQUID  
ODOR = ALCOHOL  
VAPOR PRESSURE (mmHg) = N/A  
VAPOR DENSITY (Air = 1) = N/A  
EVAPORATION RATE (Butyl Act = 1) = N/E  
8.233

SECTION IV - FIRE AND EXPLOSION HAZARD DATA :

FLASH POINT = NONE  
EXTINGUISHING MEDIA = AS REQUIRED BY SURROUNDING FIRE  
SPECIAL FIRE FIGHTING PROCEDURES = WEAR SELF-CONTAINED FULL-FACE BREATHING APPARATUS  
NONE KNOWN

SECTION V - REACTIVITY DATA:

STABILITY = STABLE  
CONDITIONS TO AVOID = EXTREME TEMPERATURES  
POLYMERIZATION = WILL NOT OCCUR  
CONDITIONS TO AVOID = NONE  
INCOMPATIBLE MATERIALS = STRONG ACIDS AND OXIDIZERS  
CO2, CO,

### SECTION VI - HEALTH HAZARDS DATA:

THRESHOLD LIMIT VALUE = NOT ESTABLISHED  
CARCINOGENICITY =  
NTP =  
IARC MONOGRAPHS = NO  
OSHA REGULATED = NO  
HEALTH HAZARDS ACUTE/CHRONIC = NO

EYES: MODERATE TO SEVERE IRRITATION AND POSSIBLE TISSUE DAMAGE DEPENDING ON EXPOSURE. NAUSEA, VOMITING AND DIARRHEA MAY OCCUR UPON INGESTION. PROLONGED SKIN CONTACT MAY CAUSE MODERATE IRRITATION, DEFATTING AND DERMATITIS.  
EMERGENCY FIRST AID PROCEDURES =

INHALATION = MOVE TO FRESH AIR. CONSULT PHYSICIAN IF SYMPTOMS PERSIST.  
INGESTION = GIVE LARGE QUANTITIES OF WATER THEN SEVERAL GLASSES OF MILK.  
INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.  
EYE CONTACT = FLUSH EYES IMMEDIATELY WITH LARGE QUANTITIES OF WATER FOR 15 MINUTES, LIFTING EYELIDS OCCASIONALLY.  
GET MEDICAL ATTENTION.

SKIN CONTACT = REMOVE CONTAMINATED CLOTHING RINSE SKIN THOROUGHLY WITH SOAP AND WATER..

### SECTION VII - PRECAUTIONS FOR SAFE HANDLING:

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:  
LARGE SPILLS: CONTAIN SPILL AND PUMP TO RECOVER  
SMALL SPILLS: SPILL CAN BE MOPPED UP, THEN FLUSH CONTAMINATED AREA WITH PLENTY OF WATER.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.  
PRECAUTIONS TO TAKE IN HANDLING & STORAGE: STORE IN COOL, DRY PLACE KEEP CONTAINER CLOSED WHEN NOT IN USE.

KEEP OUT OF REACH OF CHILDREN.

### SECTION VIII - CONTROL MEASURES:

RESPIRATORY PROTECTION = NONE REQUIRED WITH ADEQUATE VENTING VENTILATION = USE ADEQUATE CROSS VENTILATION  
PROTECTIVE GLOVES = RECOMMENDED  
EYE PROTECTION = RECOMMENDED  
OTHER PROTECTIVE MEASURES = WASH HANDS THOROUGHLY AFTER USE.

### MANUFACTURER:

TRANS GULF INDUSTRIES, INC.  
6101 HUMPHREYS STREET  
PO BOX 23809  
HARAHAN, LA 70183  
EMERGENCY PHONE #  
DAY M-F (504) - 733-7865  
NIGHT (800) - 535-5053

This information is drawn from recognized sources believed to be reliable. TRANS GULF INDUSTRIES INC. makes no guarantees or assumes any liability in connection with this information. The user should be aware of changing technology, research, regulations and analytical procedures that may require changes herein. The above data is supplied upon the condition that customers will evaluate this information and then determine its suitability for their use. Only USA Regulations apply to the above.



**Ingestion** Drink plenty of water. If any discomfort persists, obtain medical attention.

**Most Important Symptoms and Effects**

**Symptoms** Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye, and irritation. Prolonged or repeated skin contact may cause irritation.

**Indication of any Immediate Medical Attention and Special Treatment Needed**

**Notes to Physician** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Water spray (fog). Carbon dioxide (CO<sub>2</sub>). Dry chemical. Foam.

**Unsuitable Extinguishing Media**

Not determined.

**Specific Hazards Arising from the Chemical**

None known.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions, Protective Equipment and Emergency Procedures**

**Personal Precautions** Use personal protective equipment as required.

**Environmental Precautions** Avoid release to the environment.

**Methods and Material for Containment and Cleaning Up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for Clean-Up** Collect spillage. Collect in a clean, dry waste container for disposal. After cleaning, flush away traces with water.

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling**

**Advice on Safe Handling** Avoid contact with eyes. Observe good industrial hygiene practices.

**Conditions for Safe Storage, Including Any Incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.

**Incompatible Materials** None known.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines** No exposure limits noted for ingredient(s)

**Appropriate Engineering Controls**

**Engineering Controls** Ventilation systems.

**Individual Protection Measures, such as Personal Protective Equipment**

|                                |  |
|--------------------------------|--|
| Eye/Face Protection            | No protective equipment is needed under normal use conditions.         |
| Skin and Body Protection       | No protective equipment is needed under normal use conditions.         |
| Respiratory Protection         | No protective equipment is needed under normal use conditions.         |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. |

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on Basic Physical and Chemical Properties**

|                              |                    |                         |                |
|------------------------------|--------------------|-------------------------|----------------|
| Physical State               | Liquid             | Odor                    | Fresh          |
| Appearance                   | Opaque             | Odor Threshold          | Not determined |
| Color                        | White              |                         |                |
| <b>Property</b>              | <b>Values</b>      | <b>Remarks • Method</b> |                |
| pH                           | 7.0-7.5            |                         |                |
| Melting Point/Freezing Point | ~ 0 °C / ~32 °F    |                         |                |
| Boiling Point/Boiling Range  | ~ 100 °C / ~212 °F |                         |                |
| Flash Point                  | Not applicable     | Tag Open Cup            |                |
| Evaporation Rate             | Not determined     |                         |                |
| Flammability (Solid, Gas)    | n/a-liquid         |                         |                |
| Upper Flammability Limits    | Not determined     |                         |                |
| Lower Flammability Limit     | Not determined     |                         |                |
| Vapor Pressure               | Not determined     |                         |                |
| Vapor Density                | Not determined     |                         |                |
| Specific Gravity             | 1.01               |                         |                |
| Water Solubility             | Completely soluble | @ 25 °C (77 °F)         |                |
| Solubility in other solvents | Not determined     |                         |                |
| Partition Coefficient        | Not determined     |                         |                |
| Auto-ignition Temperature    | Not determined     |                         |                |
| Decomposition Temperature    | Not determined     |                         |                |
| Kinematic Viscosity          | Not determined     |                         |                |
| Dynamic Viscosity            | Not determined     |                         |                |
| Explosive Properties         | Not determined     |                         |                |
| Oxidizing Properties         | Not determined     |                         |                |

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to Avoid**

Keep out of reach of children. Keep from freezing.

**Incompatible Materials**

None known.

**Hazardous Decomposition Products**

When exposed to fire, produces normal products of combustion.

**11. TOXICOLOGICAL INFORMATION****Information on Likely Routes of Exposure**

**Product Information**

|                     |                                  |
|---------------------|----------------------------------|
| <b>Eye Contact</b>  | Avoid contact with eyes.         |
| <b>Skin Contact</b> | Avoid contact with skin.         |
| <b>Inhalation</b>   | Avoid breathing vapors or mists. |
| <b>Ingestion</b>    | Do not taste or swallow.         |

**Component Information**

| Chemical Name                             | Oral LD50            | Dermal LD50         | Inhalation LC50 |
|---|----------------------|---------------------|-----------------|
| Alcohols, C9-11 ethoxylated<br>68439-46-3 | = 1378 mg/kg ( Rat ) | > 2 g/kg ( Rabbit ) | -               |
| Sodium Xylene Sulfonate<br>1300-72-7      | = 7200 mg/kg ( Rat ) | -                   | -               |

**Information on Physical, Chemical and Toxicological Effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure**

**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical Measures of Toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

| Chemical Name                             | Algae/aquatic plants | Fish                           | Toxicity to microorganisms | Crustacea                 |
|---|----------------------|--------------------------------|----------------------------|---------------------------|
| Alcohols, C9-11 ethoxylated<br>68439-46-3 | 0.95mg/L<br>Algae    | 6mg/L (96hr)<br>Fathead minnow | -                          | 2.5mg/L (48hr)<br>Daphnia |

**Persistence/Degradability**

Not determined

**Bioaccumulation**

Not determined

**Mobility**

Not determined

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**14. TRANSPORT INFORMATION**

|             |               |
|-------------|---------------|
| <u>DOT</u>  | Not regulated |
| <u>IATA</u> | Not regulated |
| <u>IMDG</u> | Not regulated |

## 15. REGULATORY INFORMATION

### International Inventories

Not determined

### US Federal Regulations

#### SARA 311/312 Hazard Categories

Acute Health Hazard Yes

#### SARA 313

| Chemical Name                     | CAS No   | Weight-% | SARA 313 - Threshold Values % |
|-----------------------------------|----------|----------|-------------------------------|
| Diethylene Glycol Monobutyl Ether | 112-34-5 | <1       | 1.0                           |

### US State Regulations

#### U.S. State Right-to-Know Regulations

The following ingredients appear on various state right to know lists and/or California's Proposition 65 List:

| Chemical Name                                 | State List |
|---|------------|
| Diethylene Glycol Monobutyl Ether<br>112-34-5 | NJ & PA    |

AZ- Arizona Ambient Air Quality Guidelines

CT- Connecticut Hazardous Air Pollutants

CA- California Director's List of Hazardous Substances

CAP65- California Prop65

FL- Florida Substances List

ID- Idaho Non-Carcinogen Toxic Air Pollutants

IL- Illinois Toxic Air Contaminant- Carcinogenic

MA- Massachusetts Right to Know List

MN- Minnesota Hazardous Substances List

NJ- New Jersey Right to Know List

PA- Pennsylvania Right to Know List

RI- Rhode Island Hazardous Substances List

## 16. OTHER INFORMATION

|             |   |                                       |                                      |  |
|-------------|---|---------------------------------------|--------------------------------------|--|
| <u>NFPA</u> | <b>Health Hazards</b><br>Not determined | <b>Flammability</b><br>Not determined | <b>Instability</b><br>Not determined | <b>Special Hazards</b><br>Not determined     |
| <u>HMS</u>  | <b>Health Hazards</b><br>1              | <b>Flammability</b><br>0              | <b>Physical Hazards</b><br>0         | <b>Personal Protection</b><br>Not determined |

Issue Date 05-Dec-2012  
Revision Date: 06-Dec-2013  
Revision Note New format Version 1.0

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Keep Out of Reach of Children. For Industrial and Institutional Use Only.

\*Denotes changes from last version.

End of Safety Data Sheet

ITEM # 29



# SAFETY DATA SHEET

Issuing Date May 12, 2016

Revision Date New

Revision Number 0

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### Product identifier

Product Name Clorox Healthcare® Disinfecting Wipes

### Other means of identification

EPA Registration Number : 67619-9

### Recommended use of the chemical and restrictions on use

Recommended use Moistened disinfecting wipes

Uses advised against No information available

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Clorox Professional Products Company  
1221 Broadway  
Oakland, CA 94612

Phone: 1-510-271-7000

### Emergency telephone number

Emergency Phone Numbers For Medical Emergencies call: 1-800-446-1014  
For Transportation Emergencies, call Chemtrec: 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

### GHS Label elements, including precautionary statements

#### Emergency Overview

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

|  |   |                                   |
|--|---|-----------------------------------|
| <b>Appearance</b> Clear, colorless liquid absorbed into white, non-woven wipes | <b>Physical State</b> Thin liquid absorbed into non-woven wipes | <b>Odor</b> Fruity, apple, floral |
|--|---|-----------------------------------|

### Precautionary Statements - Prevention

None

### Precautionary Statements - Response

None

### Precautionary Statements - Storage

None

### Precautionary Statements - Disposal

None

### Hazards not otherwise classified (HNOC)

Not applicable

### Unknown Toxicity

21.5% of the mixture consists of ingredient(s) of unknown toxicity

### Other information

No information available

### Interactions with Other Chemicals

No information available.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name  | CAS No.    | Weight %  | Trade Secret |
|--|------------|-----------|--------------|
| Ethylene glycol monohexyl ether  | 112-25-4   | 1 - 5     | *            |
| n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride            | 85409-23-0 | 0.1 - 0.2 | *            |
| n-Alkyl (5% C12, 60% C14, 30% C16, 5% C18) dimethyl benzyl ammonium chloride | 53516-76-0 | 0.1 - 0.2 | *            |

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. FIRST AID MEASURES

##### First aid measures

|                       |   |
|-----------------------|---|
| <b>General Advice</b> | Show this safety data sheet to the doctor in attendance.  |
| <b>Eye Contact</b>    | Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. If present, remove contact lenses after the first 5 minutes of rinsing, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. |
| <b>Skin Contact</b>   | Rinse skin with plenty of water. If irritation persists, call a doctor.   |
| <b>Inhalation</b>     | Move to fresh air. If breathing problems develop, call a doctor.  |
| <b>Ingestion</b>      | Drink a glassful of water. Call a doctor or poison control center.  |

##### Most important symptoms and effects, both acute and delayed

|  |                                  |
|--|----------------------------------|
| <b>Most Important Symptoms and Effects</b> | Liquid may cause eye irritation. |
|--|----------------------------------|

##### Indication of any immediate medical attention and special treatment needed

|                           |                        |
|---------------------------|------------------------|
| <b>Notes to Physician</b> | Treat symptomatically. |
|---------------------------|------------------------|

#### 5. FIRE-FIGHTING MEASURES

##### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

##### Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

##### Specific Hazards Arising from the Chemical

##### **Hazardous Combustion Products**

Oxides of carbon.

##### Explosion Data

**Sensitivity to Mechanical Impact** No.

**Sensitivity to Static Discharge** No.

##### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Personal Precautions** Avoid contact with eyes.  
**Other Information** Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions**

**Environmental Precautions** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for Containment** Prevent further leakage or spillage if safe to do so.  
**Methods for Cleaning Up** Containerize. Wash residual down to sanitary sewer. Contact the sanitary treatment facility in advance to assure ability to process washed-down material.

**7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes, skin, and clothing. Do not eat, drink, or smoke when using this product.

**Conditions for safe storage, including any incompatibilities**

**Storage** Keep containers tightly closed in a dry, cool, and well-ventilated place.  
**Incompatible Products** None known.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines**

| Chemical Name   | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---|-----------|----------|------------|
| Ethylene glycol monohexyl ether<br>112-25-4   | None      | None     | None       |
| n-Alkyl (68% C12, 32% C14) dimethyl<br>ethylbenzyl ammonium chloride<br>85409-23-0            | None      | None     | None       |
| n-Alkyl (5% C12, 60% C14, 30% C16, 5% C18)<br>dimethyl benzyl ammonium chloride<br>53516-76-0 | None      | None     | None       |

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

**Appropriate engineering controls**

Engineering Measures                      Showers  
    Eyewash stations  
    Ventilation systems

**Individual protection measures, such as personal protective equipment**

Eye/Face Protection                      No special protective equipment required.

Skin and Body Protection                No special protective equipment required.

Respiratory Protection                  No protective equipment is needed under normal use conditions. If irritation is experienced, ventilation and evacuation may be required.

Hygiene Measures                         Handle in accordance with good industrial hygiene and safety practice.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Physical and Chemical Properties**

|                |  |                |                          |
|----------------|--|----------------|--------------------------|
| Physical State | Thin liquid absorbed into non-woven wipes  |                |                          |
| Appearance     | Clear liquid absorbed into non-woven wipes | Odor           | Fruity, apple, floral    |
| Color          | Colorless liquid - white non-woven wipes   | Odor Threshold | No information available |

| <u>Property</u>                        | <u>Values</u>     | <u>Remarks/ Method</u> |
|--|-------------------|------------------------|
| pH                                     | 6 - 9 (liquid)    | None known             |
| Melting/freezing point                 | No data available | None known             |
| Boiling point / boiling range          | No data available | None known             |
| Flash Point                            | No data available | None known             |
| Evaporation rate                       | No data available | None known             |
| Flammability (solid, gas)              | No data available | None known             |
| Flammability Limits in Air             |                   |                        |
| Upper flammability limit               | No data available | None known             |
| Lower flammability limit               | No data available | None known             |
| Vapor pressure                         | No data available | None known             |
| Vapor density                          | No data available | None known             |
| Specific Gravity                       | ~1.0 (liquid)     | None known             |
| Water Solubility                       | Complete (liquid) | None known             |
| Solubility in other solvents           | No data available | None known             |
| Partition coefficient: n-octanol/water | No data available | None known             |
| Autoignition temperature               | No data available | None known             |
| Decomposition temperature              | No data available | None known             |
| Kinematic viscosity                    | No data available | None known             |
| Dynamic viscosity                      | No data available | None known             |
| Explosive Properties                   | Not explosive     |                        |
| Oxidizing Properties                   | No data available |                        |

**Other Information**

|                            |                   |
|----------------------------|-------------------|
| Softening Point            | No data available |
| VOC Content (%)            | No data available |
| Particle Size              | No data available |
| Particle Size Distribution | No data available |

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available.

### Chemical stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

None known based on information supplied.

### Incompatible materials

None known.

### Hazardous Decomposition Products

None known.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Exposure to vapor or mist may irritate respiratory tract.                                       |
| <b>Eye Contact</b>  | Liquid may cause irritation.  |
| <b>Skin Contact</b> | Liquid may cause slight irritation.   |
| <b>Ingestion</b>    | Ingestion of liquid may cause slight irritation to mucous membranes and gastrointestinal tract. |

#### Component Information

| Chemical Name                               | LD50 Oral       | LD50 Dermal        | LC50 Inhalation      |
|---|-----------------|--------------------|----------------------|
| Ethylene glycol monohexyl ether<br>112-25-4 | 739 mg/kg (Rat) | 721 mg/kg (Rabbit) | >0.5 mg/L (Rat, 4 h) |

### Information on toxicological effects

**Symptoms** Liquid may cause redness and tearing of eyes.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                              |   |
|------------------------------|---|
| <b>Sensitization</b>         | No information available.   |
| <b>Mutagenic Effects</b>     | No information available.   |
| <b>Carcinogenicity</b>       | None of the ingredients in this product are on the IARC, OSHA, or NTP carcinogen lists. |
| <b>Reproductive Toxicity</b> | No information available.   |

|                                 |  |
|---------------------------------|--|
| <b>STOT - single exposure</b>   | No information available.                                    |
| <b>STOT - repeated exposure</b> | No information available.                                    |
| <b>Chronic Toxicity</b>         | No known effect based on information supplied.               |
| <b>Target Organ Effects</b>     | Respiratory system, eyes, skin, gastrointestinal tract (GI). |
| <b>Aspiration Hazard</b>        | No information available.                                    |

#### Numerical measures of toxicity - Product Information

**ATEmix (oral)**  
40.1 g/kg

**ATEmix (dermal)**  
59.8 g/kg

### 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

No information available.

#### Persistence and Degradability

No information available.

#### Bioaccumulation

No information available.

#### Other adverse effects

No information available.

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Dispose of in accordance with all applicable federal, state, and local regulations.

#### Contaminated Packaging

Do not reuse empty containers. Dispose of in accordance with all applicable federal, state, and local regulations.

### 14. TRANSPORT INFORMATION

|                        |                |
|------------------------|----------------|
| <b><u>DOT</u></b>      | Not regulated. |
| <b><u>TDG</u></b>      | Not regulated. |
| <b><u>ICAO</u></b>     | Not regulated. |
| <b><u>IATA</u></b>     | Not regulated. |
| <b><u>IMDG/IMO</u></b> | Not regulated. |

**15. REGULATORY INFORMATION**

**Chemical Inventories**

**TSCA** All components of this product are either on the TSCA 8(b) Inventory or otherwise exempt from listing.  
**DSL/NDSL** All components are on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory  
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**U.S. Federal Regulations**

**SARA 313**  
 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical Name                   | CAS No.  | Weight % | Threshold Value (%) |
|---------------------------------|----------|----------|---------------------|
| Ethylene glycol monohexyl ether | 112-25-4 | 1 - 5    | 1.0                 |

**SARA 311/312 Hazard Categories**

**Acute Health Hazard** No  
**Chronic Health Hazard** No  
**Fire Hazard** No  
**Sudden Release of Pressure Hazard** No  
**Reactive Hazard** No

**CWA (Clean Water Act)**

This product does not contain any substances that are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This product does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Wear gloves for prolonged or frequent use.

