



Bid Number 5000144919

**Furnish Labor, Materials and Equipment to Replace Existing and Supply New
Battery Bank System for Jefferson Parish Drainage Department**

BID DUE: April 10, 2024 AT 11:00 AM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received on the Purchasing
Department's eProcurement site, www.jeffparishbids.net, by the bid due date
and time. Late bids will not be accepted.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Purchasing Specialist I Name: Brenda Bellow
Purchasing Specialist I Email: bbellow@jeffparish.net
Purchasing Specialist I Phone: 504-364-2683**

DATE: 4/02/2024

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00144919

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:
BBELLOW

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>5 July 2024</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>5 days</u>
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>10 days</u>

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 78039

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	<u>Smitty's Electric, LLC</u>
SIGNATURE: (Must be signed here)	<u>Melvin M. McElwee, Sr.</u> TITLE: <u>VP Operations</u>
PRINT OR TYPE NAME:	<u>Melvin M L McElwee, Sr.</u>
ADDRESS:	<u>P.O. Box 1086</u>
CITY, STATE:	<u>Independence, LA</u> ZIP: <u>70443</u>
TELEPHONE:	<u>985 974-0967</u> FAX: <u>985 878-8580</u>
EMAIL ADDRESS:	<u>smittyselectric@yahoo.com</u>

TOTAL PRICE OF ALL BID ITEMS: \$ 37,853.00

DATE: 4/02/2024

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 6

BID NO.: 50-00144919

SEALED BID


ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	JOB	<p>FURNISH LABOR, MATERIALS AND EQUIPMENT TO REPLACE EXISTING AND SUPPLY NEW BATTERY BANK SYSTEM FOR JEFFERSON PARISH DRAINAGE DEPARTMENT</p> <p>0010 LABOR, MATERIALS, FREIGHT AND NECESSARY EQUIPMENT TO REMOVE THE EXISTING BATTERY BANK SYSTEM AND INSTALL A NEW BATTERY BANK SYSTEM</p> <p>SERVICE LOCATION: HARVEY PUMP STATION 1600 DESTREHAN AVE. HARVEY, LA 70058</p> <p>***AS PER BID SPECIFICATIONS***</p>	\$ 37,853	\$ 37,853

Bid Bond in Accordance with Contract Specifications

Be sure to refer to the actual bond documents referenced in the contract specifications for specific terms before completing this form.

PRINCIPAL NAME Smitty's Electric, LLC	PRINCIPAL ADDRESS P O Box 1086, 227 Martin Luther King Street, Independence, LA 70443
SURETY NAME The Gray Casualty & Surety Company	SURETY ADDRESS 1225 West Causeway, Mandeville, LA 70471
OBLIGEE NAME Jefferson Parish	OBLIGEE ADDRESS 200 Derbigny Street, Gretna, LA 70053

Bond Information

BID DATE 04/10/2024	CONTRACT ID 5000144919	CONTRACT VENDOR ID I9267L
PROJECT DESCRIPTION Furnish Labor, Materials and Equipment to Replace Existing and Supply New Battery Bank System for Jefferson Parish Drainage Department		
AMOUNT OF BID SECURITY 5%	AMOUNT OF BID SECURITY-SPELLED OUT five percent of the amount bid	
BOND ENTERED AND EXECUTED BY Randolph A. Brunson		ATTORNEY-IN-FACT SIGNATURE 

Know all men by these presents that The Gray Casualty & Surety Company, a Corporation duly organized under the laws of the State of Louisiana, are held and firmly bound unto the above owner/obligee by the transmission. The surety agrees to waive the statute of fraud defense and further agrees that the owner/obligee is a third party beneficiary of the waiver for the purposes of enforcing this bid bond.



**THE GRAY INSURANCE COMPANY
THE GRAY CASUALTY & SURETY COMPANY**

GENERAL POWER OF ATTORNEY

KNOW ALL BY THESE PRESENTS, THAT The Gray Insurance Company and The Gray Casualty & Surety Company, corporations duly organized and existing under the laws of Louisiana, and having their principal offices in Metairie, Louisiana, do hereby make, constitute, and appoint: Randolph A. Brunson

on behalf of each of the Companies named above its true and lawful Attorney(s)-in-Fact, to make, execute, seal and deliver, for and on its behalf and as its deed, bonds, or other writings obligatory in the nature of a bond, as surety, contracts of suretyship as are or may be required or permitted by law, regulation, contract or otherwise, provided that no bond or undertaking or contract of suretyship executed under this authority shall exceed the amount of \$15,000,000.00.

Surety Bond Number: SLA0409101969
Principal: Smitty's Electric, LLC
Obligee: Jefferson Parish

This Power of Attorney is granted and is signed by facsimile under and by the authority of the following Resolutions adopted by the Boards of Directors of both The Gray Insurance Company and The Gray Casualty & Surety Company at meetings duly called and held on the 26th day of June, 2003.

“RESOLVED, that the President, Executive Vice President, any Vice President, or the Secretary be and each or any of them hereby is authorized to execute a power of Attorney qualifying the attorney named in the given Power of Attorney to execute on behalf of the Company bonds, undertakings, and all contracts of surety, and that each or any of them is hereby authorized to attest to the execution of such Power of Attorney, and to attach the seal of the Company; and it is

FURTHER RESOLVED, that the signature of such officers and the seal of the Company may be affixed to any such Power of Attorney or to any certificate relating thereto by facsimile, and any such Power of Attorney or certificate bearing such facsimile signature or facsimile seal shall be binding upon the Company now and in the future when so affixed with regard to any bond, undertaking or contract of surety to which it is attached.

IN WITNESS WHEREOF, The Gray Insurance Company and The Gray Casualty & Surety Company have caused their official seals to be hereinto affixed, and these presents to be signed by their authorized officers this 28th day of October, 2021.



By:

Michael T. Gray
President
The Gray Insurance Company

Cullen S. Piske
President
The Gray Casualty & Surety Company



State of Louisiana

ss:

Parish of Jefferson

On this 28th day of October, 2021, before me, a Notary Public, personally appeared Michael T. Gray, President of The Gray Insurance Company, and Cullen S. Piske, President of The Gray Casualty & Surety Company, personally known to me, being duly sworn, acknowledged that they signed the above Power of Attorney and affixed the seals of the companies as officers of, and acknowledged said instrument to be the voluntary act and deed, of their companies.



Leigh Anne Henican
Notary Public
Notary ID No. 92653
Orleans Parish, Louisiana

Leigh Anne Henican
Notary Public, Parish of Orleans State of Louisiana
My Commission is for Life

I, Mark S. Manguno, Secretary of The Gray Insurance Company, do hereby certify that the above and forgoing is a true and correct copy of a Power of Attorney given by the companies, which is still in full force and effect. IN WITNESS WHEREOF, I have set my hand and affixed the seals of the Company this 04/09/2024.

I, Leigh Anne Henican, Secretary of The Gray Casualty & Surety Company, do hereby certify that the above and forgoing is a true and correct copy of a Power of Attorney given by the companies, which is still in full force and effect. IN WITNESS WHEREOF, I have set my hand and affixed the seals of the Company this 04/09/2024.





CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
04/03/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Miller's Insurance Agency, Inc. 370 E Railroad Ave. Independence LA 70443	CONTACT NAME:	PHONE (A/C, No, Ext): 985-878-2828	FAX (A/C, No): 985-878-2286	
	E-MAIL ADDRESS: millersinsurance@aol.com			
INSURED Smittys Electric, LLC PO BOX 1086 Independence LA 70443	INSURER(S) AFFORDING COVERAGE			NAIC #
	INSURER A: Nautilus Insurance Company			
	INSURER B: LWCC			
	INSURER C:			
	INSURER D:			
INSURER E:				
INSURER F:				

COVERAGES CERTIFICATE NUMBER: REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR Premises-operations GENL AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:		NN1541916	05/25/2023	05/25/2024	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMPIOP AGG \$ 2,000,000 \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY					COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input type="checkbox"/> RETENTIONS					EACH OCCURRENCE \$ AGGREGATE \$ \$
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N Y N/A	6716462	02/09/2024	02/09/2025	<input type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$ 100,000 E.L. DISEASE - EA EMPLOYEE \$ 100,000 E.L. DISEASE - POLICY LIMIT \$ 500,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Covers General liability coverage for electrical services for residential home contracting operations subject to terms and conditions of the policy.

CERTIFICATE HOLDER	CANCELLATION
	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE <i>Randy P. Bravato</i>



data safe[®]
CX-M
100% Initial Capacity

**BATTERY
PERFORMANCE
SPECIFICATIONS**





The DataSafe® CX-M battery is an economical multi-cell flat plate battery. The CX-M unit is optimized for high performance and provides excellent short duration discharge rates.

The DataSafe CX-M battery now features the Slide-Lock™ post seal design. The DataSafe CX-M battery features a larger copper insert in the Slide-Lock post. The number of plates and plate thickness are optimized with respect to the available electrolyte ensuring maximum performance during short duration discharges.

The DataSafe CX-M battery was designed for easier maintenance since all the posts and connectors reside above the cell cover; maintenance routines, including individual cell monitoring and intercell resistance measurements are simplified. The economical design and footprint, combined with Slide-Lock post and excellent performance in short duration discharges makes this an ideal battery in UPS and switchgear applications.

Features

- Slide-Lock™ post seal design
- Calcium alloy grids for lowest water loss, resulting in lowest maintenance costs
- Lead plated copper posts provide high 1-minute rates
- 100% Initial capacity
- 20 year life expectancy in floating applications where high ambient temperature is not a factor
- The number of plates and the plate thickness have been optimized with respect to the available free electrolyte to ensure maximum performance during short duration discharges without sacrificing component integrity
- Installation services and preventative maintenance packages available

Standards

- Manufactured in EnerSys® production facilities certified to ISO™ 9001: 2008
- Manufactured in EnerSys production facilities certified to ISO 14001: 2004
- Available testing to IEEE 450 standards as well as customer specific applications

Specifications


- Plate thickness:
Positive: 0.20 in/5.1 mm
Negative: 0.14 in/3.6 mm
- Plate dimensions:
Height
Positive: 7.75 in/197 mm Width
Negative: 7.75 in/197 mm 8.00 in/203 mm
8.00 in/203 mm
- Plate suspension type:
Positive: Bottom supported
Negative: Bottom supported
- Container: Styrene Acrylonitrile Copolymer, optional PC
- Cover: Made from flame retardant PVC, (UL94-VO/L.O.I. 28%)
- Separators: Microporous plastic
- Bolt connectors: Stainless steel, Standard English measure, Hex-Head
- Inter-unit connectors: Tin-plated copper, Optional lead-plated copper
- Electrolyte over plates: 2.38 in/60.5 mm
- Vent type: Flame Arrestor, Fused Alumina
- Float voltage settings (1.215 S.G.): Acceptable min/max: 2.17/2.26 Vpc, Recommended: 2.21 Vpc
- Float voltage settings (1.250 S.G.): Acceptable min/max: 2.21/2.30 Vpc, Recommended: 2.25 Vpc
- Sediment space: 1.00 in/25.4 mm
- Post seal type: Slide-Lock™
- Specific gravity: 1.215 standard (1.250 available upon request)

NOTE: All inter-cell, inter-tier, inter-step, end-to-end inter-rack and back-to-back inter-rack connectors for standard configurations are included with every battery. Cross-aisle inter-rack connectors are not included.


General Specifications

DataSafe® CX-M battery TYPE*	NOM. Ah CAP ¹	Nominal Dimensions						Weights - Volumes							
		Length**		Width		Height		Unpacked		Domestic Packed		Electrolyte Only / 1.215 S.G.			
		in	mm	in	mm	in	mm	lbs	kg	lbs	kg	lbs	kg	gal	l
2CX-5M	105	7.0	178	9.0	229	14.8	375	44	20.0	49	22.2	10	4.7	1.0	3.9
3CX-5M	105	7.0	178	9.0	229	14.8	375	65	29.5	71	32.2	16	7.1	1.5	5.8
2CX-7M	130	7.0	178	9.0	229	14.8	375	49	22.2	53	24.0	9	4.2	0.9	3.4
3CX-7M	130	7.0	178	9.0	229	14.8	375	73	33.1	78	35.4	14	6.3	1.4	5.2
2CX-9M	185	12.2	310	9.0	229	14.8	375	72	32.7	81	36.7	24	11.0	2.4	9.0
3CX-9M	185	12.2	310	9.0	229	14.8	375	107	48.5	114	51.7	36	16.3	3.5	13.4
2CX-11M	215	12.2	310	9.0	229	14.8	375	76	34.5	87	39.5	22	9.8	2.1	8.0
3CX-11M	215	12.2	310	9.0	229	14.8	375	114	51.7	122	55.3	33	14.7	3.2	12.1
2CX-13M	240	12.2	310	9.0	229	14.8	375	81	36.7	88	39.9	20	9.1	2.0	7.4
3CX-13M	240	12.2	310	9.0	229	14.8	375	121	54.9	128	58.1	30	13.8	3.0	11.3
2CX-15M	260	12.2	310	9.0	229	14.8	375	84	38.1	90	40.8	19	8.5	1.9	7.0
3CX-15M	260	12.2	310	9.0	229	14.8	375	125	56.7	132	59.9	28	12.9	2.8	10.6


* Prefix number indicates total cells per jar. Suffix number indicates total plates per cell.
 ** 0.25" must be added between units for spacing purposes when calculating total battery length.
¹ Nominal Amp hour capacity at the 8 hour rate - 1.215 S.G.



Exclusive Slide-Lock™ Post Seal



CX-9M & 15M models shown



CX-5M & 7M models shown

CX-M Catalog Rint and Isc Catalog Values*

DataSafe® CX-M battery TYPE	Resistance (u-ohms)	Isc (Amps)
CX-5M	1090	1830
CX-7M	750	2670
CX-9M	528	3790
CX-11M	444	4500
CX-13M	382	5240
CX-15M	333	6010

CX-MB Catalog Rint and Isc Catalog Values*

DataSafe® CX-M battery TYPE	Resistance (u-ohms)	Isc (Amps)
CX-5MB	1090	1870
CX-7MB	750	2710
CX-9MB	528	3860
CX-11MB	444	4580
CX-13MB	382	5330
CX-15MB	333	6110

* Short Circuit and Internal Resistance Values Calculated by IEEE-946 method.

Harvey Battery Bank Repair

Site Visit:

For a site visit, contact Jamal Singleton @ 504-453-9395 between the hours of 7:00 - 3:00 to schedule a site visit at the Harvey Pump Station.

Scope:

We extend this bid to cover all labor, materials, and necessary equipment to remove the existing battery bank system and install a new battery bank system at the Harvey Pump Station located at 1600 Destrehan Avenue, Harvey, LA 70058.

Inspections:

Bidders must inspect the site and perform their own measurements in order to determine the proper quantity of materials and equipment required to complete this project. All measurements given in these specifications are informational only.

License Requirement:

Contractor must have the following State of Louisiana Contractors Licenses – Electrical Work.

All of the required license numbers must be on the outside of the bidder's envelope. If bidding on-line, both required license numbers must be in the required field in Central Bidding.

Submittals:

Any exception to this specification requires the vendor submit a letter attached to the documents listing in detail how it differs from the specifications. Mere attachment of brochures covering standard manufactured equipment when such differs from these specifications shall not be adequate to satisfy the letter of exceptions requirement. Such items may include:

- A complete specification and submittal of all major components
- One copy of all battery bank "Bill of Materials" of the unit's installation, cutaway drawings, and dimensions as offered to confirm compliance with the specifications.

Bidders will have three (3) days to provide such information upon request from the Drainage Department. Any bidder not able to supply information shall be considered non-responsive and shall not be accepted.

BID SPECIFICATIONS FOR BID #5000144919

General:

1. Contractor shall furnish all labor, materials, and equipment necessary for this project as defined herein.
2. All work shall be done in accordance with ANSI/IEEE standards, as well as the Manufacturer's specifications.
3. Any disassembly, removal, and disposal/recycling shall be done in accordance with DEQ/EPA regulations.
4. All installation accessories shall be furnished with the battery (i.e. tin-plated inter-cell connectors, insulated wrench, stainless steel hardware, and cell numbers) when applicable.
5. Contractor shall check operation of all elements and sequence of operation, and provide close out documents including warranty certificates, IOM and start-up sheets.
6. Contractor shall provide two hours of operation, maintenance, and safety training for parish personnel at Harvey pump station. Coordinate training one week in advance with parish superintendent.
7. Contractor shall provide a one page set of instructions typed and laminated to post where directed before acceptance. The instructions shall outline all safety measures and hazardous symptoms for operators to monitor and report.

Bid Specification

Item 0001 – Harvey Battery Bank Removal/Installation:

1. Disassemble and remove existing battery system, and dispose/recycle in accordance with DEQ/EPA regulations.
2. Install new battery bank with twenty (20) new 3CX-15M batteries. Batteries shall be Energys DataSafe Lead Calcium Battery.
 - o Vented Lead-Acid, Flat Plate
 - o 6V, 3-Cell, 1.215 Specific Gravity
 - o 3CX-15M rated At 260Ah
 - o Dimensions: 12.2"L X 9"W X 14.8"H
 - o Weight: 125 lbs.
 - o Manufacturer's warranty.
3. Number cells following the electrical circuit of the battery, beginning at the positive post of cell 1.

Hours of Work:

Work shall be performed during normal working hours. All work must be scheduled with owner representative 5 days in advance. The successful bidder shall work normal building working hours (7:00am – 3:00pm) to provide a safe work environment at no extra charge to Jefferson Parish.

Cleaning Area and Safety:

Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. All trash and debris material must be disposed of from the job site daily.

BID SPECIFICATIONS FOR BID #5000144919

Precautions must be exercised at all times to safeguard the welfare and safety of the general public, employees of Jefferson Parish, and other Parish officials.

Existing Structure:

Should any cutting, patching, alteration, addition, or repairs to existing structure, wall, floor, ceiling, or part of building be required of this project, the successful bidder shall restore the alteration to its original condition, with the same type materials, finish, and workmanship.

Warranty:

Successful Bidder shall provide the manufacturer's warranty for the new battery system and a one (1) year warranty for installation of materials in this project.

Construction Term:

No work shall be performed until the successful bidder receives a Purchase Order. Upon receiving a Purchase Order, the successful bidder may begin work within (3) weeks of receiving this Purchase Order. Additionally, upon beginning work, the successful bidder agrees that all work shall be completed within two (2) week of starting.

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.