



## **BURROUGHS COMPANIES**

3626 INDUSTRIAL BLVD. • LAUREL, MISSISSIPPI 39440  
**601-649-3062 • 1-877-628-2668**  
burroughscompanies.com

September 21, 2020

Coahoma Community College

We are pleased to provide you with the following proposal for your upcoming truck purchase. We have proposed the following vehicle.

2021 Western Star 5700EX tractor trailer with 82" stratosphere sleeper. We have met all the specifications supplied. If there are any questions with the bid, please let me know.

Total Cost- \$121,479.00

Again, we appreciate the opportunity to provide you with a quote and look forward to doing business with you in the future.

Thank you

Brad Green  
Burroughs Diesel  
3626 Industrial Blvd  
Laurel, MS 39441  
601-577-6523

Prepared for:  
JEROME SHAW  
COAHOMA COMMUNITY  
COLLEGE  
3240 FRIARS POINT ROAD  
CLARKSDALE, MS 38614  
Phone: 662-902-0866


Prepared by:  
Brad Green  
BURROUGHS DIESEL, INC.  
3626 INDUSTRIAL BLVD.  
LAUREL, MS 39440  
Phone:

*A proposal for*  
**COAHOMA COMMUNITY COLLEGE**

*Prepared by*  
**BURROUGHS DIESEL, INC.**  
*Brad Green*

*Sep 09, 2020*

**Western Star 5700SLP**



Components shown may not reflect all spec'd options and are not to scale

Prepared for:  
 JEROME SHAW  
 COAHOMA COMMUNITY  
 COLLEGE  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

## S P E C I F I C A T I O N   P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
<b>Price Level</b>			
PRL-23Y	WST 5700 PRL-23Y (EFF:01/21/20)		
<b>Data Version</b>			
DRL-032	SPECPRO21 DATA RELEASE VER 032		
<b>Vehicle Configuration</b>			
001-460	WESTERN STAR 5700XE SET-BACK FRONT AXLE SLEEPER CHASSIS	10,159	7,711
004-221	2021 MODEL YEAR SPECIFIED		
002-002	SET BACK AXLE - TRACTOR		
019-005	TRAILER TOWING PROVISION FORWARD OF FIFTH WHEEL		
003-001	LH PRIMARY STEERING LOCATION		
<b>General Service</b>			
AA1-001	TRACTOR/TRAILER CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
A85-005	LINEHAUL/LONG HAUL SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-001	GENERAL FREIGHT COMMODITY		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
995-1A4	WESTERN STAR ON-HIGHWAY WARRANTY		
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 13300.0 lbs		
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 40000.0 lbs		
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 53300.0 lbs		



Prepared for:  
 JEROME SHAW  
 COAHOMA COUNTY AHS  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
<b>Truck Service</b>			
AF3-2CR	TRACTOR ONLY WITH NO BODY UPFIT		
<b>Tractor Service</b>			
AA2-001	VAN TRAILER		
AH6-001	SINGLE (1) TRAILER		
<b>Engine</b>			
101-2XY	DETROIT DD13 12.8L 505 HP @ 1625 RPM, 1900 GOV RPM, 1850 LB/FT @ 975 RPM	-280	-10
<b>Electronic Parameters</b>			
79A-075	75 MPH ROAD SPEED LIMIT		
79B-006	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT, WITH AUTO RESUME AFTER SHIFT		
79E-006	LIMIT TO ENGINE RATING MINUS 200 LB-FT IN ALL GEARS EXCEPT TOP 2		
79M-002	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED		
79N-001	PTO MODE CLUTCH OVERRIDE - CLUTCH ENABLED		
79T-001	PTO MODE RPM INCREMENT - 25 RPM		
79W-001	ONE REMOTE PTO SPEED		
79X-003	PTO SPEED 1 SETTING - 800 RPM		
80L-001	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE		
<b>Engine Equipment</b>			
99C-017	2016-2019 ONBOARD DIAGNOSTICS/2010 EPA/CARB/FINAL GHG17 CONFIGURATION		
99D-011	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
292-206	(3) DTNA GENUINE, FLOODED STARTING, MIN 2850CCA, 525RC, THREADED STUD BATTERIES	-35	-30
290-1D3	STEEL BATTERY BOX WITH ENCLOSED TRAY		
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		



Prepared for:  
 JEROME SHAW  
 COAHOMA COMMUNITY  
 COLLEGE  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-006	PLASTIC BATTERY BOX COVER		
306-019	LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM		
180-100	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH	20	
183-008	TORQUE LIMITING CLUTCH BRAKE		
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING		
107-044	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-002	JACOBS COMPRESSION BRAKE		
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE		
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		
239-001	STANDARD EXHAUST SYSTEM LENGTH		
237-052	RH STANDARD HORIZONTAL TAILPIPE		
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	-10	-5
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL		
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH		
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR		
118-001	FULL FLOW OIL FILTER		
266-069	1400 SQUARE INCH RADIATOR		
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		



Prepared for:  
 JEROME SHAW  
 COAHOMA COMMUNITY  
 COLLEGE  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE		
155-075	MITSUBISHI 12V MOD 3.175-DP60 STARTER WITH INTEGRATED MAGNETIC SWITCH		
<b>Transmission</b>			
342-1TM	EATON FAOM-16810C FULLER ADVANTAGE SERIES MANUAL TRANSMISSION	-60	-20
<b>Transmission Equipment</b>			
341-017	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN		
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE		
35T-003	SYNTHETIC TRANSMISSION LUBE		
<b>Front Axle and Equipment</b>			
400-1A7	DETROIT DA-F-13.3-3 13,300# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
402-049	MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
403-043	2011/2013-FMVSS 121 RSD FRONT BRAKE LINING		
419-021	GUNITE CAST IRON FRONT BRAKE DRUMS	5	
409-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-050	TRW THP-60 POWER STEERING		
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
618-002	STANDARD CUPS AND CONES (WHEEL BEARINGS) FRONT AND REAR		
40T-004	GUARANTEED NAME BRAND "ROADRANGER SYNTHETIC" FE 75W-90 FRONT AXLE LUBE		
<b>Front Suspension</b>			
620-1D8	13,300# TAPERLEAF FRONT SUSPENSION	30	
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		



Prepared for:  
 JEROME SHAW  
 COAHOMA COMMUNITY  
 COLLEGE  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
<b>Rear Axle and Equipment</b>			
420-1T8	DETROIT DA-RT-40.0-4S HH 40,000# R-SERIES TANDEM REAR AXLE		
421-308	3.08 REAR AXLE RATIO		
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-044	RPL25 MERITOR MAIN DRIVELINE		
388-039	RPL20 MERITOR INTERAXLE DRIVELINE		
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES		
87A-012	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH WITH IAD FEEDBACK		
423-019	MERITOR 16.5X8.62 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
433-043	2011/2013-FMVSS 121 RSD REAR BRAKE LININGS		
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS		
451-021	GUNITE CAST IRON REAR BRAKE DRUMS		10
440-006	REAR OIL SEALS		
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS		
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
41T-006	FE 75W-85 REAR AXLE LUBE		
<b>Rear Suspension</b>			
622-005	AIRLINER 40,000# REAR SUSPENSION		
621-007	AIRLINER HIGH POSITION RIDE HEIGHT		
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
624-016	51 INCH AXLE SPACING		
888-048	MANUAL DUMP VALVE FOR AIR SUSPENSION WITH GAUGE		
87D-006	INDICATOR LIGHT FOR EACH REAR SUSPENSION CONTROL SWITCH		
910-001	SINGLE AIR REAR SUSPENSION LEVELING VALVE		
623-002	TRANSVERSE CONTROL RODS		
439-005	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)		



Prepared for:  
 JEROME SHAW  
 COAHOMA COMMUNITY  
 COLLEGE  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
<b>Brake System</b>			
490-101	WABCO 4S/4M ABS WITH TRACTION CONTROL, WIH ATC OFF-ROAD SWITCH		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
412-001	STANDARD BRAKE SYSTEM VALVES		
413-002	STD U.S. FRONT BRAKE VALVE		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER		
479-012	AIR DRYER MOUNTED UNDER HOOD		
460-001	STEEL AIR BRAKE RESERVOIRS		
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS		
<b>Trailer Connections</b>			
481-003	12 FOOT STRAIGHT TRAILER AIR HOSE		
476-013	HASP, HOOK AND SPRING FOR TRAILER LINES		
484-006	COMBINATION DUMMY GLAD HANDS AND LIGHT PLUG HOLDER		
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION		
297-132	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED BACK OF CAB/BACK OF SLEEPER		
1AZ-001	PAINTED STRADDLE BRACKET LOCATED AT BACK OF CAB/BACK OF SLEEPER		
310-002	12 FOOT DETACHABLE STRAIGHT PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR		
<b>Wheelbase &amp; Frame</b>			
545-615	6150MM (242 INCH) WHEELBASE		
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	170	70
552-017	1475MM (58 INCH) REAR FRAME OVERHANG		
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH		
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 93.62 in		



Prepared for:  
 JEROME SHAW  
 COAHOMA COMMUNITY  
 COLLEGE  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 78.62 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 330.34		
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN : 38.68 in		
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN : 37.13 in		
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN : 39.94 in		
ZF4-99D	FRAME HEIGHT TOP REAR LADEN : 38.42 in		
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 11.94 in		
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 21.53 in		
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 65.76 in		
553-031	FLANGE TAPERED END OF FRAME, GRIND AND POLISH WELDS		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
572-001	STANDARD REARMOST CROSSMEMBER		
565-001	STANDARD SUSPENSION CROSSMEMBER		

### Chassis Equipment

674-019	LH BACK OF CAB ACCESS, GRAB HANDLES WITH SINGLE RUBBER INSERT		
592-054	21 INCH (525MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS		
556-089	PAINTED AERODYNAMIC BUMPER WITH AIR DAM AND POLISHED STAINLESS STEEL FASCIA		
558-998	NO FRONT TOW HOOKS	-25	
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
585-1AJ	BETTS B-7 STAINLESS STEEL MUDFLAP BRACKETS		
590-032	WESTERN STAR LOGO BLACK MUDFLAPS		
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
44Z-002	EXTERIOR HARNESSSES WRAPPED IN ABRASION TAPE		
583-059	PLASTIC QUARTER FENDERS WITH LOGO		

### Fifth Wheel

578-1W7	FONTAINE 6000 SERIES 6NWB 12.0 INCH AIR SLIDE FIFTH WHEEL		
577-305	FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF SUSPENSION CENTERLINE		
582-013	171MM (6.75 INCH) FIFTH WHEEL HEIGHT		



Prepared for:  
 JEROME SHAW  
 COAHOMA COUNTY AHS  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
206-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - RH	-10	
204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	-10	
218-006	25 INCH DIAMETER FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-008	FUEL TANK(S) AFT		
664-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
216-020	EQUIFLO INBOARD FUEL SYSTEM		
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
<b>Tires</b>			
093-2C5	HANKOOK AL11 11R22.5 14 PLY RADIAL FRONT TIRES	8	
094-2C6	HANKOOK DL11 11R22.5 14 PLY RADIAL REAR TIRES		120
<b>Hubs</b>			
418-058	CONMET PRESET PLUS PREMIUM ALUMINUM FRONT HUBS		
450-058	CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS		
<b>Wheels</b>			
502-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT 5.80 INSET ALUMINUM DISC FRONT WHEELS	-50	
505-693	ALCOA LVL ONE 88267X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-200
<b>Cab Exterior</b>			
829-1B0	126 INCH BBC STEEL CONVENTIONAL CAB		
682-062	82 INCH HIGH ROOF STRATOSPHERE SLEEPER	90	85
784-080	ROOF FAIRING FOR STRATOSPHERE SLEEPERS FOR OPTIMIZED AERODYNAMIC PERFORMANCE WITH VAN/REEFER TRAILERS		
783-020	20 INCH CAB/SLEEPER/CAB SIDE EXTENDERS WITH BLACK FLEXIBLE ENDS		
82A-026	WESTERN STAR PAINTED CAB AND SLEEPER SKIRTS		
792-001	CAB TO SLEEPER SIDE FAIRINGS - LH AND RH		



Prepared for:  
 JEROME SHAW  
 COAHOMA COUNTY AHS  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
782-026	PAINTED FRAME SIDE FAIRINGS TO BACK OF SIDE EXTENDERS		
779-002	BOLTED FRONT LEFT SIDE FAIRING PANEL FOR BATTERY ACCESS		
704-034	17.5X25.0 INCH LH AND RH BAGGAGE DOORS WITH PUSHBUTTON LATCH RELEASE		
650-044	AIR CAB MOUNTS WITH CHECK VALVE		
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
695-001	LH SLEEPER DOOR		
678-048	LH AND RH INTERIOR GRAB HANDLES MOUNTED TO B POST AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST		
645-005	STAINLESS STEEL RADIATOR SHELL/HOOD BEZEL		
646-006	STAINLESS STEEL GRILLE		
640-009	HEAVY DUTY STEEL CAB FLOOR		
644-001	AERODYNAMIC HOOD		
652-016	WESTERN STAR NAMEPLATES		
727-1AY	SINGLE AIR HORN UNDER LH DECK		
726-001	SINGLE ELECTRIC HORN		
728-001	SINGLE HORN SHIELD		
657-1AG	DOORS AND IGNITION KEYED THE SAME		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-069	DUAL ROUND 90MM HALOGEN HEADLIGHTS HOOD MOUNTED		
302-063	LED MARKER LIGHTS INTEGRAL WITH SUN VISOR		
305-022	LED ACCENT LIGHTS ON LOWER EDGE OF CAB AND SLEEPER	15	
311-001	DAYTIME RUNNING LIGHTS		
294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS		
300-043	LED SIDE TURN SIGNAL		
318-1D7	(2) FLUSH LED UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER	6	
744-1DH	DUAL AERO BRIGHT FINISH HEATED DUAL AXIS 1-PIECE MOTORIZED MIRRORS WITH LIGHTS, LH AND RH REMOTE AND INTEGRAL CONVEX MIRRORS		
743-1AX	DUAL BRIGHT FINISH HEATED CONVEX MIRRORS WITH MANUAL ADJUSTMENT AND DUAL AXIS FOR 1-PIECE PRIMARY MIRRORS		
74A-001	RH DOWN VIEW MIRROR		



Prepared for:  
 JEROME SHAW  
 COAHOMA COUNTY AHS  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
729-001	STANDARD SIDE/REAR REFLECTORS		
73A-002	REAR REFLECTIVE DEVICE		
787-020	ELECTRIC DOOR LOCKS, MECHANICAL KEY TUMBLER		
776-008	(1) PAINTED SLEEPER VENT, LH		
764-022	PAINTED AERODYNAMIC EXTERIOR SUN VISOR WITH CHROME OVERLAY AND INTEGRAL LED MARKER LIGHTS		
661-006	TINTED DOOR GLASS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS		
76Z-008	TINTED TILT OUT SIDE SLEEPER WINDOWS WITH PRIVACY CURTAINS		
767-046	25X37.25 INCH TINTED SIDE WINDOW RH		
663-014	2-PIECE BONDED SOLAR GREEN GLASS WINDSHIELD		
659-026	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL		

### Cab Interior

707-1D4	SMOKY MOUNTAIN GRAY VINYL PREMIUM INTERIOR		
70K-006	GREY HARD TRIM		
706-048	PREMIUM LEFT HAND DOOR TRIM WITH CHERRY ACCENT		
708-048	PREMIUM RIGHT HAND DOOR TRIM WITH CHERRY ACCENT		
772-006	BLACK MATS WITH SINGLE INSULATION		
773-012	BLACK CARPET WITH SINGLE INSULATION IN SLEEPER		
785-007	DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE		
637-052	LH HIGH ROOF CHERRY WOOD CABINET WITH PULL OUT DESK TOP, (2) DRAWERS, REFRIGERATOR OPENING AND UPPER STORAGE	15	10
691-001	FORWARD ROOF MOUNTED CONSOLE		
694-009	PASSENGER SIDE WING DASH MOUNTED GLOVE BOX WITH LOCKING DOOR		
693-025	LH AND RH DOOR MAP POCKETS		
826-029	43 INCH WIDE LIFTABLE LOWER BUNK		
666-001	BLANKET STYLE LOWER BUNK RESTRAINT		
742-032	(1) DOUBLE CUP HOLDER WITH CELL PHONE HOLDER LH OR RH DASH		



Prepared for:  
 JEROME SHAW  
 COAHOMA COUNTY AHS  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
680-034	TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER		
700-023	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER		
701-016	HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER		
689-001	HEATER/AIR CONDITIONER IN SLEEPER AREA		
170-015	STANDARD HEATER PLUMBING		
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
739-001	CAB INSULATION		
73D-009	STANDARD SLEEPER INSULATION		
285-033	AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN AUXILIARY POWER DISTRIBUTION BOXES		
322-011	DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED BAGGAGE COMPARTMENT LIGHTS		
324-094	DOOR ACTIVATED CENTER MOUNTED DOME LIGHT WITH DASH SWITCH, LH AND RH READING LIGHTS AND COURTESY LIGHTS IN DOORS AND UNDER DASH PANEL		
325-065	(2) DOME LIGHTS, (1) FLOOR LIGHT AND (2) SWIVEL READING LIGHTS		
655-005	LH AND RH ELECTRIC DOOR LOCKS		
740-001	FLAT FOAM MATTRESS IN SLEEPER		
284-009	(1) 12 VOLT POWER OUTLET IN SLEEPER PANEL		
719-011	NOVA KOOL MODEL R-2300 BUILT-IN REFRIGERATOR - DC ONLY	40	35
756-1DD	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT		
760-1DD	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT		
758-1AA	GRAY VINYL DRIVER SEAT COVER		
761-1AA	GRAY VINYL PASSENGER SEAT COVER		
763-003	3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS		



Prepared for:  
 JEROME SHAW  
 COAHOMA COUNTY AHS  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
709-006	SLEEPER CURTAIN		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
<b>Instruments &amp; Controls</b>			
106-002	ELECTRONIC ACCELERATOR CONTROL		
732-047	FIGURED CHERRY WOODGRAIN ULTRA GLOSS FINISH DRIVER INSTRUMENT PANEL		
734-047	FIGURED CHERRY WOODGRAIN ULTRA GLOSS FINISH CENTER INSTRUMENT PANEL		
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS		
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
156-033	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY WITH ECM STARTER LOCKOUT		
811-041	ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED		
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
845-011	FUEL FILTER RESTRICTION INDICATOR		
148-085	EMISSIONS LIMITED IDLE ADJUST		
866-009	DUAL REAR AXLE TEMPERATURE GAUGES WITH SENSOR SHIELD		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
854-001	ENGINE OIL TEMPERATURE GAUGE		
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
736-1AF	WABCO ONGUARD COLLISION WARNING, ADAPTIVE CRUISE CONTROL AND COLLISION MITIGATION	10	



Prepared for:  
 JEROME SHAW  
 COAHOMA COUNTY AHS  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
49B-004	ELECTRONIC STABILITY CONTROL		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
746-114	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939		
747-002	ROOF/OVERHEAD CONSOLE MOUNTED RADIO		
750-004	(4) RADIO SPEAKERS IN CAB		
748-026	POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE		
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
810-042	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER		
812-001	ELECTRONIC 3000 RPM TACHOMETER		
813-1B4	VT-HU CONNECTIVITY PLATFORM HARDWARE		
8D1-002	2 YEARS DETROIT CONNECT BASE PACKAGE (VIRTUAL TECHNICIAN, DETROIT CONNECT PORTAL ACCESS)FOR VT-HU CONNECTIVITY PLATFORM		
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
482-001	BW TRACTOR PROTECTION VALVE		
883-001	TRAILER HAND CONTROL BRAKE VALVE		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
304-043	CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH WITH HEADLIGHT/MARKER LIGHT INTERRUPTER SWITCHES ON STEERING WHEEL		
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-040	MANUAL TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT		
298-036	PACIFIC INSIGHT ELECTRONIC FLASHER		

### Design

065-000 PAINT: ONE SOLID COLOR

### Color

980-5F6 CAB COLOR A: L0006EY WHITE ELITE EY  
 986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT



Prepared for:  
 JEROME SHAW  
 COAHOMA COUNTY AHS  
 3240 FRIARS POINT ROAD  
 CLARKSDALE, MS 38614  
 Phone: 662-902-0866

Prepared by:  
 Brad Green  
 BURROUGHS DIESEL, INC.  
 3626 INDUSTRIAL BLVD.  
 LAUREL, MS 39440  
 Phone:

Data Code	Description	Weight Front	Weight Rear
987-995	CHASSIS SIDE FAIRINGS PAINTED SAME AS LOWER CAB SECTION OR FENDER		
964-995	BUMPER PAINTED SAME AS FENDERS/LOWER SECTION OF CAB		
976-995	SUNVISOR PAINTED SAME AS CAB COLOR A		
979-995	AERODYNAMIC ROOF DEVICE PAINTED SAME AS CAB COLOR A		

### Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

### Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 78.62 in
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 65.76 in

## TOTAL VEHICLE SUMMARY

### Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	10088 lbs	7776 lbs	17864 lbs
<b>Total Weight<sup>+</sup></b>	<b>10088 lbs</b>	<b>7776 lbs</b>	<b>17864 lbs</b>

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.