

**LAFAYETTE**  
PARISH SCHOOL SYSTEM

**Bid# 16-18 Southside High School – Custodial Equipment and Supplies**

Addendum #2 - Page 1 of 4

Date: 6/13/17

Lee Francis

Purchasing Agent

Business Services  
Division

P.O. Drawer 2158

Lafayette, LA 70502

PH: 337.521.7329

EMAIL:  
slfrancis@lpssonline.com

**Addendum #2**

The following revision has been made to Bid# 16-18 Custodial Equipment and Supplies:

**1. Section 5.1 is rescinded and is to be replaced with the following:**

Brand name(s) and/or catalog number(s) are given for purposes of identification and to denote the standard of quality desired, and do not, in any way, restrict bidders to a specific make and manufacturer. If there is any deviation in the pack, source, quality, etc., of an item bid from that prescribed in the specification, the appropriate line in the specifications is to be ruled out and the alternate "as equal" and unit price clearly indicated in the Alternate "As Equal" Bid Form provided. Alternates "as equal" must be functionally equivalent to the item specified.

The Alternate "As Equal" Bid Form is notification to any potential bidder that equals will be considered in regards to the item descriptions specified within the bid form.

**2. Section 7.1 is rescinded and is to be replaced with the following:**

The awarded bidder(s) upon receipt of a purchase order from LPSS shall deliver and install, complete and whole, all awarded items by July 19, 2017 at the specified location in accordance with Section 8.1 of this bid.

**3. Section 8.1 is rescinded and is to be replaced with the following:**


Delivery location within Lafayette Parish School District shall be stated on each purchase order issued.

**4. Section 9.1 is rescinded and is to be replaced with the following:**

Bidders are cautioned to carefully consider the delivery time stated in Section 7.1 as they will be required to adhere to that delivery time and schedule.

**5. Section 12.2 is rescinded and is to be replaced with the following:**

LPSS will award the contract to the lowest responsive and responsible bidder for each line item per unit price. Bidders may submit a partial bid.



**LAFAYETTE**  
PARISH SCHOOL SYSTEM

**Bid# 16-18 Southside High School – Custodial Equipment and Supplies**

Addendum #2 - Page 2 of 4

Date: 6/13/17

Lee Francis

Purchasing Agent

Business Services  
Division

P.O. Drawer 2158

Lafayette, LA 70502

PH: 337.521.7329

EMAIL:  
slfrancis@lpssonline.com

**Addendum #2**

6. Section 18 Applicable Law is to be added to the specifications and reads as follows:

18.1 All contracts shall be construed in accordance with and governed by the laws of the State of Louisiana.


18.2 In the event of a dispute between the parties, the 15th Judicial District Court for the Parish of Lafayette shall serve as the sole and exclusive jurisdiction and venue to resolve said dispute.

7. Section 19 USDA Requirements is to be added to the specifications and read as follows:

19.1 Bidder shall be aware that Owner is receiving funding for this project from the US Dept. of Agriculture Rural Development Fund. The requirements of the Louisiana Public Law for procurement should be followed and USDA, Rural Development "Open and Free Competition" requirements must also be met.

19.2 Contract shall comply with Executive Order 11246, entitled, "Equal Employment Opportunity," as amended by Executive Order 11375, and as supplemented by Department of Labor regulations 41 CFR Part 60. (Revised 5-3-89, SPECIAL PN). Refer to Form USDA Form RD 400-1 included in this specification.

19.3 Contract shall comply shall comply with all applicable standards, orders, or requirements issued under Section 306 of the Clean Air Act (42 U.S.C. 1857(h)), Section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and Environmental Protection Agency (EPA) regulations 40 CFR Part 15, which prohibit the use under non-exempt Federal contracts, grants or loans of facilities included on the EPA List of Violating Facilities. The provision shall require reporting of violations to Rural Development and to the U.S. Environmental Protection Agency, Assistant Administrator for Enforcement. Refer to USDA RD Instructions 1940-Q Exhibit A-1 included in this specification.



**LAFAYETTE**  
PARISH SCHOOL SYSTEM

**Bid# 16-18 Southside High School – Custodial Equipment and Supplies**

Addendum #2 - Page 3 of 4

Date: 6/13/17

Lee Francis

Purchasing Agent

Business Services  
Division

P.O. Drawer 2158

Lafayette, LA 70502


PH: 337.521.7329

EMAIL:

slfrancis@lpssonline.com

**Addendum #2**

- 19.4 RECORDS: All project records and contracts shall be available for review and the owner, Rural Development, the Comptroller General of the United States, or any of their duly authorized representatives, shall have access to any books, documents, papers, and records of the contractor which are directly pertinent to a specific Federal loan program for the purpose of making audits, examinations, excerpts, and transcriptions. Owners shall require contractors to maintain all required records for 3 years after owners make final payments and all other pending matters are closed.
- 19.5 Contracts shall recognize mandatory standards and policies relating to energy efficiency which are contained in the State energy conservation plan issued in compliance with the Energy Policy and Conservation Act (P.L. 94-163).
- 19.6 All contracts must contain a provision that they shall not be effective unless and until the Rural Development State Director or designee concurs in writing.
- 19.7 See additional forms required for project immediately following this section. All forms must be filled out and returned with Bids in order to be considered.
8. Section A.3 of the General Conditions and Instructions to Bidders is rescinded.
9. Section D.1 of the General Conditions and Instructions to Bidders is to read as follows:
- Complete manufacturer's specifications must accompany all bids when bidding and Alternate "AS EQUAL". Failure to submit complete manufacturer's specifications will be reason to reject the bid.
10. Section E. Bid Samples of the General Conditions and Instructions to Bidders is clarified as follows:
- There is no specification listed within the Special Provisions which state that samples are required for this bid.
- STRENGTH. TRADITION. EXCELLENCE.



**LAFAYETTE**  
PARISH SCHOOL SYSTEM

**Bid# 16-18 Southside High School – Custodial Equipment and Supplies**

Addendum #2 - Page 4 of 4

Date: 6/13/17

**Addendum #2**

Lee Francis

Purchasing Agent

Business Services  
Division

P.O. Drawer 2158

Lafayette, LA 70502

PH: 337.521.7329

EMAIL:  
slfrancis@lpssonline.com

- 11.** Section K.6 of the General Conditions and Instructions to Bidders is to read as follows:

If multiple bidders bid the same unit price for a line item, LPSS will award the line item to all responsive and responsible bidders.

- 12.** Section L.1 of the General Conditions and Instructions to Bidders is rescinded and is to read as follows:

**Failure to Perform:** In the event a successful bidder fails to perform (deliver) on an awarded bid and no bid security and/or performance securities were required, the Board shall declare the bidder in default. In the event the selected bidder defaults on its obligations, the bidder will be responsible for any and all damages sustained by the School Board as a result of such default.

- 13.** Section P.1 of the General Conditions and Instructions to Bidders is rescinded and is to read as follows:

Shipment is not to begin until receipt of the purchase order or other notification by the Purchasing Agent to proceed. All deliveries of products shall be made in accordance with Item #2 (regarding Section 7.1) of this addendum. At the time delivery is made an authorized agent must sign a dray receipt.


- 14.** Section 20 ABAAS Requirements is to be added to the specifications and reads as follows:

Contract shall comply with requirements and guidelines stated in Chapters 1, 2, and 3-10 of the Architectural Barriers Act Accessibility Guidelines dated July 2004.

End of Addendum #2

Thank you,

Mr. Lee Francis  
Purchasing Agent



**LAFAYETTE**  
PARISH SCHOOL SYSTEM

Addendum #4 - Page 1 of 1  
Date: 6/7/17

Lee Francis

Purchasing Agent

Business Services  
Division

P.O. Drawer 2158

Lafayette, LA 70502

PH: 337.521.7329

EMAIL:  
slfrancis@lpssonline.com

**Addendum #4**

Notice is hereby given that for the bids listed below LPSS is extending the bid submittal date as follows:

**Bid# 13-18 Welding and Carpentry Supplies** June 19, 2017 at 10:00am CST

**Bid# 14-18 Band Instruments** June 19 2017 at 11:00 am CST

**Bid# 15-18 Science Equipment and Supplies** June 19, 2017 at 11:30 pm CST

**Bid# 16-18 Custodial Equipment and Supplies** June 19, 2017 at 12:00 pm CST

**Bid# 17-18 Athletics / Physical Education Equipment and Supplies**  
June 20, 2017 at 10:00 am CST

**Bid# 18-18 Office, Makerspace, and Library Supplies**  
June 21, 2017 at 11:00 am CST

**Bid# 19-18 SPED / Nursing Equipment and Supplies (Latex Free)**  
June 20, 2017 at 11:00 am CST


**Bid# 20-18 Child Nutrition / FACS Equipment and Supplies**  
June 20, 2017 at 12:00 pm CST

**Bid# 21-18 Library Books**  
June 19, 2017 at 1:00 pm CST

End of Addendum #4

Thank you,

Mr. Lee Francis  
Purchasing Agent



**LAFAYETTE**  
PARISH SCHOOL SYSTEM

Lee Francis

Purchasing Agent

Business Services  
Division

P.O. Drawer 2158

Lafayette, LA 70502

PH: 337.521.7329

EMAIL:  
slfrancis@lpssonline.com

Addendum #ALL - Page 1 of 1  
Date: 6/1/17

**Addendum # ALL**

The following revision has been made to the advertisement for the following Southside High School bids:

Bid# 13-18 Welding and Carpentry Supplies  
Bid# 14-18 Band Instruments  
Bid# 15-18 Science Equipment and Supplies  
Bid# 16-18 Custodial Equipment and Supplies  
Bid# 17-18 Athletics / Physical Education Equipment and Supplies  
Bid# 18-18 Office, Makerspace, and Library Supplies  
Bid# 19-18 SPED / Nursing Equipment and Supplies (Latex Free)  
Bid# 20-18 Child Nutrition / FACS Equipment and Supplies  
Bid# 21-18 Library Books  
Bid# 25-18 Technology Devices, Equipment and Peripherals

1. Electronic bids for any of the bids mentioned above may be submitted to [lettermansbidconnect.com](http://lettermansbidconnect.com) or [centralauctionhouse.com](http://centralauctionhouse.com).

End of Addendum #ALL

Thank you,

Mr. Lee Francis  
Purchasing Agent



**LAFAYETTE**  
PARISH SCHOOL SYSTEM

Lee Francis

Purchasing Agent

Business Services  
Division

P.O. Drawer 2158

Lafayette, LA 70502

PH: 337.521.7329

EMAIL:  
sfrancis@lpssonline.com

**Bid# 16-18 Southside High School - Custodial Equipment & Supplies**  
**Addendum #1 - Page 1 of 1**  
**Date: 5/24/17**

**Addendum #1**

The following revision has been made to Bid# 16-18 Custodial Equipment & Supplies:

1. The attached documents must be signed and included in the bidders bid response.

End of Addendum #1

Thank you,

Mr. Lee Francis  
Purchasing Agent

COMPLIANCE STATEMENT

This statement relates to a proposed contract with Economic Monitorial and Paper Supplies LLC  
(Name of borrower or grantee)

who expects to finance the contract with assistance from either the Rural Housing Service (RHS), Rural Business-Cooperative Service (RBS), or the Rural Utilities Service (RUS) or their successor agencies, United States Department of Agriculture (whether by a loan, grant, loan insurance, guarantee, or other form of financial assistance). I am the undersigned bidder or prospective contractor, I represent that:

1. ☐ I have, ☒ have not, participated in a previous contract or subcontract subject to Executive Order 11246 (regarding equal employment opportunity) or a preceding similar Executive Order.
2. If I have participated in such a contract or subcontract, ☐ I have, ☒ have not, filed all compliance reports that have been required to file in connection with the contract or subcontract.

If the proposed contract is for \$50,000 or more and I have 50 or more employees, I also represent that:

3. ☐ I have, ☒ have not previously had contracts subject to the written affirmative action programs requirements of the Secretary of Labor.
4. If I have participated in such a contract or subcontract, ☐ I have, ☒ have not developed and placed on file at each establishment affirmative action programs as required by the rules and regulations of the Secretary of Labor.

I understand that if I have failed to file any compliance reports that have been required of me, I am not eligible and will not be eligible to have my bid considered or to enter into the proposed contract unless and until I make an arrangement regarding such reports that is satisfactory to either the RHS, RBS or RUS, or to the office where the reports are required to be filed.

I also certify that I do not maintain or provide for my employees any segregated facilities at any of my establishments, and that I do not permit my employees to perform their services at any location, under my control, where segregated facilities are maintained. I certify further that I will not maintain or provide for my employees any segregated facilities at any of my establishments, and that I will not permit my employees to perform their services at any location, under my control, where segregated facilities are maintained. I agree that a breach of this certification is a violation of the Equal Opportunity clause in my contract. As used in this certification, the term "segregated facilities" means any waiting rooms, work areas, restrooms and wash rooms, restaurants and other eating areas time clocks, locker rooms and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing facilities provided for employees which are segregated by explicit directive or are in fact segregated on the basis of race, creed, color, or national origin, because of habit, local custom, or otherwise. I further agree that (except where I have obtained identical certifications for proposed subcontractors for specific time periods) I will obtain identical certifications from proposed subcontractors prior to the award of subcontracts exceeding \$10,000 which are not exempt from the provisions of the Equal Opportunity clause; that I will retain such certifications in my files; and that I will forward the following notice to such proposed subcontractors (except where the proposed subcontractors have submitted identical certifications for specific time periods): (See Reverse).

Ruzi miyuu

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays the valid OMB control number. The valid OMB control number for this information collection is 0575-0018. The time required to complete this information collection is estimated to average 10 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.




**NOTICE TO PROSPECTIVE SUBCONTRACTORS OF REQUIREMENTS FOR  
CERTIFICATIONS OF NON-SEGREGATED FACILITIES**

A certification of Nonsegregated Facilities, as required by the May 9, 1967, order (32F.R. 7439, May 19, 1967) on Elimination of Segregated Facilities, by the Secretary of Labor, must be submitted prior to the award of a subcontract exceeding \$ 10,000 which is not exempt from the provisions of the Equal Opportunity clause. The certification may be submitted either for each subcontract or for all subcontracts during a period (i.e., quarterly, semiannually, or annually).

NOTE: The penalty for making false statements in offers is prescribed in 18 U.S.C. 1001.

Date

6/5/2017

  
(Signature of Bidder or Prospective Contractor)

P.O. Box 23607 New Orleans, LA 70183-3607  
Address (including Zip Code)



United States Department of Agriculture

AD-1048

### Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion Lower Tier Covered Transactions

The following statement is made in accordance with the Privacy Act of 1974 (5 U.S.C. § 552(a), as amended). This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, and 2 C.F.R. §§ 180.300, 180.355, Participants' responsibilities. The regulations were amended and published on August 31, 2005, in 70 Fed. Reg. 51865-51880. Copies of the regulations may be obtained by contacting the Department of Agriculture agency offering the proposed covered transaction.

According to the Paperwork Reduction Act of 1995 an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0505-0027. The time required to complete this information collection is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. The provisions of appropriate criminal and civil fraud privacy, and other statutes may be applicable to the information provided.

#### (Read Instructions On Page Two Before Completing Certification)

- A. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency;
- B. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

ORGANIZATION NAME

PR/AWARD NUMBER OR PROJECT NAME

Economic Janitorial and Paper Supplies LLC

NAME(S) AND TITLE(S) OF AUTHORIZED REPRESENTATIVE(S)

Steve Migliore President

SIGNATURE(S)

Steve Migliore


DATE

6/5/2017

The U.S. Department of Agriculture (USDA) prohibits discrimination in all of its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, political beliefs, genetic information, reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotope, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Assistant Secretary for Civil Rights, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, S.W., Stop 9410, Washington, DC 20250-9410, or call toll-free at (866) 632-9992 (English) or (800) 877-8339 (TDD) or (866) 377-8642 (English Federal-relay) or (800) 845-6136 (Spanish Federal-relay). USDA is an equal opportunity provider and employer.

### Instructions for Certification

- (1) By signing and submitting this form, the prospective lower tier participant is providing the certification set out on page 1 in accordance with these instructions.
- (2) The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension or debarment.
- (3) The prospective lower tier participant shall provide immediate written notice to the person(s) to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- (4) The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549, at 2 C.F.R. Parts 180 and 417. You may contact the department or agency to which this proposal is being submitted for assistance in obtaining a copy of those regulations.
- (5) The prospective lower tier participant agrees by submitting this form that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
- (6) The prospective lower tier participant further agrees by submitting this form that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion - Lower Tier Covered Transactions," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
- (7) A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the System for Award Management (SAM) database.
- (8) Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- (9) Except for transactions authorized under paragraph (5) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.



CERTIFICATION FOR CONTRACTS, GRANTS AND LOANS

The undersigned certifies, to the best of his or her knowledge and belief, that:

1. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant or Federal loan, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant or loan.

2. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant or loan, the undersigned shall complete and submit Standard Form - LLL, "Disclosure of Lobbying Activities," in accordance with its instructions.

3. The undersigned shall require that the language of this certification be included in the award documents for all subawards at all tiers (including contracts, subcontracts, and subgrants under grants and loans) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

Steve Migliore  
Steve Migliore  
(name)

6/5/2017  
(date)

President  
(title)

000

**SPECIFICATIONS AND BID FORM FOR  
CUSTODIAL EQUIPMENT & SUPPLIES, BID # 16-18**

---

Scaled bids will be received by the Lafayette Parish School System (LPSS) Purchasing Department, 113 Chaplin Drive, Lafayette, LA up to 12:00 P.m. C. S. T., on June 8, 2017 for Custodial Equipment & Supplies.

All bids shall be submitted sealed to the LPSS Purchasing Department on or before the above time and date, at 113 Chaplin Drive, Lafayette, LA 70508 with a sealed envelope plainly marked "**Sealed Bid 16-18, Custodial Equipment and Supplies, opening June 8, 2017 at 12:00 pm**". **ALL BIDS SHALL BE SENT BY REGISTERED OR CERTIFIED MAIL WITH A RETURN RECEIPT REQUESTED.** At the above time and place bids will be publicly opened and read aloud in the Personnel Conference room.

**SPECIAL PROVISIONS**

1. **SCOPE:**

1.1 The intent of this solicitation is to obtain competitive bids for the estimated annual requirements for **CUSTODIAL EQUIPMENT & SUPPLIES** for Southside High School in the Lafayette Parish School District, in accordance with the terms, conditions and specifications contained herein.

1.2 **REQUIRED BID SUBMITTALS:** The section titled **BID PROPOSAL FORM** and the following supplemental information must be submitted within the time frames specified below. **FAILURE TO SUBMIT THE REQUIRED LITERATURE SHALL BE CAUSE FOR REJECTION OF THAT ITEM.**

a. Paragraph 5.2 requires descriptive literature to be provided with the bid if an item is offered as an equal to the brand name specified.

2. **PERIOD OF CONTRACT:**

2.1 The period of this contract shall be from date of award through June 30, 2018.

3. **PRICES AND PRICE ADJUSTMENT:**

3.1 All prices/discounts shall be F.O.B. Destination and shall include all charges that may be imposed in fulfilling the terms of this contract. Prices/discounts shall remain firm for the duration of the contract.

3.2 Whenever there is a reduction in price which is lower than the contract price, offered to similarly situated customers contracting for the same period and under the same terms and conditions, said reduction must be presented directly to the Purchasing Department of the Lafayette Parish School System.

Prices may not exceed the national advertised and available General Services Administration (GSA) governmental price list.

The Lafayette Parish School System does not intend to award or to maintain any item in any group that is offered at a price equal or above the manufacturer's list price.

4. **QUANTITIES:**

4.1 The quantities specified on the Pricing Schedule are estimated only, and are given for the information of bidders and for the purpose of bid evaluation. They do not indicate the actual quantity that will be ordered, since such volume will depend upon requirements that develop during the contract period. The awarded bidder will be required to fill all orders placed regardless of the original quantities shown.

5. SPECIFICATIONS AND LITERATURE:

- 5.1 Brand name(s) and/or catalog number(s) are given for purposes of identification and to denote the standard of quality desired, and do not, in any way, restrict bidders to a specific make and manufacturer. If there is any deviation in the pack, source, quality, etc., of an item bid from that prescribed in the specification, the appropriate line in the specifications is to be ruled out and the substitution clearly indicated. Substitutions must be functionally equivalent to the item specified.
- 5.2 Each bidder is required to furnish, with his bid, catalog cuts and/or descriptive literature properly labeled with the Invitation for Bid number, bid item number and bidder's name, with full illustrations and detailed specifications for each item offered "as equal" to the brand name specified. In addition, all differences in specifications from brand name must be so marked. Descriptive literature is required for the purpose of bid evaluation and award, details of the product(s) the bidder proposes to furnish as to design, materials, method of manufacture, construction, assembly or operation, as appropriate. **FAILURE TO SUBMIT THE DESCRIPTIVE LITERATURE SHALL BE CAUSE FOR REJECTION OF BID.**

6. QUOTATION LIMITATION:

- 6.1 **Bidders shall offer only ONE ITEM AND PRICE for each line item bid.** If an "or approved equal" item is to be bid, the bidder must submit a bid response of a brand and model that meets or exceeds the specified item and submit his bid for that item. A discount price offered for a quantity purchase of the same manufacturer and model would not be considered a limitation; however, only the unit price requested will be considered in award.
- 6.2 Bidders shall not require a minimum order quantity.

7. TIME OF PERFORMANCE:

- 7.1 **The winning bidder(s) shall be required to deliver the respective items within 15 days of receipt of a purchase order from LPSS and at the location specified in accordance with Section 8.1 of this bid.**

8. DELIVERY:

- 8.1 Deliveries will be made to various locations in Lafayette Parish. Delivery location shall be stated on each purchase order issued.
- 8.2 Warehouse deliveries for the Lafayette Parish Public School System (LPSS), Warehouse Department, 113 Chaplin Drive, Lafayette, Louisiana 70508, will be received between the hours of 7:30 a.m. and 4:00 p.m., Monday through Friday, except School System Holidays.
- 8.3 Inside delivery direct to schools, centers or LPSS agencies will include off-loading from the selected carrier and carrying inside the receiving school, center or LPSS agency. Receiving hours will be from 8:30 a.m. through 3:30 p.m., Monday through Friday, except School System Holidays, unless other arrangements have been made with the receiving school, center or LPSS agency.

9. DELIVERY FAILURE:

- 9.1 Bidders are CAUTIONED to consider carefully the delivery time they indicate for each item, as they will be required to adhere to that delivery time.

10. SHIPPING AND MARKING:

- 10.1 The bidder will be required to mark all shipments with the Lafayette Parish School System purchase order number clearly visible on the exterior of each container. A packing slip must be furnished with each

shipment, listing, in addition to the bidder's stock number and description, the purchase order number, the purchase order item number, the quantity ordered, the quantity shipped, and the quantity back ordered.

10.2 The bidder shall ensure that all items that are "drop-shipped" are properly marked as outlined in Paragraph 10.1.

10.3 Invoices and all related written materials pertaining to each delivery must show the purchase order number, the purchase order item number, and the item number shown on the contract.

11. SUBMISSION OF BIDS:

11.1 Each bidder must use the attached bid form for submitting their bid. Bidder must show unit price and delivery time (ARO) for each item for which a bid is submitted. By executing the Bid Proposal Form, the bidder acknowledges that he has read this Invitation, understands it, and agrees to be bound by its terms and conditions. Bids may be submitted by mail or delivered in person. All bids must be received by a Purchasing Department Buyer at the following location prior to the date and time specified: Purchasing Department, 113 Chaplin Drive, Lafayette, Louisiana 70508.

11.2 Bids received after the time or date prescribed shall not be considered for award and shall be returned to the Bidder.

Bidder's envelope must be labeled as follows:

**Calculators, Bid # 16-18**

**Opening: June 8, 2017**

**Time: 12:00 pm**

**Personnel Conference Room**

12. CONTRACT AWARD:

12.1 All items listed in this solicitation will be awarded on the basis of a firm fixed price.

12.2 If awarded, the LPSS will award the contract to the lowest responsive and responsible bidder. The LPSS reserves the right to award the contract in the aggregate or to make a split award to more than one bidder, whichever is in the best interest of the public.

13. PURCHASE ORDER:

13.1 Purchase order(s) for the items listed in this solicitation will be issued as required throughout the period of this contract and will become an integral part of the resulting contract. The purchase order indicates that sufficient funds have been obligated.

13.2 The purchase order does not supersede any provision of the resulting contract. Performance time and dates are determined solely by the contract and any modification thereto.

13.3 Shipment is not to begin until receipt of the purchase order or other notification by the Purchasing Agent to proceed.

14. ORDER OF PRECEDENCE:

14.1 In the event of conflict, the Special Provisions of this contract shall take precedence over the General Conditions and Instructions to Bidders, included herein.

15. CONTACT FOR ADMINISTRATION:

15.1 In the event a contract is executed with your firm as a result of this solicitation, indicate the person(s) we

may contact for prompt contract administration in the space provided on the Bid Proposal Form.

16. EMERGENCY PURCHASES:

- 16.1 The Parish reserves the right to make emergency purchases from other sources, should the awarded bidder be unable to furnish the required item within the required time frame.

17. INTERPRETATION OF BID:

- 17.1 Any questions pertaining to this solicitation shall be directed to:  
Lee Francis, Purchasing Agent  
Lafayette Parish School Board  
P.O. Drawer 2158  
Lafayette, Louisiana 70502-2158  
Telephone Number: (337) 521-7329

**GENERAL CONDITIONS AND INSTRUCTIONS TO BIDDERS Rev.5/10/16**

(Bidder: The general rules and conditions that follow apply to all purchases and become a definite part of each formal invitation to bid, purchase order or other award issued by the Lafayette Parish School Board, unless otherwise specified. Bidders are expected to fully inform themselves as to the conditions, requirements, and specifications before submitting bids; failure to do so will be at the bidder's own risk and he cannot secure relief on the plea of error).

**INSTRUCTIONS**

**SUBMITTING OF SEALED BIDS**

**A. Option 1 – Electronic Bids Submitted Online:**

1. Electronic bids may be submitted online at [www.centralauctionhouse.com](http://www.centralauctionhouse.com).

**Option 2 – Sealed Bid Envelope:**

1. The bidder shall be solely responsible for the timely furnishing of bids. In order to guarantee the timely furnishing of bids, the bid must be returned by certified, registered mail with a return receipt requested, or hand delivered. The LPSB will not accept responsibility or guarantee the timeliness of bids received by any other means.
2. All bids must be received in the envelope provided with the invitation to bid or in an envelope labeled as follows: "SEALED BID". Bid/Project Description, Bid Number, Opening Date and Time, Bidder's Company Name and bidder's number (if applicable toward public works project). The LPSB shall not be responsible if a bid is not received due to lack of improper labeling of the envelope.
3. Bid shall be submitted under separate cover. The Board shall not be responsible for bid if not submitted under separate cover.

**Bid Forms:**

1. Bids must be submitted on the forms furnished in the bid package.
2. **Signature:** Bid forms must be signed in ink. Typed, printed or stamped names shall be reason to reject the bid. An unsigned bid shall be considered a "**NO BID**".



3. The signature page of the bid document and a signed debarment certification form must be provided with a bidders bid response.

4. The forms should not be detached from the specifications of which it forms a part.

5. **Completeness:**

- a. All information required in the bid must be supplied to constitute a proper bid.
- b. On lines provided, the bidder must insert the manufacturer's brand name and identifying numbers along with any other information necessary to sufficiently identify the article(s) offered. Failure to do so may prevent consideration of the item bid.
- c. Failure on the part of any bidder to supply all required information shall be cause to reject said bid from consideration.

5. **Place, Date and Hour:**

- a. All bids shall be submitted to the location specified.
  - b. The bid form designates the date and hour of the bid opening. Bids shall be received until the stated date and time; bids arriving after the started date and time **will not be considered**. The responsibility for timely delivery of bids rests solely with the bidder.
6. **Response to Invitations:** In the event you cannot submit a bid, please return the bid package with an explanation why you are unable to bid on these requirements. The large number of firms on the bid list makes it necessary to delete from the "**NOTIFICATION TO BID LIST**" bidders who fail to respond to three successive invitations to bid.
7. **Bid Response:** More than one offer from an individual, firm, partnership, corporation or association under the same or different name will be rejected. **Bidders shall offer only ONE ITEM AND PRICE for each line item bid.** No alternatives will be accepted, unless requested by the LPSS. If an "equivalent" item is to be bid, the bidder must select the brand and model that is functionally equivalent to the specified item and submit his bid for that item. A discount price offered for a quantity purchase of the same manufacturer and model would not be considered a limitation; however, only the unit price requested will be considered in award.

C. **Specifications:**

1. Specifying of certain brand, catalog number, make or manufacturer is to denote the quality, type and standard of the article desired that has been cited as meeting the needs of the Lafayette Parish School Board; however, bids are invited that are comparable products that would equally satisfy requirements stated herein.

2. Articles offered must be new merchandise (unless specifically excepted) and must be of equal or superior grade.

3. **Questions Regarding Specifications:** Any information relative to interpretation of specifications and drawings shall be requested of the Board in writing. Any interpretation made to prospective bidders will be expressed as an addendum to the specifications which, if issued, will be sent to all prospective bidders no later than three (3) days before the date set for opening of bids. Oral answers will not be binding on the Board.

D. **Technical Data:**

1. **COMPLETE MANUFACTURER'S SPECIFICATIONS MUST ACCOMPANY ALL BIDS**

**WHEN BIDDING AN ALTERNATE. FAILURE TO SUBMIT COMPLETE MANUFACTURER'S SPECIFICATIONS WILL BE REASON TO REJECT THE BID.**

2. All deviations from the specifications must be noted in detail by the bidder, in writing, at the time of submittal on the formal bid where specified. The absence of a written list of specification deviations at the time of submittal of the bid will hold the bidder strictly accountable to the Lafayette Parish School Board to the specifications as written.

**E. Bid Samples:** When required as stated in the Bid Proposal. (May be required after bid opening for evaluation purposes.)

1. **Submittal:** Samples shall be submitted to the Lafayette Parish School Board Purchasing Department, at the same location as the bid opening, **no later than the date and hour of the bid opening.**

2. **Identification:** Each sample shall be identified with the bidder's name, bid number, bid item number, product trade name and identification (catalog number, model number, etc.), and/or as otherwise indicated in the bid invitation forms.

3. **Payment for Samples:** The Board will buy no samples and will assume no-cost incidental thereto. When samples are requested, they must be sent prepaid and within the specified time.

4. **Return of Samples:** Samples not destroyed in testing must be claimed by bidders within fourteen (14) days after bid award date. The Board will assume no responsibility for samples not claimed within the time specified, and it will pay for no samples damaged in testing.

5. **Rejection:** Failure to provide requested sample within specified time may result in forfeiture of award.

6. **Demonstration/Evaluation:** The Board reserves the right to request a demonstration in order to properly evaluate any item(s) on the bid. Failure to demonstrate as requested without reason acceptable to the Board shall be reason to reject the bid.

**F. Warranty:**

1. Bidder guarantees to replace or repair at his expense all materials of his supply found to be defective within one (1) year from the day of delivery where such defects are due to defective materials and/or workmanship. This is to include any freight/delivery charges required for shipping to or from the particular Lafayette Parish School Board facility.

2. Warranty repair/service for equipment will be performed at the school when possible.

**G. Asbestos:**

No asbestos material or asbestos containing material shall be a part of or included in any product sold or furnished to the Lafayette Parish School Board by any person or supplier.

**H. Non-Collusion:**

Vendors, by submitting a signed bid, certify that the accompanying bid is not the result of, or affected by, any unlawful act of collusion with any person or company engaged in the same line of business or commerce, or any other fraudulent act punishable under Louisiana or United States law.

**I. Freight:**

Delivery is to be made to the location(s) listed in the bid. All bid prices are to include delivery to the specified location(s). (F.O.B. destination).

**J. Taxes:**

In accordance with Act 1029, effective September 1, 1991, the Lafayette Parish School Board is exempt from Sales Tax on all purchases.

**K. Evaluation of Offers:**

1. The Lafayette Parish School Board, in making its award, will consider the lowest responsive bidder. The Lafayette Parish School Board reserves the right to reject any and/or all bids.

2. **Bids for All or Part:** With the exception of public works projects, the Board reserves the right to award on an “**ALL-OR-NONE**” and/or partial basis whichever is in the best interest of the Lafayette Parish School Board. Bidder may restrict his bid to consideration as “**ALL-OR-NONE**” by so stating, but shall give a unit price for each item; any bid in which the bidder names a total price for all the articles without quoting a price on each item shall be rejected.

3. **Cash Discounts:** Cash Discounts, if offered, will be taken in consideration in determining the low bid. **DISCOUNTS OF LESS THAN THIRTY (30) DAYS WILL NOT BE CONSIDERED IN MAKING AN AWARD.** Beginning date of discount period shall be determined by date of invoice or date of delivery of merchandise whichever occurs first.

4. All items listed in this solicitation will be awarded on the basis of a firm fixed price.

5. **Errors in Bids:** Bids containing errors may be withdrawn by the bidder in accordance with L.R.S. 38:3314.C. Erasures or changes in bids must be initialed.

6. **Tie Bids:** Tie bids will be decided on the basis of drawing lots, unless only one instate vendor is involved. In these cases, preference will be given to the instate vendor as provided for in L.R.S. 38:2225.C.

7. **Ability & Experience:** Considerations used for determining bidder responsibility include “financial ability, skill, integrity, business judgement, experience, reputation, quality of previous work on contracts, and any other similar factors bearing on bidders’ ability to successfully perform the contract”. Each proposal will receive equal consideration and special attention directed to the bidder’s qualifications as provided for in L.R.S. 38:2216.C (2) (a).

**L. Purchases Without Bid Security, Contracts & Performance (Delivery) Security**

1. **Failure to Perform:** In the event a successful bidder fails to perform (deliver) on an awarded bid and no bid security and/or performance securities were required, the Board shall declare the bidder in default. The Board then has the option of excusing the bidder if it determines good cause exists or it may require a penalty as liquidated damages. In the event a penalty is directed, it shall be the Board’s option to invoke the following:

- a. Payment to the Board in the amount equal to the difference between the unit price bid times the quantity on an item to item basis of that of the successful bidder and the next responsible low bidder(s) and/or
- b. If it becomes necessary to re-bid, payment to the Board in the amount equal to the difference between the unit price times the quantity on an item basis of that of the successful bidder on the original bid and that of

the lowest responsible bidder(s) on the re-bid.

**M. Change or Withdrawal of Bids:**

1. **Change or Withdrawal Prior to Bid Opening:** Should any bidder desire to change or withdraw his bid he shall do so prior to the date and hour of the opening.
2. **Withdrawal After Bid Opening-But Prior to Bid Award:** No bid may be withdrawn after the scheduled closing time for receipt of bids for sixty (60) calendar days, except as provided in Section 2214 of L.R.S. Title 38, which states the bidder shall give notice in writing of his claim of right to withdraw his bid within forty-eight hours after the conclusion of the bid opening procedure.

**N. Rejection of Bids:**

The Board reserves the right to reject any and all bids for just cause. In accordance with L.R.S. 38:2212(1)(1)(b) those stated in the advertisement for bids, and those requirements in the bid packet shall not be considered informalities and shall not be waived by any public entity.

**O. Award & Acceptance:**

1. **Bid Tabulation:** Copy of bid tabulation may be received upon written request and by submitting a stamped, self-addressed envelope.
2. If awarded, the LPSS will award the contract to the lowest responsive and responsible bidder. The LPSS reserves the right to award the contract in the aggregate or to make a split award to more than one bidder, whichever is in the best interest of the public.
3. **Notice of Acceptance:** A written award in the form of a purchase order, contract, written notice of award of any combination of these three to the successful bidder shall be deemed to result in a binding contract for the purchase of materials or supplies without further action by either party as provided for in L.R.S. 38:2216.B. If the bid and resulting award regards the construction of doing of any public works, a written contract must be entered into according to L.R.S. 38:2216.A(1).

**P. Delivery Provisions:**

1. Shipment is not to begin until receipt of the purchase order or other notification by the Purchasing Agent to proceed. All deliveries of products shall be made within 45 days ARO designated, freight prepaid. At the time delivery is made an authorized agent must sign a dray receipt.
2. **Responsibility of Materials Shipped:** Successful bidder shall be responsible for the materials or supplies until they are delivered to the location(s) specified in the bid specifications. If materials or supplies are rejected they must be removed by and at the expense of the bidder promptly after notification of rejection.
3. **Inspections:** Inspection and acceptance of goods will be made after delivery.
4. **Time of Delivery:** Deliveries will be accepted between 8:30 A.M. and 3:30 P.M.
5. **Packing Slips or Delivery Tickets:** **ALL SHIPMENTS OR DELIVERIES** shall be accompanied by Packing Slips or Delivery Tickets, and contain the following information:
  - a. Purchase Order number,

- b. Name of the article and stock number (Supplier's),
- c. Quantity ordered,
- d. Back orders,
- e. Name of the vendor.

**Q. Excluded Parties:**

Bidders shall complete and sign the "Certification Regarding Debarment, Suspension, and Other Responsibility Matters Primary Covered Transactions" Form. This form must be included with the bid proposal.

**BIDDERS ARE CAUTIONED THAT FAILURE TO COMPLY WITH THESE CONDITIONS SHALL BE CONSIDERED SUFFICIENT REASON FOR REFUSAL TO ACCEPT THE GOODS.**

**The Special Case of Meals:**

Contracts which relate to school lunch program are exempt from the provisions and requirements contained herein.

(SPECIAL CONDITIONS found on succeeding pages always supersede the General Conditions).

**LAFAYETTE PARISH SCHOOL BOARD  
BILLY D. GUIDRY, EXECUTIVE DIRECTOR & CHIEF FINANCIAL OFFICER**


<p><b>Certification Regarding Debarment, Suspension, and Other Responsibility Matters Primary Covered Transactions</b></p>
--

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 13 CFR Part 145. The regulations were published as Part VII of the May 26, 1988 Federal Register (pages 19160-19211).

**INSTRUCTIONS FOR CERTIFICATION**

1. By signing and submitting this proposal, the prospective primary participant is providing the certification set out below.
2. The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective primary participant to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
3. The certification in this clause is a material representation of fact upon which reliance was placed when the department or agency determined to enter into this transaction. If it is later determined that the prospective primary participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.
4. The prospective primary participant shall provide immediate written notice to the department or agency to which this proposal is submitted if at any time the prospective primary participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

5. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. You may contact the department or agency to which this proposal is submitted for assistance in obtaining a copy of those regulations (13 CFR Part 145).
6. The prospective primary participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.
7. The prospective primary participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Covered Transactions," provided by the department or agency entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.
8. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the ineligibility of its principals. Each participant may, but is not required to, check the non-procurement List.
9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
10. Except for transactions authorized under paragraph 6 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.



### DEBARMENT CERTIFICATION FORM

(1) The prospective primary participant certifies to the best of its knowledge and belief that it and its principals:

- (a) Are not presently debarred, suspended, proposed for disbarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
- (b) Have not within a three-year period preceding this application been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph (1)(b) of this certification; and
- (d) Have not within a three-year period preceding this application had one or more public transactions (Federal, State, or local) terminated for cause or default.

(2) Where the prospective primary participant is unable to certify to any of the statements in this certification, such prospective primary participant shall attach an explanation to this proposal.

Business Name Paper supplies & Co Date 6/5/2017  
Economical Janitorial and

By Stacie Migliore President Stacie Migliore  
Name and Title of Authorized Representative Signature of Authorized Representative

Envelope containing bid should be marked on the outside "Sealed Bid—Custodial Equipment & Supplies--#16-18, Opening June 8, 2017 at 12:00 pm"

The bidder acknowledges receipt of addendum:

No.1 DATED 5/24/2017 No.2 DATED 6/13/2017 No.3 DATED \_\_\_\_\_ NO. #ALL 6/1/2017  
No.4 DATED 6/7/2017 No.5 DATED \_\_\_\_\_ No.6 DATED \_\_\_\_\_

That I have read and agree to comply with and be subject to the provisions and/or penalties involved in the "General Conditions and Instructions to Prospective Bidders" and the "Specifications and Bid Form" as contained herein the bid documents.

**\*\*The Debarment Certification Form must be signed and included with bidders bid form in addition to this page\*\***

Economical Janitorial  
and Paper Supplies LLC Suzie Migliore  
Name of Firm Signature of Bidder

P.O. Box 23607  
NEW ORLEANS, LA - 70183- SUZIE MIGLIORE  
Address 3607 Typed Name of Bidder

504-464-7166 x3110  
Telephone Number

Suzie@economicaljanitorial.com  
Email Address



# BID# 16-18 CUSTODIAL EQUIP. & SUPPLIES BID FORM

Item	Item	Estimated	Unit
Number	Description	Quantity	Price
1	<b>Custodial carts</b> Item Specification: "Rubbermaid Janitor Cart, model #6173-88, blue in color with non-marking 4" swivel casters and non-marking 8" diameter rear wheels, extended bottom shelf for mop bucket, 3 shelves, vinyl yellow bag"	8	87.51
2	<b>Mop bucket with wringer</b> Item Specification: Rubbermaid Wave Break 35 Qt. Mop Bucket and Wringer Combo with Side Press, model #7580-88,	8	35.63
3	<b>dusters microfiber w/ 4' handle</b> Item Specification: Impact Microfiber Duster 16" - 3147 with 48" extension handle	24	3.50
4	<b>Toilet plungers</b> Item Specification: O'Dell Toilet Plunger, TPB-100	8	See Equal
5	<b>Small hand tools kit w/ drill</b> Item Specification: Kobalt Tool Set with Soft Case model #87085, 230 piece socket set with 2 quick-release ratchets, 13 screwdrivers, tape measure, utility knife, adjustable wrench, heavy duty tote and lifetime guarantee	2	NB
6	<b>putty knives/scrapper</b> Item Specification: Claus 18813, 1" stiff putty knife/scrapper	8	See Equal
7	<b>dust pan and brooms (nylon bristles)</b> Item Specification: Impact Lobbymaster Plastic Lobby Dust Pan Combo Broom with Clip 2610 with 2-way handle lock	8	18.28
8	<b>wet mop signs</b> Item Specification: Rubbermaid 6112-77 Floor Sign, 2-Sided Caution Wet Floor	24	3.44
9	<b>trash grabbers</b> Item Specification: Unger 36" NN900 Nifty Nabber extension arm with claw	8	23.27
10	<b>Squeegees for windows w/ extension poles</b> <i>UNGER LA000, ED900, NCAND</i> Item Specification: Unger Ergotec Swivelloc Plastic Squeegee Handle 30 degree LA000, with Ergotec Locking Cone and Unger Optiloc 3 section 30' ED900 extension pole	4	105.28

# BID# 16-18 CUSTODIAL EQUIP. & SUPPLIES BID FORM

Item	Item	Estimated	Unit
Number	Description	Quantity	Price
11	<b>Floor squeegees</b> Item Specification: Libman Soft Rubber Floor Squeegee 24" blade with handle	4	See Equal
12	<b>High reach dusters w/ brushes</b> <i>Unger ED900, P.P.C.O. WA130, P.X.D74</i> Item Specification: Unger Dusting Kit CK041 with Unger Optiloc 3 Section ED900 30' extension pole	2	136.97
13	<b>toilet bowl mops</b> Item Specification: Boardwalk deluxe bowl mop 10" handle, 2" diameter head, plastic handle, 25/carton	3	See Equal
14	<b>door mats outdoor</b> Item Specification: No Trax 267 Wayfarer Custom HD heavy duty vinyl loop outdoor mat with a solid sheet vinyl back, factory compressed borders, 3' x 4' size, color selection from standard colors	60	104.76
15	<b>door mats indoor</b> <i>3' x 5'</i> Item Specification: No Trax 166 Guzzler indoor mat with high/low waffle pattern, raised rubber border on all 4 sides to trap moisture & debris, 3/8" overall thickness	60	37.19
16	<b>6' ladders</b> Item Specification: Werner 6' Fiberglass 375-lb Type IAA Stepladder, model #OBEL06, slip resistant steps double riveted and knee braced, heavy duty internal spreaders	5	NB
17	<b>Wet/dry vacuums</b> Item Specification: Windsor Recover 18 Wet/Dry Vacuum, 1.8 hp motor, front mounted squeegee, 18 gallon capacity, no-tipping dumping	3	See Equal
18	<b>Ride-on auto scrubber</b> Item Specification: Windsor Chariot 3 iScrub 26 SP Stand-on Cylindrical Commercial Scrubber, cylindrical brush, pre-sweep and debris hopper	1	NB
19	<b>Ride-on burnisher</b> Item Specification: Windsor Chariot 2 iGloss 20 Stand-on 20" commercial burnisher, 20" 2,000 rpm pad driver system with dust collection system	1	NB
20	<b>Swing scrubber low-speed</b> Item Specification: Windsor Bolt Floor Machine, single speed 175 rpm, 1.5 hp, 20" pad driver, 20" polypropylene scrub brush with clutch plate	2	See Equal

## BID# 16-18 CUSTODIAL EQUIP. & SUPPLIES BID FORM

Item	Item	Estimated	Unit
Number	Description	Quantity	Price
21	<b>Swing buffer high-speed</b> Item Specification: Windsor Lightning 1500 Commercial Burnisher with flexible pad driver and dust control, 1,500 rpm, 1.75 hp motor, flexible pad driver, floating handle, direct drive motor	2	See Equal
22	<b>vacuum cleaners - sensor vac</b> Item Specification: Windsor Sensor S upright single-motor commercial vacuum cleaner, 1,200 watts of power, 12" wide cleaning path	4	See Equal
23	<b>tile &amp; grout scrubber</b> Item Specification: Windsor Saber Blade 16 Commercial Cylindrical Automatic Scrubber, 1.5 hp motor, onboard solution & recovery tanks	1	NB
24	<b>tilt truck bin - to collect garbage</b> Item Specification: Rubbermaid 1315 Standard Duty 1 Cu. Yd. Tilt Truck	3	679.37
25	<b>Zero turn mowers</b> Item Specification: Kubota model ZD1211L with 24.8 HP, diesel fuel, liquid cooled, 72" wide mowing deck, 3 mowing blades, hydraulic lift system, 13 gal. fuel tank	2	NB
26	<b>push mowers</b> Item Specification: Honda model HRR216PKA push mower with GCV160 engine, auto choke, 21" mowing deck, adjustable wheel height, ball bearing wheels	2	NB
27	<b>string trimmers &amp; string</b> Item Specification: Stihl model FS94R with 24.1cc displacement, 0.9kW/1.2 bhp engine power, plus one (1) 1,000' roll of replacement trimmer line per unit	3	NB
28	<b>blowers</b> Item Specification: Stihl model BR430 backpack blower with 2 stroke engine, 63.3 cc displacement, 2.9kW/3.9 bhp engine power	3	NB
29	<b>hedge clippers - gas powered</b> Item Specification: Stihl model HS45 with 18" reciprocating blade, 27.2cc displacement, 0.75kW/1.01 bhp engine power	1	NB
30	<b>pressure washer</b> Item Specification: Stihl model RB600 commercial-grade pressure washer, brass manifold, stainless steel valves, ceramic-coated pistons, 40' hose, gasoline powered 7.0 hp engine, 3,200 psi pressure output at 3.0 gpm. Include accessories - rotating nozzle, rotary surface cleaner, 30W non-detergent pump oil.	1	NB
31	<b>gasoline cans - 5 gallon</b> Item Specification: Eagle 5 gallon metal gas can, model # U150FS, with non-sparking flame arrestor and brass pour spout, comfort grip trigger release, red painted galvanized steel, meets OSHA and NFPA code 30 requirements	5	NB

# BID# 16-18 CUSTODIAL EQUIP. & SUPPLIES BID FORM

Item	Item	Estimated	Unit
Number	Description	Quantity	Price
32	<b>gas/oil mix cans - 5 gallon</b> Item Specification: Eagle 5 gallon metal gas can, model #U150FS, with non-sparking flame arrestor and brass pour spout, comfort grip trigger release, red painted galvanized steel, meets OSHA and NFPA code 30 requirements	1	NB
33	<b>gas/oil mix for 2 cycle equipment</b> Item Specification: Stihl 2-cycle engine oil for adding to gasoline. Provide in half-pint, pint or quart bottles for a total quantity of 3 gallons of 2-cycle engine oil.	3	NB
34	<b>face shields</b> Item Specification: 3M Clear professional face shield with polycarbonate window, model #90028-80025, pin lock adjustment, meets requirements of ANSI Z87.1-2003	3	NB
35	<b>dust masks - box of 20</b> Item Specification: 3M disposable sanding safety masks, model 8210, with 2 elastic bands per mask, NIOSH approved N95	5	NB
36	<b>shovels</b> Item Specification: True Temper long handle fiberglass digging shovel model 2584200	4	NB
37	<b>garden rakes</b> Item Specification: True Temper 51" fiberglass handle steel garden rake, model #2811500, with tempered steel tines	2	NB
38	<b>water hoses - 100'</b> Item Specification: NeverKink 3/4" x 100' Contractor-Duty kink free garden hose, model #9810-100, burst rated to 500 psi	4	NB
39	<b>hose nozzles</b> Item Specification: Yardsmith 4 inch metal twist nozzle adjust spray from fine mist to heavy stream	4	NB
40	<b>dollies - 2 wheel hand truck</b> Item Specification: Global Aluminum Hand Truck - curved handle, semi-pneumatic wheels	6	See Equal
41	<b>flat carts</b> Item Specification: Steel deck platform truck 24" x 48", 1,400 lb capacity, 5" rubber casters (two swivel & two rigid), ergonomic handle <i>Wesco 272267/272201</i>	3	201.21
42	<b>pallet jack</b> Item Specification: Best Value Pallet Jack Truck 5,500 lb capacity 21" x 36", 3 function hand control, spring loaded self righting safety loop handle, powder coat finish	1	See Equal

BID# 16-18 CUSTODIAL EQUIP. & SUPPLIES

ALTERNATE ITEMS "AS EQUAL" BID FORM

Item Number	Item Description	Unit Price
4	Toilet Bowl Plunger Magnolia MB149	2.76
6	1" Puffy Knife Scraper <sup>Howard</sup> Berger PTD6212	1.55
11	24" Floor Squeegee ABCO BH14002	5.30
13	Toilet Bowl mop ABCO 02000	.55
* 17	Wet/Dry VACUUMS <sup>CLARKE 18WD</sup> Summit Pro 185Q Wet/Dry	535.50
* 20	Swing Scrubber low speed <sup>CLARKE 20ISHD</sup> CFP Pro 20HD	549.36
* 21	Swing Buffer High Speed <sup>CLARKE 01540 A</sup> Ultra Speed 1500DC Burnisher	1275.09
* 22	VACUUM CLEANERS <sup>CLARKE 107407690</sup> CARPETMASTER 112	315.63

\* CLARKE State Contract Number 4400005684

### ALTERNATE ITEMS "AS EQUAL" BID FORM

[illegible]



## Cleaning > Cleaning Carts

### 6173-88 Cleaning Cart with Zippered Yellow Vinyl Bag



Collect waste and transport tools  
for efficient cleaning.

Smooth, easy-to-clean surface.

Zippered bag for easy trash  
removal.

Non-marking 8" (20.3 cm)  
wheels and 4" (10.2 cm)  
casters.

Optional locking compartment to  
keep cleaning chemicals out of  
reach.

#1

#### AVAILABLE COLORS

Order #	Color	Product UPC/ UCC Code
FG617388	BLUE	086876193176 /
BLUE		00086876193176
FG617388	BLA	086876192292 /
BLA		00086876192292



Blue  
BLUE



Black  
BLA

#### SPECIFICATIONS

	U.S.	Metric
Length:	46.0 in	116.8 cm
Width:	21.8 in	55.2 cm
Height:	38.4 in	97.5 cm
Bag Capacity:	20.8 gal	78.7 L
Carton Height:	22.9 in	58.1 cm
Carton Length:	34.9 in	88.7 cm
Carton Width:	5.1 in	13.1 cm
Volume Capacity [Nom]:	2.600 bu	0.1 m3
Volume Capacity [Max]:		
Volume Capacity [Min]:		
Certification [Cleaning Carts]:		
Carton Cube:	5.64 ft3	
Ship	49	22.45
Weight/Carton:	1/2 lb	kg
Pack Quantity:	1	
Cartons Per Pallet:	8	


#### ADDITIONAL INFORMATION:

Instructions:RCP\_FG617388\_1861430\_instructions.pdf

Chemical Resistance

Guide:chem.pdf

Frequently Asked Questions



# Rubbermaid® Commercial WaveBrake® 35 Qt. High-Performance Mopping System

Item# RM-FG7580-88

#2



The WaveBrake® mop bucket and wringer system reduces splashing, which means a safer environment, cleaner floors, and improved productivity. Massive capacity for the largest commercial cleaning jobs. Lasts 58 times longer than comparative wringers. Tested to exceed 50,000 wringing cycles, average wringers perform approximately 860 cycles. Premium tubular steel and Structural Web molded plastic. High efficiency side press wringer.

Length: 20.1"

Width: 15.7"

Height: 36.5"

Mop Capacity: 32 Oz.

Volume Capacity: 35 Quarts

Sold By: the Set





## Lambswool Dusters

**100% Lambswool dusters prevent streaks and scratches.**

- Ideal for cleaning high or difficult places like corners and ceiling fans
- Attracts dust like a magnet to the washable fibers; head does not bend
- White handles with an assortment of different color heads

ITEM	DESCRIPTION	SIZE	CS/QT	MIN ORDER
3100	Medium - 24"	11" HEAD L	12/cs	1 cs
3103	Long - 28"	11" HEAD L	12/cs	1 cs
3105	Telescopic - 30-45"	12" HEAD L	12/cs	1 cs
3106	Extended Twist-And-Lock - 33-60"	11" HEAD L	12/cs	1 cs
3107	Duster - 20"	3 1/2" HEAD L	12/cs	1 cs




#3

## Microfiber Dusters

**Hand, extendable, and convertible dusters for any cleaning job.**

- Split microfiber strands grab and hold dirt and dust better than traditional dusters
- Extendable duster has a twist-and-lock fitting on the handle
- Convertible duster can be hand held or attached to an Acme thread handle
- Safe to use on delicate items, will not scratch, head does not bend

ITEM	DESCRIPTION	SIZE	CS/QT	MIN ORDER
3147	Green / White - Hand Duster	16"	12/cs	1 cs
3148	Green / White - Extendable Duster	33" - 45"	12/cs	1 cs
3149	Black / White - Convertible Duster	20"	12/cs	1cs




#3149

## Microfiber High Duster

**This multi-use tool is designed to clean awkward or hard-to-reach areas.**

- Stainless steel sword embedded in heavy canvas can be bent into almost any shape
- For high dusting, pair with a extendable handle #LFSO100 or a fixed handle #CHO246
- Dusters come in cut end microfiber or chenille with soft dust grabbing fingers
- Adjustable nut at handle for different angle cleaning

ITEM	DESCRIPTION	SIZE	CS/QT	MIN ORDER
HDCOMP	Blue - Complete Microfiber Duster	29"	1/cs	1 cs
HDCOVR	Blue - Microfiber Duster Cover	21 1/2"	12/bg	1 bg
HDFRM	Gray / Blue - High Duster Frame Only	29"	12/cs	1 cs
LHDC	Green - Complete Chenille Duster	29"	1/cs	1 cs
LHDCVR	Green- Chenille Duster Cover	21 1/2"	12/bg	1 bg




#HDCOMP

CLEANING

27

## HOUSEHOLD/MISCELLANEOUS ITEMS



### TILE AND GROUT

#### Swivel Tile and Grout

Stiff poly bristles designed to get into grout lines. Swiveling motions allow easy access to hard to reach places. Required threaded handle, not included.

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
4000	Stiff Polypropylene	4 1/4	12

#### Swivel Scrub

Stiff poly bristles and swivel design designed to get into grooves in places unreachable by automatic floor scrubbing machines. Required threaded handle, not included.

4010	Scrub Brush	4	6
------	-------------	---	---

#### Small Tile and Grout

Polypropylene block with scraper and hang up hole. Angled handle allows for easy cleaning in tight spaces. Block is filled with black polypropylene.

Item ID	Description	Trim Length (in)	Overall Length (in)	Carton Wt. (lbs)	Carton Qty.
260	Black Polypropylene	3/4	8	1 1/4	24

#### Stainless Steel Scrubber

Heavy duty scouring pad made from 300 series stainless steel. Contains 18% chromium and 8% nickel. Used to remove baked on foods, rust and paint on pots, pans, utensils, ovens, grills and griddles. The heavy ribbon design allows faster and easier clean up.

Item ID	Description	Carton Wt. (lbs)	Carton Qty.
304-PB	Stainless Steel Scrubber	13/4	12

#### Stove Brush

Polypropylene block filled with crimped brass wire with hang up hole. Used for cleaning grills and stove tops. Curved handle allows access into hard to reach places.

Item ID	Description	Trim Length (in)	Overall Length (in)	Carton Wt. (lbs)	Carton Qty.
261	Crimped Brass	3/4	8	1 1/4	24

#### Dish and Sink Brush

Ideal brush for the kitchen to remove scraps and to scrub leftovers from dishes and cookware. Polypropylene block with scraper and hang up hole, filled with white polypropylene fiber.

300	White Polypropylene	7/8	8 1/4	1/4	24
-----	---------------------	-----	-------	-----	----

#### Pot and Pan Brush

Polypropylene block with scraper and hang up hole. Filled with crimped brass wire. Ideal for cleaning pots and pans with burned-on foods.

301	Crimped Brass	7/8	8 1/8	4	24
-----	---------------	-----	-------	---	----

### PLUNGERS

Popular style used in most homes for effective plunging. Handle included.

Item ID	Description	Head Diameter	Carton Wt. (lbs)	Carton Qty.
148	Red	5 5/8	9	12

#### Heavy Duty


Bell shape — designed for tough jobs. Handle included.

149	Black	5 5/8	11 1/2	12
-----	-------	-------	--------	----

# SCRAPERS & PUTTY KNIVES

## Plastic Putty Knives

- Sturdy Plastic Tools
- Solvent Resistant



ITEM	SIZE	TOOL	PACK
# PT05602	2"	Putty Knife	36/432
# PT05603	3"	Putty Knife	36/288
# PT05604	4"	Scraper	36/216
# PT05606	6"	Scraper	24/144
# PT05608	8"	Taping Knife	12/144
# PT05610	10"	Taping Knife	12/144

### 3-Pc. PLASTIC SET


1-1/2" 2" 3"  
# 79770  
pk. 24/288



2" 3" 4"  
# PT05633  
pk. 24/288

## Wood Handle Putty Knives


ITEM	SIZE	PACK
# GX112W	1-1/2"	10/100
# GX2W	2"	10/100
# GX3W	3"	10/100



## Flexible Blade

### SCRAPERS/Joint KNIVES WITH BRASS PLATED STEEL STRIKING HEAD

ITEM	SIZE	PACK
# PT06240	4"	10/50
# PT06250	5"	10/50
# PT06260	6"	10/50




Heavy Duty ABS Plastic Handle Resistant to Commonly Used Paint Thinners

## Economy Putty Knives

### PUTTY KNIVES & WALL SCRAPERS

- Shatterproof Plastic Handles & Precision Fitted Steel Blades



#### Red Plastic Handle

ITEM	SIZE	DESCRIPTION	PACK
# PT05713	1-1/2"	Putty Knife	Stiff 12/72
# PT05714	1-1/2"	Putty Knife	Flex 12/72
# PT05729	3"	Wall Scraper	Stiff 12/72
# PT05730	3"	Wall Scraper	Flex 12/72
# PT05734	4-1/2"	Taping Knife	Flex 6/72

### 3-Pc. SET

- 1-1/2"
- 3"
- 4-1/2"

# PT05736  
pk. 12/44



#### Orange Plastic Handle

ITEM	SIZE	TOOL	PACK
# 79215	5"	Scraper	Flex 10/100
# 79216	6"	Scraper	Flex 10/100
# 79211	10"	Scraper	Flex 10/100



## High Carbon Steel Blades

### SOLID PLASTIC HANDLE PUTTY KNIVES PROFESSIONAL GRADE

ITEM	SIZE	DESCRIPTION	PACK
# PT06212	1-1/4"	Putty Knife	Chisel 10/100
# PT06213	1-1/2"	Putty Knife	Stiff 10/100
# PT06214	1-1/2"	Putty Knife	Flex 10/100
# PT06223	2"	Putty Knife	Stiff 10/100
# PT06224	2"	Putty Knife	Flex 10/100
# PT06233	3"	Wall Scraper	Chisel 10/100
# PT06234	3"	Wall Scraper	Flex 10/100

- Mirror Finish Tempered High-Carbon Steel Blades
- Precision Ground
- Full Tang


#### 5-IN-1 TOOL

# PT06385  
pk. 10/100



#### CLIP POINT PUTTY KNIFE

# GXP1  
pk. 10/100



## High Carbon Steel

### HIGH CARBON STEEL BLADES PUTTY KNIVES PROFESSIONAL GRADE

- Comfort Grip

#### 5-IN-1 TOOL

# PT05816  
pk. 6/36



ITEM	SIZE	DESCRIPTION	PACK
# PT05804	1-1/4"	Putty Knife	Flex 6/36
# PT05806	2"	Putty Knife	Stiff 6/36
# PT05807	2"	Putty Knife	Flex 6/36
# PT05810	3"	Wall Scraper	Stiff 6/36
# PT05811	3"	Wall Scraper	Flex 6/36
# PT05812	3"	Putty Knife	Chisel 6/36
# PT05813	4"	Joint Knife	Flex 6/36
# PT05815	6"	Joint Knife	Flex 6/36




### 4 PC PUTTY KNIFE SET

- CONTAINS:
  - 2" 3" 4"
  - 6-in-1 Painting Tool
  - Hammer Head
- Comfort Grip Handle

# PT05844  
pk. 6/36





# Impact® Products LobbyMaster® Broom and Dust Bin Combo

Item# IM-2610

#7



Dust Bin: Easy lock 2-way handle can lock in the upright position. The low-profile front edge allows for maximum pick-up. Increased tray capacity; new broom cleaning teeth on yoke.


Dust Pan Broom: Metal handle with plastic coating and hang-up hole for easy storage. Angles plastic bristle construction for hard-to-reach areas. Plastic frayed bristles resist water, allowing for wet-work and fine particle pick-up. Frayed bristle construction

Color: Black / PVC Handle

Size - Height: 37" Width: 12" Depth: 11"

Sold By: the Set

**impact**  
The force that keeps you moving



# Rubbermaid® Commercial Floor Sign with "Caution Wet Floor" Imprint

#8

Item# RM-FG6112-77



This folding floor sign is lightweight and versatile. It is a two-sided, 25" model for use in narrow areas. The caution warning messages imprinted in English, French, and Spanish are for effective communication to broad audiences. Narrow body and unique plastic arm allow non-obstructive placement in a variety of locations. Durable plastic construction will not rust, corrode or fade. Two-sided bright yellow design meets OSHA requirements. ANSI compliant multi-lingual graphics warn of nearby hazardous area. Flexible locking-style hanger makes sign stationary and visible from all directions.

Length: 26"

Width: 11"

Height: 25"

Open Height: 25"

Depth: 12"

Sold By: the Each or the Case of 6



# Litter Removal NiftyNabber® Products Custom Bagger Program • Neoprene Gloves



Quality Tools for Smart Cleaning™



## NiftyNabber® Bagger Green and Blue


Safe pickup and removal of trash.

- Perfect for indoor and outdoor usage. Bagger collapses for compact shipping and storage.
- Bottom drainage holes make rinsing out easy.
- The latest version of the NiftyNabber® Bagger now comes in blue (for bottles and cans) and features the recycling logo.
- Can be pulled on the ground.
- Less bending or lifting.
- Protects workers from being hurt by sharp objects.
- Uses standard 55 gallon trash bags.
- Built-in handle makes emptying the bagger easy.

Part No.	Size	Color	Case Qty.
NB300	23" x 27"/40 gal.	Green	1
NB30B	23" x 27"/40 gal.	Blue	1

## Custom Bagger Program

Add any logo or graphics to the NiftyNabber® Bagger and promote your company, event or brand.




**Both Baggers  
Come with TWO  
Logo Placements!  
(Front & Back)**

### Ordering Information:

- Minimum order quantity: 300 for standard green or blue bagger.
- Minimum order quantity for custom color: 1,000.
- One color logo, silk-screened; 6-1/4" x 3-1/8" (20cm x 7cm) placed front & back.

For more information about the program, contact an Unger Sales Representative or call customer service at 1-800-431-2324 or email [unger@ungerglobal.com](mailto:unger@ungerglobal.com)



## NiftyNabber® Pro

The all-purpose grabber for universal trash removal (cans, paper, bottles, etc.).

- No bending, no backaches – even out-of-reach items can be easily removed.
- Powerful claws grip small and oddly shaped objects.


Part No.	Size	Case Qty.
NN400	18"/45 cm	5
NN900	36"/90 cm	10
NN140	51"/130 cm	5
NN960	96"/250 cm	6
NN90D	36" w/ POP display	20

## NiftyNabber® Trigger Grip

All-purpose grabbing tool, ideal for indoor and outdoor use.

- Comfortable grip for smooth, trigger-pull action.
- 360° access for hard-to-reach areas or items.
- Grab and hold even the smallest items – up to .25 lbs.
- Lightweight aluminum shaft, designed to decrease fatigue and make waist-high and overhead use easier.

Part No.	Contents	Case Qty.
NT060	24"/60 cm	5
NT080	32"/80 cm	5
NT090	36"/90 cm	5



## People's Paper Picker Pin

Easily remove litter such as paper, cans and plastic cups.

- No bending, no backaches.
- Lightweight and easy to use.
- Effective waste removal using strong metal pin.

Part No.	Size	Case Qty.
PPPP0	42"/100 cm	10

## Replacement Pin Plugs for Paper Picker

Part No.	Case Qty.
PINP0	10

## Neoprene Gloves

Protective gloves guard against elements. Neoprene exterior, plus interior foam insulation.

- Protect against cold and damp conditions.
- Textured palm provides a non-slip grip.
- Hook and loop strap provides a secure fit.

Part No.	Size	Case Qty.
GLOV1	Small	10
GLOV2	Large	10
GLOV3	XLarge	10
GLOV4	XXLarge	10






Quality Tools for Smart Cleaning™

# Window Cleaning Squeegees & Accessories


#10



**ErgoTec® Squeegee Complete**  
Ergonomic, two-component handle. Complete with "S" Channel and ErgoTec® Soft Rubber.

- Non-slip grip ideal for all weather conditions.
- Quick-release "S" spring for fast rubber change.
- Locks onto ErgoTec® Locking Cone.

Part No.	Size	Case Qty.
ES150	6"/15 cm	10
ES250	10"/25 cm	10
ES300	12"/30 cm	10
ES350	14"/35 cm	10
ES400	16"/40 cm	10
ES450	18"/45 cm	10
ES550	22"/55 cm	10



**ErgoTec® Squeegee Handle**

Part No.	Case Qty.
ETG00	10

**ErgoTec® XL Handle Only**

Extra long, two-component ergonomically designed handle.

- Handle is almost a full inch longer for large hands.
- Quick-release "S" spring for fast rubber change.
- Locks onto ErgoTec® Locking Cone.

Part No.	Case Qty.
ETX00	10

**ErgoTec® SwivelLoc Handle Only**

Handle comes in two models, both with swivel action and ergonomic grip.

- 0° for cleaning low windows. 30° head angle for working above ledges.
- 0° – brass or stainless steel "S" Channel, 30° – "S" Channel only.
- Locks onto ErgoTec® Locking Cone.

Part No.	Size	Case Qty.
LS000	Straight 0°	5
LA000	30°	5


**Pro Stainless Steel Squeegee Complete**  
Stainless steel squeegee with ergonomic rubber grip. Complete with "S" Channel and ErgoTec® Soft Rubber.

- Non-slip rubber grip ideal for all weather conditions.
- Features a fast lock for quick channel changes.
- Fits onto all Unger poles.

Part No.	Size	Case Qty.
PR250	10"/25 cm	10
PR300	12"/30 cm	10
PR350	14"/35 cm	10
PR400	16"/40 cm	10
PR450	18"/45 cm	10

**Pro Squeegee Handle**

Part No.	Case Qty.
PR000	10




**"S" Channel**

Stainless steel "S" Channel complete with ErgoTec® Soft Replacement Rubber.

- Fits on ErgoTec, Pro Stainless Steel and GoldenPRO handles.

Part No.	Size	Case Qty.
NE150	6"/15 cm	10
NE250	10"/25 cm	10
NE300	12"/30 cm	10
NE350	14"/35 cm	10
NE400	16"/40 cm	10
NE450	18"/45 cm	10
NE550	22"/55 cm	10



**Plastic Clips and Case**

Increases strength of rubber edge.

- Clips easily separate from dispenser.
- Solid plastic clip fits between channel and squeegee rubber.
- Increases stability, offering sharper end strokes.

Part No.	Contents	Case Qty.
PCLIP	40 Clips per dispenser	10 Dispensers per case

**GoldenClip® Brass Squeegee Complete**

Classic brass squeegee with screw lock.

- Complete with handle, channel, ErgoTec soft rubber and plastic end clips.
- Fits onto all Unger poles.

Part No.	Size	Case Qty.
GS250	10"/25 cm	10
GS300	12"/30 cm	10
GS350	14"/35 cm	10
GS400	16"/40 cm	10
GS450	18"/45 cm	10

**GoldenClip® Brass Squeegee Handle Only**

Classic brass squeegee handle.

- Solid brass construction.
- Screw lock firmly holds channel and rubber.
- Fits onto all Unger poles.

Part No.	Case Qty.
GS000	10

**GoldenPRO Brass Squeegee Handle Only**

Durable brass handle with fast lock and ergonomic grip.


- Non-slip rubber grip ideal for all weather conditions.
- Features a fast lock for quick channel changes.
- Fits onto all Unger poles.

Part No.	Case Qty.
GP000	10

**Brass Channel for GoldenClip® and GoldenPRO**

Sturdy brass channel complete with ErgoTec soft rubber. Includes plastic end clips.

Part No.	Size	Case Qty.
GC150	6"/15 cm	10
GC250	10"/25 cm	10
GC300	12"/30 cm	10
GC350	14"/35 cm	10
GC400	16"/40 cm	10
GC450	18"/45 cm	10
GC550	22"/55 cm	10




# Telescopic Poles



Quality Tools for Smart Cleaning™


#10



## ErgoTec® Locking Cone

The ErgoTec® Locking Cone is standard on all OptiLoc™ and TelePlus® poles.

(Patented)



## UniTec™

- 2-section telescopic pole, available in 3 sizes.
- Interior lock, 1/2 turn in either direction.

## OptiLoc™

- 2- or 3-section telescopic pole, available in 14 sizes.

## TelePlus™ System

- Modular telescopic pole system.
- Base units with 2, 3, or 4 sections.
- Extensions available in 4- or 6- foot lengths.

## UniTec™

Telescopic pole in 2 sections, secure lock 1/2 turn.

Part No.	Size	Sections	Pack Unit
OS210	6'5/2.00 m	2	Any 10
OS250	10'3/3.00 m	2	Any 10
OS260	13'4/4.00 m	2	Any 10

## OptiLoc™

Telescopic pole in 2 sections, with the ErgoTec® Locking Cone.

Part No.	Size	Sections	Pack Unit
EZ120	4'1/1.25 m	2	Any 10
EZ250	8'2/2.50 m	2	Any 10
EZ300	10'3/3.00 m	2	Any 10
EZ370	12'3/3.75 m	2	Any 10
EZ400	13'4/4.00 m	2	Any 10
EZ500*	16'5/5.00 m	2	Any 10
EZ600*	20'6/6.00 m	2	Any 10

## OptiLoc™

Telescopic pole in 3 sections, with the ErgoTec® Locking Cone.

Part No.	Size	Sections	Pack Unit
ED180	6'1/1.85 m	3	Any 10
ED370	12'3/3.75 m	3	Any 10
ED450	14'4/4.50 m	3	Any 10
ED550	18'5/5.50 m	3	Any 10
ED600	20'6/6.00 m	3	Any 10
ED750*	24'7/7.50 m	3	Any 10
ED900*	30'9/9.00 m	3	Any 10

## Henry's Handi Handle

Includes the ErgoTec® Locking Cone, 1 section.

Part No.	Size	Sections	Pack Unit
HH240	2'6/0 cm	1	5

## TelePlus™ 4'/1.25m System

Modular Telescopic pole with the ErgoTec® Locking Cone.

Part No.	Size	Sections	Pack Unit
TZ250	8'2/2.50 m	2	Any 10
TD370	12'3/3.70 m	3	Any 10
TV500	16'5/5.00 m	4	Any 10
TF620	21'6/6.25 m	5	Any 10

## TelePlus™ 6'/1.85m System

Modular Telescopic pole with the ErgoTec® Locking Cone.

Part No.	Size	Sections	Pack Unit
TZ370	12'3/3.75 m	2	Any 10
TD550	18'5/5.50 m	3	Any 10
TV750	24'7/7.50 m	4	Any 10
TF900	30'9/9.00 m	5	Any 10

## Plus 3

Extension for 2-section base unit.

Part No.	Size	Sections	Pack Unit
T3120	4'1/1.25 m	1	Any 10
T3180	6'1/1.85 m	1	Any 10

## Plus 4

Extension for 3-section base unit, or Plus 3.

Part No.	Size	Sections	Pack Unit
T4120	4'1/1.25 m	1	Any 10
T4180	6'1/1.85 m	1	Any 10


## Plus 5

Extension for 4-section unit, or Plus 4.

Part No.	Size	Sections	Pack Unit
T5120	4'1/1.25 m	1	Any 10
T5180	6'1/1.85 m	1	Any 10

\*Poles ship by truck only. \$1000 orders are freight free for truck shipments within the 48 contiguous states. Minimum of 10 poles required. Use any combination of sizes to reach minimum.

## Tool Connections



### Lock On

Any tool with a hole in the handle and "LOCK" inscribed on it locks onto the ErgoTec® Locking Cone. This prevents the tool from twisting or pulling off the pole during work. The ErgoTec® Locking Cone is a standard feature on all OptiLoc™ and TelePlus™ poles.



### Press On

These tools press on the Unger cone, making hard-to-reach areas easy to clean. The special grooves on the cone ensure a secure fit for the tools.



### Screw On

These tools screw onto the ACME thread of an Unger cone.



### Snap On

These tools snap directly onto Unger telescopic poles.



# Dusting & Maintenance Tool Adapters




Quality Tools for Smart Cleaning™

## ErgoTec® Locking Cone

Patented

The ErgoTec® Locking Cone offers maximum safety when working with telescopic poles.

- Unger tools\* lock in place onto cone for safety.
- The cone attaches securely to the pole.
- Fast tool change with quick-release button.
- All Unger OptiLoc™ and Tele-Plus™ poles are equipped with the ErgoTec® locking cone.



Tool Lock

Tool Release

\*Pay attention to the LOCK imprint on handles of ErgoTec® window tools, VisaVersa®, and StarDuster® ProFlex/ProFlat 75. Note: All other Unger tools fit as usual on the cone by press fit, screw on or snap on.

Cone Release

Cone Lock

**ErgoTec® Locking Cone** Patented  
Prevents select Unger tools from falling off the telescopic pole.

- Securely locks onto pole.
- Compatible with all Unger extension poles.
- Fast tool change with quick-release button.

Part No.	Case Qty.
NCAN0	5

## Cranked Joint Angle Adapter

Adjust tools to clean at any angle up to 300°. Perfect for cleaning hard-to-reach places.

- Attaches directly onto pole.
- Available in strong zinc or plastic.
- Squeegees, washers, etc. quickly attach to adapter.

Part No.	Thread	Case Qty.
CJA00	Zinc	5
CJN00	Plastic	5

## Threaded Wood Cone Adapter

Wood cone adapter for attaching tools.

- Features an internal ACME thread.
- Pressure fitted.




Part No.	Case Qty.
TWA00	5

## Universal Adapter

For holding paint brushes/rollers, scrapers and other tools.

- Provides safe operation from the ground.
- Adjust tool to any angle; locks securely using a nut and bolt.
- Firmly holds tools.

Part No.	Case Qty.
PBR00	5



## FIXI-Clamp

Plastic clamp for attaching tools like brushes, sponges and cloths.

- Firmly holds sponge, microfiber cloths and other tools.
- Slots provided to insert Handi-Brush.
- Fits onto telescopic pole.

Part No.	Product	Case Qty.
FIX10	FIXI-Clamp	5
HB000	Handi-Brush	5
SP010	The Sponge	10

USE ONLY WITH UNGER TELESCOPIC POLES

# Floor, Window Squeegees, & Scrapers

Commercial & Institutional  
CLEANING SOLUTIONS


## Heavy Duty Floor Squeegees

Professional cleaning designs that are ideal for use on grouted floors, quarry tile and other hard to dry surfaces. Single or double blade options; black rubber or double foam options are easy to handle and ideal for general purpose cleaning or liquid removal. All ABCO squeegees use tapered handles.

Black neoprene rubber blade set in a galvanized metal frame, ideal for general use in the absence of heat, oils or harsh chemicals. Our best selling choice for use in everyday wet cleaning; available in curved or straight frame.

ITEM NUMBER	SIZE	TYPE	PACK	WEIGHT	CUBE
A. BH-14001	18"	Straight	6	12 lbs	0.56
B. BH-14002	22"	Straight	6	18 lbs	0.74
C. BH-14003	30"	Straight	6	24 lbs	1.00
D. BH-14004	22"	Curved	6	18 lbs	1.00
E. BH-14005 *	36"	Curved	6	24 lbs	1.42

\* XP - Special Order



- Uses tapered handle only



- Uses tapered handle only

## Light Duty Floor Squeegees

Double foam blades in a metal frame; perfect for light duty moisture removal from wet floor surfaces.


ITEM NUMBER	SIZE	TYPE	PACK	WEIGHT	CUBE
BH-14006	18"	Straight	12	10 lbs	0.60
BH-14007	22"	Straight	12	13 lbs	0.70

## Plastic Floor Squeegees

Durable design for hygienic cleaning compliance; double foam blades set in rugged plastics frames are lightweight, yet quickly remove liquids from grouted floors, tile and workplaces areas where fast dry results are critical.

ITEM NUMBER	SIZE	TYPE	PACK	WEIGHT	CUBE
BH-14009 *	18"	A. Straight	10	5 lbs	0.49

\* XP - Special Order



- Uses tapered handle only

## Window Squeegee


Built for long lasting use and cleaning performance; ABCO offers a premium variety of window squeegees in a double rubber blade.

ITEM NUMBER	SIZE	TYPE	PACK	WEIGHT	CUBE
BH-15006	12"	Straight	12	6.5 lbs	0.3088
BH-15005	10"	Straight	12	4.85 lbs	0.466

## Vehicle Window Washer

Built for long lasting use and cleaning performance; window squeegee in a rubber blade style and foam pad for delicate glass cleaning.

ITEM NUMBER	SIZE	TYPE	PACK	WEIGHT	CUBE
01602	10"	Foam pad with straight blade	12	8.8 lbs	0.51



- includes threaded handle only




# Telescopic Poles



Quality Tools for Smart Cleaning™

#1/2



**ErgoTec® Locking Cone**  
The ErgoTec® Locking Cone is standard on all OptiLoc™ and TelePlus® poles.

(Patented)



## UniTec™

- 2-section telescopic pole, available in 3 sizes.
- Interior lock, 1/2 turn in either direction.



## OptiLoc™

- 2- or 3-section telescopic pole, available in 14 sizes.



## TelePlus™ System

- Modular telescopic pole system.
- Base units with 2, 3, or 4 sections.
- Extensions available in 4- or 6-foot lengths.

Telescopic Poles

## UniTec™

Telescopic pole in 2 sections, secure lock 1/2 turn.

Part No.	Size	Sections	Pack Unit
OS210	6'5/2.00 m	2	Any 10
OS250	10'3.00 m	2	Any 10
OS260	13'4.00 m	2	Any 10

## OptiLoc™

Telescopic pole in 2 sections, with the ErgoTec® Locking Cone.

Part No.	Size	Sections	Pack Unit
EZ120	4'1.25 m	2	Any 10
EZ250	8'2.50 m	2	Any 10
EZ300	10'3.00 m	2	Any 10
EZ370	12'3.75 m	2	Any 10
EZ400	13'4.00 m	2	Any 10
EZ500*	16'5.00 m	2	Any 10
EZ600*	20'6.00 m	2	Any 10

## OptiLoc™

Telescopic pole in 3 sections, with the ErgoTec® Locking Cone.

Part No.	Size	Sections	Pack Unit
ED180	6'1.85 m	3	Any 10
ED370	12'3.75 m	3	Any 10
ED450	14'4.50 m	3	Any 10
ED550	18'5.50 m	3	Any 10
ED600	20'6.00 m	3	Any 10
ED750*	24'7.50 m	3	Any 10
ED900*	30'9.00 m	3	Any 10

## Henry's Handi Handle

Includes the ErgoTec® Locking Cone, 1 section.

Part No.	Size	Sections	Pack Unit
HH240	2'60 cm	1	5

## TelePlus™ 4'1.25m System

Modular Telescopic pole with the ErgoTec® Locking Cone.

Part No.	Size	Sections	Pack Unit
TZ250	8'2.50 m	2	Any 10
TD370	12'3.70 m	3	Any 10
TV500	16'5.00 m	4	Any 10
TF620	21'6.25 m	5	Any 10

## TelePlus™ 6'1.85m System

Modular Telescopic pole with the ErgoTec® Locking Cone.

Part No.	Size	Sections	Pack Unit
TZ370	12'3.75 m	2	Any 10
TD550	18'5.50 m	3	Any 10
TV750	24'7.50 m	4	Any 10
TF900	30'9.00 m	5	Any 10

## Plus 3

Extension for 2-section base unit.

Part No.	Size	Sections	Pack Unit
T3120	4'1.25 m	1	Any 10
T3180	6'1.85 m	1	Any 10

## Plus 4

Extension for 3-section base unit, or Plus 3.

Part No.	Size	Sections	Pack Unit
T4120	4'1.25 m	1	Any 10
T4180	6'1.85 m	1	Any 10

## Plus 5

Extension for 4-section unit, or Plus 4.

Part No.	Size	Sections	Pack Unit
T5120	4'1.25 m	1	Any 10
T5180	6'1.85 m	1	Any 10

\*Poles ship by truck only. \$1000 orders are freight free for truck shipments within the 48 contiguous states. Minimum of 10 poles required. Use any combination of sizes to reach minimum.

## Tool Connections



### Lock On

Any tool with a hole in the handle and "LOCK" inscribed on it locks onto the ErgoTec® Locking Cone. This prevents the tool from twisting or pulling off the pole during work. The ErgoTec® Locking Cone is a standard feature on all OptiLoc™ and TelePlus™ poles.



### Press On

These tools press on the Unger cone, making hard-to-reach areas easy to clean. The special grooves on the cone ensure a secure fit for the tools.



### Screw On

These tools screw onto the ACME thread of an Unger cone.



### Snap On

These tools snap directly onto Unger telescopic poles.



Quality Tools for Smart Cleaning™

## Dusting & Maintenance

# Dusters • Bulb Changing

#12

### StarDuster® Pro Duster

Telescopic lambswool duster with bendable head and sleeve. Ideal for dusting in high places.

- Extends from 30" – 60".
- Disposable duster sleeve attracts and holds dust, keeping it away from workers and fixtures below.

Part No.	Size	Case Qty.
LWDUR	30"-60"/70-150 cm	10
DS10Y	10 pack Sleeve	1
DS50Y	50 pack Sleeve	1

### StarDuster® Lambswool

Made of lambswool. Perfect for dusting shelves and other surfaces.

- Superior cleaning and dust removal.
- Handle attaches to any Unger cone or standard ACME thread.
- Also use with ProDuster Replacement Sleeves (DS50Y) or microfiber (MMSLG).

Part No.	Case Qty.
LWDUO	6

### Ostrich Feather Duster

Made with real ostrich feathers for dusting delicate surfaces such as glass, cabinets and chandeliers.

- Superior dust removal.
- Attaches to telescopic poles.

Part No.	Case Qty.
FEDUO	6

### StarDuster® Pipe Brush

11" curved brush for cleaning pipes and other round surfaces. Bendable.

- Made with heavy-duty wire and polypropylene bristles.
- Attaches to telescopic poles.

Part No.	Case Qty.
PIPED	5

### StarDuster® Wall Brush

Oval shape for ceiling fans, walls and ceilings. Made of heavy-duty galvanized wire and 49% horsehair bristles.

- Ideal for dusting rough surfaces.
- Ideal for removing cobwebs and dust from flat objects.
- Attaches to telescopic poles.

Part No.	Case Qty.
WALBO	5

### Soot Master Sponge

Perfect for cleanup after fire or smoke damage. Dry sponge absorbs dust and soot particles.

- Can be cut, if smaller size is required.
- Rinsable rubber material.

Part No.	Size	Case Qty.
SP060	2" x 3" x 6"	6

### Flood Sucker Bulb Changer

For changing floodlights and other flat lightbulbs. Features suction cups that attach to bulb.

- Fully insulated.
- Change bulbs safely from the ground when using with telescopic poles.
- Faster and safer than using a ladder.

Part No.	Case Qty.
FS000	5

### Sticky Fingers Bulb Changer

Easily change lightbulbs safely from the ground. Rubber-coated spring steel fingers offer quality turning power.

- Snaps onto telescopic pole for changing bulbs in high-access areas.
- Adjusts to fit various-shaped bulbs.
- Use with CFL bulbs.

Part No.	Case Qty.
BS010	5


### The Bebbe

Safely remove broken lightbulb base from socket.

- Fully insulated.
- Complete with plastic tray for catching broken bulb pieces.

Part No.	Case Qty.
BEBED	5

### Tool Connections



#### Lock On

Any tool with a hole in the handle and "LOCK" inscribed on it locks onto the ErgoTec® Locking Cone. This prevents the tool from twisting or pulling off the pole during work. The ErgoTec® Locking Cone is a standard feature on all OptiLoc™ and TelePlus™ poles.



#### Press On

These tools press on the Unger cone, making hard-to-reach areas easy to clean. The special grooves on the cone ensure a secure fit for the tools.



#### Screw On

These tools screw onto the ACME thread of an Unger cone.



#### Snap On

These tools snap directly onto Unger telescopic poles.

# Dusting & Maintenance Microfiber Dusters • Dusters



Quality Tools for Smart Cleaning™

#12



## StarDuster® ProFlex 75

Great for cleaning overhead, underneath furniture, and around corners.

- Bends and retains shape to clean hard-to-reach areas.
- Microfiber sleeve is removable and machine washable.
- Comes with 3 electrostatic disposable sleeves.
- Attaches to ErgoTec® Locking Cone for safe use for high tasks.

Part No.	Size	Case Qty.
PXD7G	30" / 75 cm	10

## StarDuster® ProFlat 75

Ideal for narrow gaps. Includes machine washable microfiber sleeve and 3 electrostatic disposable sleeves.

- Strong, flexible, plastic design.
- Flexible to clean high or low.
- Attaches to ErgoTec® Locking Cone for safe use for high tasks.

Part No.	Size	Case Qty.
PFD7G	30" / 75 cm	10

## StarDuster® ProFlex/ ProFlat Sleeves

For use with both the StarDuster ProFlex/ProFlat 75.

- Disposable electrostatic and machine washable microfiber sleeves available.

Part No.	Type	Contents	Case Qty.
PS50W	Disposable	50 pack	1
PM05W	Microfiber	5 pack	1

## SmartColor™ Micro Sleeve

Microfiber sleeve fits over lambswool and poly duster heads, preserving the head and increasing efficiency.

- Attract and trap more dust with microfiber sleeve than with ordinary duster.
- Use with or without chemicals.
- Long lasting – up to 300 wash cycles.

Part No.	Size	Case Qty.
MMSLG	6" x 14" / 15 x 36 cm	5

## StarDuster® Pro Ceiling Fan Duster

Patented. Easily and effectively cleans all shapes and sizes of ceiling fan blades, even the new wider blades.

- Use by hand or attach to any telescopic pole for high-access cleaning.
- Plush microfiber strands aggressively trap and hold dirt.
- Microfiber sleeve is removable and machine washable.

Part No.	Case Qty.
CEDUG	5

## SmartColor™ Micro Mitt Heavy-Duty

Microfiber dust and wash mitt.

- 2-sided microfiber mitt with multi-purpose cleaning power.
- Thick, soft strands allow increased surface area for incredible absorbency and dirt pickup.
- Premium grade low pile microfiber on reverse side is ideal for dusting and polishing.

Part No.	Case Qty.
MMIRG	5


## CobWeb Duster Brush

Split-tipped soft poly fibers allow for effective dusting without scratching. Great for dusting ceilings, moldings and corners whether inside or outdoors.

- Electrostatic energy attracts and holds dust, dirt, and cobwebs.
- Attaches to ErgoTec® Locking Cone or ACME thread for safe use on high tasks.

Part No.	Case Qty.
COBWO	6

## Tool Connections



### Lock On

Any tool with a hole in the handle and "LOCK" inscribed on it locks onto the ErgoTec® Locking Cone. This prevents the tool from twisting or pulling off the pole during work. The ErgoTec® Locking Cone is a standard feature on all OptiLoc™ and TelePlus™ poles.



### Press On

These tools press on the Unger cone, making hard-to-reach areas easy to clean. The special grooves on the cone ensure a secure fit for the tools.



### Screw On

These tools screw onto the ACME thread of an Unger cone.



### Snap On

These tools snap directly onto Unger telescopic poles.

Dusting & Maintenance

#13



## Specification Document

---

Specification #:	02000 13" Bowl Swab	Commodity:	Cleaning Tool
Effective Date:	1/24/2008	Replaces Date:	n/a
<u>Spec Type:</u>	Cleaning	<u>Product Type:</u>	Mop
Region:	U.S.A.		
Countries:	U.S.A.		
<u>Owner:</u>	ABCO Products, Inc.	<u>Raw Material/s:</u>	Yes
<u>Brand:</u>	ABCO Products, Inc.	Certification Req:	n/a
Initiated By:	Bill Scheler	Created:	1/24/2008

---

*This specification is, in its entirety, proprietary information of ABCO Products, Inc. and is confidential.*

### I. PRODUCT DESCRIPTION

A. 13" Long Rayon Bowl Swab

### II. FINISHED PRODUCT STANDARDS

A. MATERIALS: Polypropylene, White Colorant, Polyester

B. COLOR: White

#### B. INDIVIDUAL PRODUCT SPECIFICATION

1. Size: 13" Long

### III. FINISHED GOODS SPECIFICATIONS

A. CASE PACK: 12

B. CASE WIEGHT: 15 lbs.

C. CASE CUBE: 1.25 cf

D. Tie/High: n/a

#### IV. PROCESSING CONTROL POINTS

None


#### V. PACKAGING

**Note:** Packaging graphics for all Private labeled containers in this specification requires approval by ABCO Products, Inc. Packaging Development of ABCO Products, Inc.

#### VI. LEGIBILITY ARCHIVE LIFE


1. 3 months with normal use under normal conditions.

#### VII. PHOTO



02000


---



# NoTrax<sup>®</sup> Mats Wayfarer<sup>™</sup> Custom HD Mat

Item# NoTrax 267

#114



Wayfarer<sup>™</sup> Custom HD is a heavy-duty vinyl-loop outdoor mat with a solid sheet vinyl back. The vinyl-loop design removes dirt and moisture from shoes and securely traps them beneath the mat's surface. Wayfarer<sup>™</sup> Custom HD is specially designed to dry quickly and resist mildew making it the perfect mat for heavy-traffic outdoor entranceways, plant entrances, drinking fountains, and pool areas.

Available Colors:

Gray, Black, Brown, Leaf Green & Navy

Overall Thickness:  $\frac{5}{8}$ "

Size: 3' x 4'


Sold By: the Each



MATS FOR PROFESSIONAL USE



#15



Available Colors: Burgundy, Brown, Slate Blue,  
Hunter Green, Charcoal, Red/Black

Better

Best

Superior



Guzzler is intended for use in medium to heavy traffic areas, the raised, crushproof waffle design aggressively scrapes and cleans, while the rubber-edged perimeter entraps dirt and moisture for superior water and soil control. Molded rubber "cleats" on the underside of the mat grip the underlying surface minimizing mat movement.

Test	Test Description	*Results
ASTM D3884-01	Abrasion Resistance	0.99 grams (3.1%)
ASTM D6540-00	Accelerated Soiling	Based on Visual Inspection 3.5 - Vacuum Rating 4.0 - Rating After Extraction
ASTM E648-03	Critical Radiant Flux	0.11 Watts/Cm <sup>2</sup>
CPSC FF 1-70 (ASTM D-2859)	Surface Flammability of Carpets and Rugs Ignition Characteristics - Finished Textile Floor Covering Material	Pass
	Water Retention	Weight Gain = 47.7% (0.427 gals./yd <sup>2</sup> )


\*All testing of NoTrax® floor matting has been performed by an independent testing laboratory.

07/2014

**Appearance Rating Key**

5	No change
4	Slight change
3	Noticeable change
2	Considerable change
1	Severe change

- 26 oz. face weight
- Thickness: 3/8"
- Rubber underside cleat design resists mat slippage
- Stock Sizes: 2' x 3', 3' x 4', 3' x 5', 3' x 10', 4' x 6', 4' x 10'
- Recommended and approved product as part of the GreenTRAX™ program for "Green Cleaning" environments







## Summit Pro® 18SQ Wet/Dry Vacuum

- High productivity
- 18 gallon capacity
- Integrated 24 inch front-mounted squeegee assembly with pedal actuator
- Includes 5 piece tool kit, 9 foot hose and stainless wand with onboard storage
- 10 inch wheels permit easy stair climbing

*The Summit Pro® 18SQ offers great performance and value in a wet/dry vacuum. The high capacity tank and integrated front-mounted squeegee assembly with rear foot pedal actuator allow high productivity water pick-up for big jobs. When you need tools that can pick up dust and get into tight places, there is a complete tool kit with 9 foot hose and rugged stainless wand. A large onboard storage area resides in the handle assembly, making this one of the most versatile wet/dry vacuums available.*



5 piece tool kit for wet and dry applications.



Streamlined design includes onboard tool storage and 18 gallon recovery capacity.



Features wet and dry filters.

**Trusted. Reliable. Efficient.**

# Clarke®

SPECIFICATIONS	Summit Pro® SQ
Part Number	CLARKE18WD
Wet Capacity	18 gal (68.1 L)
Cleaning Path	24 in (60.9 cm)
Vacuum Motor, Waterlift	2-stage, 90 in (2.3 m)
Airflow at Orifice	95 cfm (161 m³/hr)
Motor Horsepower	1.17 hp (0.88 kW)
Motor Amps, Voltage	8 amps, 110 V
Sound Level	81 dB A
Vacuum Hose	9 ft (2.7 m)
Tool Kit, 5 Piece	Crevice, dust brush, wet & dry pick-up, & steel wand
Power Cable, Safety Yellow	50 ft (15.2 m)
Wheels, Non-marking Grey	(2) 10 in (25.4 cm)
Amp Draw	8 amps
Weight	60 lb (27.2 kg)
Shipping Weight	81 lb (36.7 kg)
Dimensions (L x W x H)	39 x 18.5 x 41.5 in (99 x 46.9 x 105.4 cm)
Optional Cloth Filter Bag	2.65 gal (10.1 L)
Optional Squeegee Assembly	30 in (76.2 cm)
Optional Dry Pick-up Assembly	24 in (60.9 cm)

Specifications are subject to change without notice.



## Simple

- Easy-to-use, fingertip controls
- 10 inch stair climbing wheels
- Clean easily with the 9 foot vacuum hose and 5 piece complete contractor tool kit including: crevice tool, dusting brush, wet and dry pick-up tools, and 3 piece stainless steel wand
- Onboard tool storage

## Rugged

- 8 year housing warranty
- 1 year warranty on motor
- Heavy-duty squeegee assembly
- Durable contractor tool kit
- Engineered to withstand heavy, daily use in schools, office buildings, medical facilities and other commercial applications

## Affordable

- Best value in the industry
- 24 inch front-mount squeegee assembly, 9 foot hose, and 5 piece contractor tool kit included
- High cleaning productivity rate



©2014 Nilfisk, Inc. All rights reserved. P/N L3355C 7/14

9435 Winnetka Avenue North • Brooklyn Park, MN 55445  
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2  
Phone: 800.668.8400 • Fax: 800.263.5111

# Clarke®

www.clarkeus.com


#1 of 10




## CFP Pro® 17HD & 20HD Floor Machines

- All metal construction
- 1.5 hp motor with all-steel triple planetary gear box
- Pad Driver included with universal clutch plate
- Easy-to-use, fingertip controls
- Safety lock-out switch

The CFP Pro® 17HD and 20HD floor machines are rugged, high powered machines built for years of use in a wide range of applications. With easy-to-use fingertip controls and multiple safety features, such as handle-mounted safety switch, and a 50 foot yellow cord, these all metal construction machines are designed for heavy duty use. The handle lock can be actuated by foot, and there is a convenient cord wrap for cord storage when not in use.



Safety lock-out switch.




Cast aluminum chassis and 66 frame motor.



Foot-activated handle lock.



50 ft safety yellow cord.



Trusted. Reliable. Efficient.

# Clarke®

#20

SPECIFICATIONS	CFP Pro® 17HD	CFP Pro® 20HD
Part Number	CLARKE1715HD	CLARKE2015HD
Deck Size	17 in (43.2 cm)	20 in (50.8 cm)
Pad Driver	16 in (40.6 cm)	19 in (48.3 cm)
Pad / Brush Speed	175 rpm	
Voltage	110 V	
Horsepower	1.5 hp (1.1 kW)	
Motor, Heavy-duty	66-frame	
Gear Box, All-steel	Triple planetary	
Sound Level	63 dB A	
Power Cable, Safety Yellow	50 ft (15.2 m)	
Wheels, Non-marking Grey	Two 5 in (12.7 cm)	
Amp Draw	13 amps	
Weight	101 lb (45.8 kg)	109 lb (49.4 kg)
Shipping Weight	120 lb (54.4 kg)	123 lb (55.8 kg)
Dimensions (L x W x H)	27 x 17 x 48 in (65.6 x 43 x 122 cm)	27 x 20 x 48 in (65.6 x 51 x 122 cm)
Optional Solution Tank	2.5 gal (9.46 L)	
Optional Deck Sizes	15 in (38 cm) and 13 in (33 cm)	

Specifications are subject to change without notice.



### Simple

- Easy-to-use, fingertip controls
- Universal clutch plate
- Safety lock-out switch

### Rugged

- 3 year housing warranty
- 3 year warranty on motor
- All-steel, triple planetary gear box
- 1.5 hp, 66 frame motor
- All-metal construction
- Designed for heavy, daily use

### Affordable

- Best value in the industry
- Pad driver included
- High cleaning productivity rate




©2015 Nilfisk, Inc. All rights reserved. P/N L33580 8/15

9435 Winnetka Avenue North • Brooklyn Park, MN 55445  
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2  
Phone: 800.668.8400 • Fax: 800.263.5111

# Clarke®

www.clarkeus.com




## Ultra Speed® Series Burnishers

- Durable Polydur® mainframe
- Self-regulating pad pressure
- Powerful 1.5 hp motor
- Floating handle for storage
- Super flex power cable

The line of Ultra Speed Series burnishers are ideal for use in hospitals, schools and areas requiring dust-free, quiet operation. This new line produces brilliant high-gloss shine with minimal effort.

The self-adjusting pad pressure assures that optimal power is applied to the pad driver without the need to change any settings. The burnisher is offered in 1500DC, and 2000DC models, and both are Clarke Green Certified.



The Ultra Speed series is ideal for hospitals, schools and areas requiring dust-free and quiet operation.

**Trusted. Reliable. Efficient.**

# Clarke®



# The Ultra Speed Series Burnishers – Optimal high shine for floors with minimal effort




The Ultra Speed Series is ultra quiet for noise sensitive areas.


The Ultra Speed Series line of corded burnishers have the latest in innovative features that provide the highest shine with minimum effort. The self-adjusting pad pressure assures optimal power is applied to the pad driver without the need to change any settings or make adjustments. The Ultra Speed Series is lightweight, easy to maneuver, and is very quiet when working in noise sensitive areas. The powerful motor supplies the highest power permitted from a wall outlet.

Some great features of the Ultra Speed Series burnishers include:


- High performance burnishing
- Ease of operation
- Dust control
- 1,500 and 2,000 RPM models available
- Rugged, 8 year warranted, mainframe
- Quiet operation





Easy-to-operate pedal releases the control handle to the operate or storage position.



The folding handle permits the burnisher to fit into storage spaces.



The upright storage position allows for easy pad change.



A quick release cord wrap assists the removal of the power cable without unwrapping.



Passive dust control eliminates airborne dust and collects it in a convenient filter bag.



Flexible pad driver with full face pad grip contours to uneven floors.



SPECIFICATIONS	US 1500DC	US 2000DC
Part Number	01540A	01550A
Voltage	120 V	120 V
Frequency	50/60 Hz	
Motor	1.5 HP DC permanent magnet with integrated brush wear indicator	
Pad Speed	1,500 RPM	2,000 RPM
Pad Diameter	20 in	
Dust Control	Passive dual air port filter bag collection	
Handle Positions	3 positions - locks upright, locked folded over motor, floats in operation	
Handle Latch	Foot pedal release	
Operator Control Handle	Ergonomic dihedral design made of die cast aluminum with molded rubber grips	
Wheels	5 in non-marking	
Power Cable / Plug	75 ft super flex with hospital-grade plug	
Mainframe	Polydur molded frame	
Motor Cover	Chrome-plated steel	
Sound Level	66 dB A	67 dB A
Storage Dimensions	24 in x 16 in x 42 in	
Weight	79 lb	
Agency Approvals	cETLus	
Warranty	Polydur Body - 8 Years, Parts - 3 Years, Labor - 1 Year	

Specifications are subject to change without notice.

#### What does it do best?

- Produces high gloss finish
- Provides limitless run time
- Filters and contains airborne dust

#### What enhances its productivity?

- Powerful 1.5 hp motor
- Electric cord provides long run time
- 20 inch burnishing path
- Quick release power cable removal
- Flexible pad driver contours uneven floors

#### What enhances its durability?

- Direct drive - no belts to wear
- Self-regulating pad pressure
- Indestructible Polydur-molded body
- Super flex power cable
- Hospital-grade power plug
- Motor carbon brush wear indicator

#### What are the safety features?

- Safety start push button
- Safety yellow power cable
- Full face pad grip pad driver
- Dual lever run activation



9435 Winnetka Avenue North • Brooklyn Park, MN 55445  
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2  
Phone: 800.668.8400 • Fax: 800.263.5111

# Clarke®



## CarpetMaster® 100 Series Single Motor Vacuums

- **Industry-leading design** delivers exceptional dirt pick-up and edge cleaning, allowing for one pass cleaning and greater staff productivity
- **High efficiency, three-stage H.E.P.A. filtration system** improves indoor air quality for improved occupant comfort
- **Lightweight, ergonomic design** for greater operator comfort
- **Comfortable, quick-draw wand and onboard tools** simplify detailing work
- **Meets LEED requirements** with CRI Seal of Approval and low sound level.


*Clarke's CarpetMaster® 12 inch and 15 inch single-motor upright vacuums deliver affordable quality along with a high level of cleaning performance with its exceptional dirt pick-up and filtration. A full complement of tools and user-friendly design features makes the CarpetMaster easy to use and maintain.*



Trusted. Reliable. Efficient.


# Clarke®

# dd




SPECIFICATIONS	CarpetMaster® 112	CarpetMaster® 115
Part Number	107407690	107407691
Vacuum Motor	120 V, 60 Hz, 1,000 W, 9 amp, 2-stage	
Motor Protection	Airflow bypass valve and thermal overload protection	
Suction (waterlift) / Airflow	92 in / 93 cfm	
Brush	Dual row, chevron style, nylon with variable manual adjustment	
Brush Speed	2,800 RPM	
Cleaning Path	11.5 in (29.2 cm)	14.5 in (36.8 cm)
Filtration	2-ply paper filter bag, motor protection filter, certified H.E.P.A. exhaust filter	
Bag Capacity	4.2 qt (4 L)	
Power Cable	50 ft (15 m) 18/3 wire, safety yellow	
Sound Level	69 dB A	
Onboard Tools	4:1 stretch hose, wand, crevice and upholstery tools	
Dimensions (L x W x H)	13 x 12 x 44 in (33 x 30 x 113 cm)	13 x 15 x 44 in (33 x 38 x 113 cm)
Weight (with Cord)	19.8 lb (9 kg)	20.1 lb (9.1 kg)
Warranty	Motors and bells - 2 Years, Non-wear parts - 1 Year, Labor - 1 Year	


Specifications are subject to change without notice.




Quick change filter bag with convenient spare bag storage.




Cord restraint protects against cord abuse.




Tools-free access to remove brush.



Certified H.E.P.A. filtration captures 99.97% of all particles >0.3 microns for superior air quality.



Accessories are conveniently tucked behind the vacuum wand.



Simple, quick access to clogs in base.



©2013 Nilfisk, Inc. All rights reserved. P/N L328GC 7/13

9435 Winnetka Avenue North • Brooklyn Park, MN 55445  
Phone: 800.253.0367 • Fax: 800.825.2753

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2  
Phone: 800.668.8400 • Fax: 800.263.5111

# Clarke®


www.clarkeus.com



## Material Handling > Bulk Trucks

#24

### 1315 Tilt Truck, Standard Duty (Rotational Molded)



Industrial strength construction transports heavy loads with ease.

- Easy to handle and maneuver through commercial doorways and onto elevators.
- Constant force design allows for controlled dumping by one person.
- Inset wheels on 1/2 cu. yd. (.4 m3) and 1 cu. yd. (.8 m3) models protect walls, fixtures and patrons.
- Smooth surface is easy to clean and resists pitting and corroding.
- X-Colors (Blue, Yellow and Red) available on selected SKUs. Contact customer service for details.
- Optional domed lids available.

#### LEED-APPROVED PRODUCT



This product has the following sustainable attributes:

LEED Credits  
For Recycling

#### AVAILABLE COLORS

Order #	Color	Product UPC/ UCC Code
FG131500 YEL	YEL	086876157253 / 00086876157253
FG131500 RED	RED	086876157260 / 00086876157260
FG131500DBLUE	DBLUE	086876157246 / 00086876157246
FG131500 BLA	BLA	086876183740 / 00086876183740



Yellow  
YEL



Dark Blue  
DBLUE



Red  
RED



Black  
BLA

#### SPECIFICATIONS

	U.S.	Metric
Length:	72.2 in	183.5 cm
Width:	33.5 in	85.1 cm
Height:	43.8 in	111.1 cm
Mass Capacity [Nom]:	1250 lb	567.0 kg
Mass Capacity [Max]:		
Volume Capacity [Nom]:	1 yd3	0.8 m3
Volume Capacity [Max]:		
Volume Capacity [Min]:		
Carton Cube:	70.55 ft3	1.77 m3
Ship Weight/Carton:	111 lb	50.35 kg

Pack Quantity: 1  
Cartons Per Pallet: 3  
Material: HDPE  
Process: Rotational Molding

#### ADDITIONAL INFORMATION:

Chemical Resistance Guide: chem.pdf  
Frequently Asked Questions

#### Products in Rotomolded Tilt Trucks

Item #	Description	Length	Width	Height	Mass Capacity	Material	Process	Volume Capacity
1025	Tilt Truck, Standard Duty (Rotational Molded)	80.5 in	43.00 in	49.5 in	1200.0 lb	HDPE	Rotational Molding	1 1/2 yd3
1026	Tilt Truck, Heavy-Duty (Rotational Molded)	80.5 in	43.00 in	49.5 in	2100.0 lb	HDPE	Rotational Molding	1 1/2 yd3
1035	Tilt Truck, Standard Duty (Rotational Molded)	81.2 in	46.75 in	50.0 in	1900.0 lb	HDPE	Rotational Molding	2 yd3
1036	Tilt Truck, Heavy-Duty (Rotational Molded)	81.2 in	46.75 in	50.0 in	2300.0 lb	HDPE	Rotational Molding	2 yd3
1045	Tilt Truck, Standard Duty (Rotational Molded)	81.5 in	55.50 in	50.0 in	1900.0 lb	HDPE	Rotational Molding	2 1/2 yd3
1046	Tilt Truck, Heavy-Duty (Rotational Molded)	81.5 in	55.50 in	50.0 in	2300.0 lb	HDPE	Rotational Molding	2 1/2 yd3


# WESCO COBRA-LITE ALUMINUM HAND TRUCKS

## Cobra-Lite features:

- All aluminum construction.
- Heavy duty cast 7.5" by 14" or 7.5" by 18" wide nose plate options.
- Quality light weight truck at an economical price.

- Ships KD and boxed or as components (see page 33).
- All 2" wide cross braces for additional strength. Great for advertising label.
- Assembly option available. Add "-A" to Part # below. Example: 220566-A.

# COBRA




410-T14-R3

### Series 410

- Continuous handle.
- 49" overall height.
- Most popular model.
- Available with vinyl dipped handle. See component system on page 33.

#### OVERALL DIMENSIONS

w: 18"  
h: 49"  
d: 20



420-T18-P

### Series 420

- High back pin handle.
- Comfortable vinyl hand grip.
- 52" overall height.

#### OVERALL DIMENSIONS

w: 18"  
h: 52"  
d: 20

T14" Nose Part#	220562	220332	220321	220370	220322	220375	220564	220333	220324	220371	220325	220376
Model #	410-T14-BC10	410-T14-R3	410-T14-Z	410-T14-Z2	410-T14-P	410-T14-PE	420-T14-BC10	420-T14-R3	420-T14-Z	420-T14-Z2	420-T14-P	420-T14-PE
Capacity	560 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	560 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Wheel Type	BC-10	R3	Z	Z2	P	PE	BC-10	R3	Z	Z2	P	PE
Weight	23 lbs	23 lbs	27.5 lbs	31 lbs	22.5 lbs	21 lbs	23 lbs	19.5 lbs	27.5 lbs	26 lbs	22.5 lbs	21 lbs
T18" Nose Part#	220563	220392	220381	220396	220382	220385	220565	220393	220384	220397	220395	220386
Model #	410-T18-BC10	410-T18-R3	410-T18-Z	410-T18-Z2	410-T18-P	410-T18-PE	420-T18-BC10	420-T18-R3	420-T18-Z	420-T18-Z2	420-T18-P	420-T18-PE
Capacity	560 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs	560 lbs	600 lbs	600 lbs	600 lbs	600 lbs	600 lbs
Wheel Type	BC-10	R3	Z	Z2	P	PE	BC-10	R3	Z	Z2	P	PE
Weight	23 lbs	20.5 lbs	28.5 lbs	27 lbs	23.5 lbs	22 lbs	23 lbs	20.5 lbs	28.5 lbs	27 lbs	23.5 lbs	22 lbs

BC-10	R3	Z	Z2	P	PE	BC-8	CF (Flat Free)
Poly Offset Hub 10" x 2.165"	Aluminum Offset 8" x 1.625"	Steel Offset 10" x 2.75"	Poly Offset 10" x 2.75"	Steel Offset 10" x 3.5"	Steel Offset 10" x 3.5"	Poly Hub 8" x 2.165"	Steel Offset 10" x 3"
Balloon Cushion	Moldon Rubber	Semi-Pneumatic	Solid Rubber	Pneumatic	Pneumatic	Balloon Cushion	Microcellular
150228	108561	150589	150698	050602	151551	150229	053446



# WESCO STEEL PLATFORM TRUCKS

## Steel Platform Truck Features:


- Heavy duty 12 gauge steel reinforced welded construction.
- Constructed for both standard corner or diamond caster mounting pattern.
- Removable two cross-brace handle can be inserted in either end.
- Choose your caster: Platforms and casters sold separately, except #272265.
- All platforms include one handle. Additional handles available as an option. (except #272265)
- All listed capacities are based on evenly distributed loads.



Standard Caster Pattern OR Diamond Caster Pattern



272268



272265

## Steel Platform Trucks (Casters sold separately)

- 32" high handles from platform top.

OVERALL DIMENSIONS						
w: 24"	24"	27"	30"	30"	36"	36"
h: 2"	2"	2"	2"	2"	2"	2"
d: 39.5"	48"	57.5"	51.5"	63.5"	63.5"	75.5"

## Economy Steel Platform Truck

- Ships complete. Platform, one handle, four 5" x 1.25" casters.
- Deck height - 5.75", handle height - 41".
- Maximum capacity 750 lbs.

### OVERALL DIMENSIONS

w: 24"
h: 41"
d: 42"

Part #	272266	272267	272268	272269	272270	272271	272272	272265
Structural Capacity	NOT TO EXCEED 4,000 LBS							750 lbs
Platform W x L	24" x 36"	24" x 48"	27" x 54"	30" x 48"	30" x 60"	36" x 60"	36" x 72"	24" x 42"
Caster	chart selection	chart selection	chart selection	chart selection	chart selection	chart selection	chart selection	5" x 1.25" rubber
Weight	86 lbs	65 lbs	82 lbs	115 lbs	135 lbs	126 lbs	172 lbs	62 lbs

Actual capacity of assembled platform is dependent upon caster capacity but should never exceed the platform's structural capacity, regardless of caster type.

## Caster Sets

- Each caster set contains 2 swivel and 2 rigid casters.

## Extra Handles for Trucks with


24" Wide Platform	27" Wide Platform	30" Wide Platform	36" Wide Platform
-------------------	-------------------	-------------------	-------------------

Part #	272191	272192	272193	272194	272195	272201	272202	272203	272197	272198	272199	272200
Set Capacity	1,600 lbs	2,500 lbs	4,000 lbs	1,600 lbs	2,500 lbs	1,600 lbs	1,800 lbs	2,200 lbs	N/A	N/A	N/A	N/A
Description	6" x 1.375" Polyolefin	8" x 2" Polyolefin	8" x 2" Moldon Polyurethane on cast iron hub	8" x 2.5" Full Pneumatic	10" x 3.5" Full Pneumatic	5" x 2" Moldon Rubber on cast iron hub	6" x 2" Moldon Rubber on cast iron hub	8" x 2" Moldon Rubber on cast iron hub	N/A	N/A	N/A	N/A
"H" Dimension Floor to Platform Top	9"	11.5"	11.5"	12.25"	14.00"	8.5"	9.5"	12.5"	N/A	N/A	N/A	N/A
Caster Height	7"	9.5"	9.5"	10.25"	12"	6.5"	7.5"	10.25"	N/A	N/A	N/A	N/A
Weight	9 lbs	31 lbs	42 lbs	31 lbs	40 lbs	32 lbs	29 lbs	39 lbs	15 lbs	16 lbs	17 lbs	19 lbs


Actual capacity of assembled platform is dependent upon caster capacity but should never exceed the platform's structural capacity, regardless of caster type.

# WESCO CPI AND CP3 PALLET TRUCKS


## REFERENCE SCHEMATIC FOR PAGES 44 & 45



**Pallet Truck  
Chock:  
High  
Visibility  
Yellow**



FOR MORE PALLET TRUCK OPTIONS  
(Chocks and Guards) see page 54.




272660

### CPI Pallet Truck

- 2 year pump warranty.
- 4 mm thick forks.
- Adjustable fork connecting rods.
- Overload bypass.
- Rubber coated handle.

- 7" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.
- Entry and Exit Rollers.
- 8 Gauge, 6" wide forks.
- 210° steering radius.
- NEW 18" wide fork model #272854.



273448

### CP3 Pallet Truck

- 2 year pump warranty.
- 3 mm thick forks.
- Adjustable fork connecting rods.
- Overload bypass.
- Rubber coated handle.
- 7" moldon polyurethane steering wheels.
- 3" moldon polyurethane load wheels.
- Entry and Exit Rollers.
- 210° steering radius.

Part #	272854	272655	272656	272657	272658	272659	272660	273453	273454	273448
Capacity	5,500 lbs	5,500 lbs	5,500 lbs	5,500 lbs	5,500 lbs	5,500 lbs	5,500 lbs	5,500 lbs	5,500 lbs	5,500 lbs
W-1 x L-1	18" x 48"	21" x 36"	21" x 42"	21" x 48"	27" x 36"	27" x 42"	27" x 48"	21" x 36"	21" x 48"	27" x 48"
W-2	6.25"	6.25"	6.25"	6.25"	6.25"	6.25"	6.25"	6.25"	6.25"	6.25"
L-2	63"	51"	57"	63"	51"	57"	63"	51"	63"	63"
WHL-1 / WHL-2	7" / 3"	7" / 3"	7" / 3"	7" / 3"	7" / 3"	7" / 3"	7" / 3"	7" / 3"	7" / 3"	7" / 3"
H-1 / H-2 / H-3	48.25" / 29" / 17.25"	48.25" / 29" / 17.25"	48.25" / 29" / 17.25"	48.25" / 29" / 17.25"	48.25" / 29" / 17.25"	48.25" / 29" / 17.25"	48.25" / 29" / 17.25"	48.25" / 29" / 17.25"	48.25" / 29" / 17.25"	48.25" / 29" / 17.25"
Weight	171 lbs	153 lbs	161.5 lbs	169.5 lbs	162 lbs	171 lbs	180 lbs	139 lbs	152.5 lbs	164.5 lbs