

LOUISIANA UNIFORM PUBLIC WORK BID FORM

TO: Parish of Jefferson  
Department of General Services  
200 Derbigny Street, Suite 3300  
Gretna, LA 70053

(Owner to provide name and address of owner)

BID FOR: Labor, materials, equipment, crane work,  
and incidentals to install a silicone roof coating  
system at the Jefferson Parish Correctional Center,  
100 Dolhonde Street, Gretna, LA 70053 - BID #50-00145553

(Owner to provide name of project and other identifying  
information)

The undersigned bidder hereby declares and represents that she/he: a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared  
by: Department of General Services and dated: April 24, 2024

(Owner to provide name of entity preparing bidding documents.)

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following ADDENDA: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging)

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" \* but not alternates) the sum of:

Two Hundred Thousand Two Hundred Dollars Dollars (\$ 200,200)

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

ADD - Per Attachment A of the specifications - Labor, materials, equipment, crane work, & incidentals to install a silicone roof coating system. (South Wing) Dollars (\$ 107,800 )

Alternate No. 2 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

ADD - Per Attachment A of the specifications - Labor, materials, equipment, crane work, & incidentals to install a silicone roof coating system. (Central Plant) Dollars (\$ 35,200 )

Alternate No. 3 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$ )

NAME OF BIDDER: Sieverding Construction, Inc.

ADDRESS OF BIDDER: 278 General Patton Ave. Ste 600  
Mandeville, LA 70471

LOUISIANA CONTRACTOR'S LICENSE NUMBER: 43074

NAME OF AUTHORIZED SIGNATORY OF BIDDER: Mark A. Sieverding

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: President

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER \*\*: 

DATE: July 16, 2024

**THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:**

\* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

\*\* A CORPORATE RESOLUTION OR WRITTEN EVIDENCE of the authority of the person signing the bid for the public work as prescribed by LA R.S. 38:2212(B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA R.S. 38:2218(A) attached to and made a part of this bid.

**LOUISIANA UNIFORM PUBLIC WORK BID FORM**  
**UNIT PRICE FORM**

**TO:** Parish of Jefferson  
Department of General Services  
200 Derbigny Street, Suite 3300  
Gretna, LA 70053

(Owner to provide name and address of owner)

**BID FOR:** Labor, materials, equipment, crane work,  
& incidentals necessary to install a silicone roof coating  
system at the Jefferson Parish Correctional Center,  
100 Dolhonde Street, Gretna, LA 70053 - BID #50-0014553

(Owner to provide name of project and other identifying  
information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# Labor, materials, equipment, crane work, & incidentals to install a silicone roof coating system at the J.P. Correctional Center				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
	1	JOB	200,200	200,200

DESCRIPTION: <input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# Provide a cost per square foot to remove, repair, & replace water-damaged roofing materials (Section 9.0 of specifications)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
	1	SQ FT	8.75	8.75

DESCRIPTION: <input type="checkbox"/> Base Bid or <input checked="" type="checkbox"/> Alt.# Per Attachment A of the specifications - Labor, materials, equipment, crane work, & incidentals to install a silicone roof coating system. (South Wing)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
	1	JOB	107,800	107,800

DESCRIPTION: <input type="checkbox"/> Base Bid or <input checked="" type="checkbox"/> Alt.# Per Attachment A of the specifications - Labor, materials, equipment, crane work, & incidentals to install a silicone roof coating system. (Central Plant)				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
	1	JOB	35,200	35,200

DESCRIPTION: <input type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION: <input type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION: <input type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION: <input type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION: <input type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION: <input type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#				
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

Wording for "DESCRIPTION" is to be provided by the Owner.

All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

## CORPORATE RESOLUTION

A meeting of the Board of Directors of Sieverding Construction, Inc., a Corporation organized under the laws of the State of Louisiana /domiciled in St. Tammany Parish, was held this 7<sup>th</sup> day of January, 2009, and was attended by a quorum of the members of the Boards of Directors.

The following resolution was offered, duly seconded and, after discussion, was unanimously adopted by said quorum:

**BE IT RESOLVED**, that Mark A. Sieverding is hereby authorized to submit bid proposals and execute contracts and/or agreements on behalf of this corporation.

I, Mark A. Sieverding, hereby certify that I am the Secretary of Sieverding Construction, Inc., a corporation created under the laws of the State of Louisiana /domiciled in St. Tammany Parish; that the foregoing is a true and exact copy of a resolution adopted by a quorum of the Board Of Directors of said corporation at the meeting legally called and held on the 7<sup>th</sup> day of January, 2009, as said resolution appears in the Official Minutes of the Board of Directors in my possession.

This 7<sup>th</sup> day of January, 2009.

  
MARK A. SIEVERDING, President/Secretary

SWORN TO AND SUBSCRIBED  
BEFORE ME this 8<sup>th</sup> day  
Of January, 2009

  
NOTARY PUBLIC

JOY CHEW  
Notary Public I.D. # 67867  
St. Tammany Parish  
State of Louisiana  
My Commission expires with life



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

03/11/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> <b>Lighthouse Insurance Agency LLC</b> 802 Pine Street Madisonville, LA 70447 License #: 774574	<b>CONTACT NAME:</b> Melinda Bouterie-Badon <b>PHONE (A/C, No, Ext):</b> (985)845-3663 <b>E-MAIL ADDRESS:</b> melinda@marcusagent.com <b>FAX (A/C, No):</b> (866)669-0081																					
<b>INSURED</b> <b>SIEVERDING CONSTRUCTION, INC.</b> 278 GENERAL PATTON AVE STE 600 MANDEVILLE, LA 70471-8700	<table><tr><th colspan="2">INSURER(S) AFFORDING COVERAGE</th><th>NAIC #</th></tr><tr><td>INSURER A:</td><td>Berkley Assurance Company</td><td></td></tr><tr><td>INSURER B:</td><td>Berkshire Hathway-Guard</td><td>19232</td></tr><tr><td>INSURER C:</td><td>Nautilus Insurance Company</td><td>17370</td></tr><tr><td>INSURER D:</td><td>Amerisafe</td><td></td></tr><tr><td>INSURER E:</td><td>Transguard</td><td></td></tr><tr><td>INSURER F:</td><td></td><td></td></tr></table>	INSURER(S) AFFORDING COVERAGE		NAIC #	INSURER A:	Berkley Assurance Company		INSURER B:	Berkshire Hathway-Guard	19232	INSURER C:	Nautilus Insurance Company	17370	INSURER D:	Amerisafe		INSURER E:	Transguard		INSURER F:		
INSURER(S) AFFORDING COVERAGE		NAIC #																				
INSURER A:	Berkley Assurance Company																					
INSURER B:	Berkshire Hathway-Guard	19232																				
INSURER C:	Nautilus Insurance Company	17370																				
INSURER D:	Amerisafe																					
INSURER E:	Transguard																					
INSURER F:																						

**COVERAGES****CERTIFICATE NUMBER: 00001239-1776588****REVISION NUMBER: 60**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS														
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR  GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:		VUMA0286970	09/28/2023	09/28/2024	<table><tr><td>EACH OCCURRENCE</td><td>\$ 1,000,000</td></tr><tr><td>DAMAGE TO RENTED PREMISES (Ea occurrence)</td><td>\$ 100,000</td></tr><tr><td>MED EXP (Any one person)</td><td>\$ 5,000</td></tr><tr><td>PERSONAL &amp; ADV INJURY</td><td>\$ 1,000,000</td></tr><tr><td>GENERAL AGGREGATE</td><td>\$ 2,000,000</td></tr><tr><td>PRODUCTS - COMP/OP AGG</td><td>\$ 2,000,000</td></tr><tr><td></td><td>\$</td></tr></table>	EACH OCCURRENCE	\$ 1,000,000	DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 100,000	MED EXP (Any one person)	\$ 5,000	PERSONAL & ADV INJURY	\$ 1,000,000	GENERAL AGGREGATE	\$ 2,000,000	PRODUCTS - COMP/OP AGG	\$ 2,000,000		\$
EACH OCCURRENCE	\$ 1,000,000																			
DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 100,000																			
MED EXP (Any one person)	\$ 5,000																			
PERSONAL & ADV INJURY	\$ 1,000,000																			
GENERAL AGGREGATE	\$ 2,000,000																			
PRODUCTS - COMP/OP AGG	\$ 2,000,000																			
	\$																			
B	<input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY		SIAU541823	03/06/2024	03/06/2025	<table><tr><td>COMBINED SINGLE LIMIT (Ea accident)</td><td>\$ 1,000,000</td></tr><tr><td>BODILY INJURY (Per person)</td><td>\$</td></tr><tr><td>BODILY INJURY (Per accident)</td><td>\$</td></tr><tr><td>PROPERTY DAMAGE (Per accident)</td><td>\$</td></tr><tr><td></td><td>\$</td></tr></table>	COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000	BODILY INJURY (Per person)	\$	BODILY INJURY (Per accident)	\$	PROPERTY DAMAGE (Per accident)	\$		\$				
COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000																			
BODILY INJURY (Per person)	\$																			
BODILY INJURY (Per accident)	\$																			
PROPERTY DAMAGE (Per accident)	\$																			
	\$																			
C	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$		AN1269081	09/28/2023	09/28/2024	<table><tr><td>EACH OCCURRENCE</td><td>\$ 3,000,000</td></tr><tr><td>AGGREGATE</td><td>\$ 3,000,000</td></tr><tr><td></td><td>\$</td></tr></table>	EACH OCCURRENCE	\$ 3,000,000	AGGREGATE	\$ 3,000,000		\$								
EACH OCCURRENCE	\$ 3,000,000																			
AGGREGATE	\$ 3,000,000																			
	\$																			
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below Y/N <input checked="" type="checkbox"/> N/A		SVWCLA3243502024	01/20/2024	01/20/2025	<table><tr><td><input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER</td><td></td></tr><tr><td>E.L. EACH ACCIDENT</td><td>\$ 1,000,000</td></tr><tr><td>E.L. DISEASE - EA EMPLOYEE</td><td>\$ 1,000,000</td></tr><tr><td>E.L. DISEASE - POLICY LIMIT</td><td>\$ 1,000,000</td></tr></table>	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER		E.L. EACH ACCIDENT	\$ 1,000,000	E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000	E.L. DISEASE - POLICY LIMIT	\$ 1,000,000						
<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER																				
E.L. EACH ACCIDENT	\$ 1,000,000																			
E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000																			
E.L. DISEASE - POLICY LIMIT	\$ 1,000,000																			
E	Leased/Rented Equipm		MII-40631	01/12/2024	01/12/2025	<table><tr><td></td><td>\$ 100,000</td></tr></table>		\$ 100,000												
	\$ 100,000																			

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

**Workers Comp: Mark Sieverding****CERTIFICATE HOLDER****CANCELLATION****\*\*FOR BIDDING PURPOSES ONLY\*\***

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

(MMB)

© 1988-2015 ACORD CORPORATION. All rights reserved.

**Public Works Bid**

**AFFIDAVIT**

**STATE OF** LOUISIANA

**PARISH/COUNTY OF** ST. TAMMANY

BEFORE ME, the undersigned authority, personally came and appeared: Mark A. Sieverding, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized Officer/President of Sieverding Construction, Inc. (Entity), the party who submitted a bid in response to Bid Number 50-00145553, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

**(Choose A or B, if option A is indicated please include the required attachment):**

**Choice A** \_\_\_\_\_ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

**Choice B** XX there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

**(Choose A or B, if option A is indicated please include the required attachment):**

Choice A \_\_\_\_\_ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the parish to the Affiant.

Choice B XX There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Affiant personally has not been convicted of, nor has he/she entered into a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. No individual partner, incorporator, director, manager, officer, organizer, or member, who has a minimum of a ten percent ownership in the Bidding Entity, has been convicted of, or has entered a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall permanently bar any person or the bidding entity from bidding on public projects:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall bar any person or the bidding entity from bidding on public projects for a period of five years from the date of conviction or from the date of the entrance of the plea of guilty or nolo contendere:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67, 16)
- (c) Theft of a business record (R.S. 14:67.20)
- (d) False accounting (R.S. 14:70)
- (e) Issuing worthless checks (R.S. 14:71)
- (f) Bank fraud (R.S. 14:71.1)
- (g) Forgery (R.S. 14:72)
- (h) Contractors; misapplication of payments (R.S. 14:202)
- (i) Malfeasance in office (R.S. 14:134)

The five-year prohibition provided for in this section shall apply only if the crime was committed during the solicitation or execution of a contract or bid awarded pursuant to these provisions. If evidence is submitted substantiating that a false attestation has been made and the project must be readvertised or the contract cancelled, the awarded entity making the false attestation shall be responsible to the public entity for the costs of rebidding, additional costs due to increased costs of bids and any and all delay costs due to the rebid or cancellation of this project.

*[The remainder of this page is intentionally left blank.]*




Affiant further said:

- (1) Entity is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens.
- (2) Entity shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana.
- (3) Entity shall require all subcontractors to submit to the Entity a sworn affidavit verifying compliance with statements (1) and (2).

  
\_\_\_\_\_  
Signature of Affiant

Mark A. Sieverding  
\_\_\_\_\_  
Printed Name of Affiant


SWORN AND SUBSCRIBED TO BEFORE ME  
ON THE 15 DAY OF July, 2024.

  
\_\_\_\_\_  
Notary Public

Joy Auberte  
\_\_\_\_\_  
Printed Name of Notary

67867  
\_\_\_\_\_  
Notary/Bar Roll Number

My commission expires with life.






## Bid Bond in Accordance with Contract Specifications

Be sure to refer to the actual bond documents referenced in the contract specifications for specific terms before completing this form.

<b>PRINCIPAL NAME</b> Sieverding Construction, Inc.	<b>PRINCIPAL ADDRESS</b> 278 General Patton Ave., Suite 600, Mandeville, LA 70471
<b>SURETY NAME</b> American Alternative Insurance Corporation	<b>SURETY ADDRESS</b> 437 Madison Ave, New York, NY 10022
<b>OBLIGEE NAME</b> Jefferson Parish	<b>OBLIGEE ADDRESS</b> 200 Derbigny Street, Gretna, LA 70053

### Bond Information

<b>BID DATE</b> 07/16/2024	<b>CONTRACT ID</b> 50-00145553	<b>CONTRACT VENDOR ID</b> 233694
<b>PROJECT DESCRIPTION</b> Furnish Labor, Materials and Equipment to Install a Silicone Roof Coating System at the Jefferson Parish Correctional Center		
<b>AMOUNT OF BID SECURITY</b> 5%	<b>AMOUNT OF BID SECURITY-SPELLED OUT</b> Five Percent of Total Amount Bid	
<b>BOND ENTERED AND EXECUTED BY</b> Meghann C. Turner		<b>ATTORNEY-IN-FACT SIGNATURE</b> 

Know all men by these presents that American Alternative Insurance Corporation, a Corporation duly organized under the laws of the State of Delaware, are held and firmly bound unto the above owner/obligee by the transmission. The surety agrees to waive the statute of fraud defense and further agrees that the owner/obligee is a third party beneficiary of the waiver for the purposes of enforcing this bid bond.



KNOW ALL MEN BY THESE PRESENTS: That the AMERICAN ALTERNATIVE INSURANCE CORPORATION, a corporation organized and existing by virtue of the laws of the State of Delaware ("Corporation") with offices at 555 College Road East, Princeton, N.J. 08543, has made, constituted and appointed, and by these presents, does make, constitute and appoint:

Meghann C. Turner

its true and lawful Attorneys-in-Fact, at Princeton, in the State of New Jersey, each of them alone to have full power to act without the other or others, to make, execute and deliver on its behalf, as Surety or Co-surety, bonds and undertakings given for any and all purposes, also to execute and deliver on its behalf as aforesaid renewals, extensions, agreements, waivers, consents or stipulations relating to such bonds or undertakings provided, however, that no single bond or undertaking so made, executed and delivered shall obligate said Company for any portion of the penal sum thereof in excess of the sum of One Hundred Million Dollars (\$100,000,000).

Such bonds and undertakings for said purposes, when duly executed by said Attorney(s)-in-Fact, shall be binding upon said Company as fully and to the same extent as if signed by the President of said Company under its corporate seal attested by its Secretary.

This appointment is made under and by authority of a certain Resolution adopted at a meeting of the Board of Directors of said Company duly held on the 27th day of August, 1975, a copy of which appears below.

IN WITNESS WHEREOF, the AMERICAN ALTERNATIVE INSURANCE CORPORATION has caused its corporate seal to be hereunto affixed, and these presents to be signed by its duly authorized officers this 24<sup>th</sup> day of September, 2021.



By:

Michael G. Kerner

Michael G. Kerner  
President

Attest:

Ignacio Rivera

Ignacio Rivera

Deputy General Counsel & Secretary

#### STATE OF NEW JERSEY, COUNTY OF SOMERSET

The foregoing instrument was acknowledged before me by means of online notarization this 24<sup>th</sup> day of September, 2021, by Michael G. Kerner and Ignacio Rivera, who are personally known to me.



Jillian Sanfilippo  
Jillian Sanfilippo, Notary Public  
State of New Jersey  
My Commission Expires February 8, 2026

#### SECRETARY'S CERTIFICATE

The undersigned, Ignacio Rivera, hereby certifies:

1. That the undersigned is Secretary of American Alternative Insurance Corporation, a corporation of the State of Delaware;
2. That the original power of attorney of which the foregoing is a copy was duly executed on behalf of said Corporation on the day of its date, and has not since been revoked, amended or modified; that the undersigned has compared the foregoing copy thereof with said original power of attorney, and that the same is a true and correct copy of said original power of attorney and of the whole thereof;
3. That the original resolution of which the following is a copy was duly adopted at, and recorded in the minutes of, a regular meeting of the Board of Directors of said Corporation duly held on August 4, 1998, and has not since been revoked, amended or modified.

RESOLVED, that each of the following officers of this Corporation, namely, the President, the Executive Vice President, the Senior Vice Presidents, and the Vice Presidents, be, and they hereby are, authorized, from time to time in their discretion, to appoint such agent or agents or attorney or attorneys-in-fact as deemed by them necessary or desirable for the purpose of carrying on this Corporation's business, and to empower such agent or agents or attorney or attorneys-in-fact to execute and deliver, in this Corporation's name and on its behalf, and under its seal or otherwise, surety bonds, surety undertakings or surety contracts made by this Corporation as surety thereon.

RESOLVED, that the signature of any authorized officer of the Corporation and the Corporation's seal may be affixed by facsimile to any power of attorney and revocation of any power of attorney or certificate of either given for the execution of any surety bond, surety undertaking, or surety contract, such signature and seal, when so used being hereby adopted by the Corporation as the original signature of such officer and the original seal of the Corporation, to be valid and binding upon the Corporation with the same force and effect as though manually affixed.

FURTHER RESOLVED, that any prior appointments by the Corporation of MGAs are, in all respects, hereby ratified, confirmed and approved.

FURTHER RESOLVED, that the Secretary or any Assistant Secretary of this Corporation is hereby authorized to certify and deliver to any person to whom such certification and delivery may be deemed necessary and desirable in the opinion of such Secretary or Assistant Secretary, a true copy of the foregoing resolution.

4. The undersigned has compared the foregoing copies of said original resolutions as so recorded, and they are the same true and correct copies of said original resolutions as so recorded and of the whole thereof.

Witness the hand of the undersigned and the seal of said Corporation this 07/15/2024.



AMERICAN ALTERNATIVE INSURANCE CORPORATION

Ignacio Rivera

Ignacio Rivera (Sep 24, 2021 14:06 EDT)

Ignacio Rivera  
Deputy General Counsel & Secretary

TRS-1001-1



## **SILICONE ROOF COATING RESTORATION (RCR) SYSTEM OVER MODIFIED BITUMEN OR SMOOTH SURFACE BUR**

### **Part 1. General Conditions**

#### **1.1 Description**

##### **A. Scope of Work**

Provide all materials, labor and equipment required for the installation of the RCR System over the existing modified bitumen or smooth surface built-up roof including all ancillary products.

##### **B. Related Work**

1. Perform Moisture Survey
2. Replace Wet Insulation
3. Repair All Sheet Metal Defects,
4. Repair All Flashing Defects
5. Surface Preparation
6. Perform Adhesion Tests
7. Install Silicone RCR Membrane
8. Install Walkway Systems

#### **1.2 Performance Requirements**

- A. Conform to applicable code for fire resistance ratings of roof system.
- B. Underwriters Laboratories, Inc. - UL 790: Class A Fire Hazard Classification.
- C. Factory Mutual (FM) – FM Standard 4470 approval
- D. All silicone products must be domestically produced. Products produced outside of the US will not be accepted.
- E. Coating manufacturer must produce its own product. Private labeled silicone coating products will not be accepted.

#### **1.3 Submittals**

- A. Product Data: Product data on silicone coating, physical and chemical properties, preparation of substrate required, product limitations, and cautionary requirements.
- B. Safety Data *Sheets* (SDS)
- C. Shop Drawings: Roof plan and details showing extent of roofing, intersections with adjacent surfaces, and details of expansion joints, counterflashing, and other items for a complete roofing system.
- D. Manufacturer's Installation Instructions: Indicate installation requirements and procedures.
- E. Certificates:
  1. Product certificates signed by the manufacturer certifying material is in compliance with the specified performance characteristics and criteria, and physical requirements.
- F. Provide a copy of PM Certified Licensed Applicator (CLA) certificate.
- G. Sample copy of PM warranty

- H. Maintenance Data: For RCR System to include in maintenance manuals.
- I. Final Inspection Report: Copy of roofing system manufacturer's inspection report of completed roofing installation.

## **1.4 Quality Assurance**

### **A. Manufacturer:**

1. Company specializing in the manufacturing of the system specified in this Section.
2. A minimum of 10,000,000 square feet of a similar system installed.
3. A minimum of 10 years manufacturing experience.

### **B. Installer:**

1. Installer must be a Certified Licensed Applicator (CLA) by the Manufacturer providing the warranty and is capable of receiving the specified warranty.
2. CLA to ensure all personnel are properly trained and have a full understanding of all OSHA safety requirements.

### **C. Manufacturer Field Representative: Provide a qualified representative of the Manufacturer providing the warranty to monitor and periodically inspect the installation.**

## **1.5 Delivery, Storage, and Handling**

- A. Deliver and store liquid materials and other products in their original unopened containers or packaging until ready for installation.
- B. Materials shall be clearly labeled with the manufacturer's name, product identification, safety information, and lot numbers.
- C. Store materials indoors whenever possible.
- D. Product should be stored in a range of 40-80 degrees Fahrenheit.
- E. Comply with the manufacturer's instructions for handling and safety procedures.
- F. Store and dispose of solvent-based materials, and materials used with solvent-based materials, in accordance with requirements of local authorities having jurisdiction.

## **1.6 Environmental Requirements**

- A. Maintain logs of environmental conditions (temperature, humidity, and wind speed) within limits recommended by manufacturer for optimum results. Do not install products under environmental conditions outside of manufacturer's limits.
- B. Weather Limitations: Proceed with installation only when existing and forecasted weather conditions permit roofing system to be installed according to manufacturer's written instructions and warranty requirements.
- C. Do not install silicone coating under the following conditions:
  1. When ambient temperature is below 35° F.
  2. At temperatures less than 5° F above dew point.

## **1.7 Warranty**

- A. Provide Manufacturer's (5, 10, 15 or 20 year) labor & material warranty covering leaks due to silicone material failure.

# **Part 2. Products**

## **2.1 Acceptable Products**

- A. Insulation Board
  1. Match existing material
- B. Cleaners and Primers

1. Progressive Materials: P-160 Bleed-Block Primer
  - C. Silicone Caulk Sealant
    1. Progressive Materials: SS 300 Series Silicone Sealant
  - D. Flashing Grade Sealant
    1. Progressive Materials: FG 400 Silicone Flashing Grade Sealant
  - E. Surface Leveling Coating
    1. Progressive Materials: Pro-Level SL 800 (see TDS for application and rate)
  - F. Ponding Water Eliminator
    1. Progressive Materials: Pro Slope SL 850 (see TDS for application and rate)
  - G. Reinforcing Fabric
    1. Progressive Materials: PF 200 Polyester Fabric
      - a. PF 206 – 6"
      - b. PF 212 – 12"
  - H. Moisture Relief Vents
    1. Progressive Materials: MRV 600 One-Way Roof Vent
  - I. Walkway System
    1. Progressive Materials: Pro-Grip Walkway System
      - a. PG 700 Pro-Grip Yellow Walkway Coating
      - b. PG 750 Pro-Grip Yellow Walkway Granules
  - I. Skylight Sealer
    1. Progressive Materials: HS 3220 Clear Silicone Skylight Coating
  - J. Silicone Coating
    1. Progressive Materials: Pro-EcoSil HS 3200 Series
- 2.2 Silicone Coating Materials**
- A. Silicone base and top coat to be Pro-EcoSil HS 3200 Series Silicone Coating by Progressive Materials, LLC and complying with the following minimum properties:
1. Tensile Strength: ASTM D412, 247.
  2. Elongation: ASTM D412, 237 percent minimum at break at 75° F.
  3. Water Vapor Permeance: ASTM D-96, 10.7 at 20 mils.
  4. Fire resistance: ASTM E108, UL 790 Class A.
  5. Color: Owner to select standard topcoat color.
  6. Solids Content: 92% ±3%
  7. VOC Content: < 50 grams/liter
  8. Initial Solar Reflectivity: .89
  9. Initial Thermal Emissivity: .90
  10. SRI Value: 113

## **Part 3. Execution**

### **3.1 Examination**

- A. Verify roof slope prior to beginning installation. There is to be no single area of standing water on the roof 24 hours after a rain, greater than 100 sq. ft. and more than ½" deep.
- B. Perform infra-red thermal, or other industry accepted method, to scan of roof to identify any wet insulation.
- C. Identify all seam failures, flashings failures and inadequate sheet metal details.
- D. Inspect all roof drains to ensure proper performance.
- E. Inspect all roof system fasteners for back out.

### **3.2 Preparation**

#### **A. Membrane Cleaning:**

- 1. Thoroughly power wash roof surface and all other areas to receive new coating with a minimum of 2,000 psi water pressure. Be sure not to damage existing membrane during this process.
- 2. After the surface has dried, perform an adhesion test. If the coating does not properly adhere to the surface, additional power washing/cleaning method or removal may be required.
- 3. Any areas of grease contamination are to be cleaned with an industrial strength detergent or removed and replaced.

#### **B. Existing Wet Insulation Areas:**

- 1. Roof areas containing moisture below the roof surface shall either be replaced, or for areas less than 500 sq. ft. with moderate moisture content, a moisture relief vent shall be installed.
  - a. Wet Insulation Replacement (wet area is greater than 500 sq. ft.)
    - 1) Remove roof system and wet insulation
    - 2) Replace insulation with identical insulation materials. Fasten new insulation at a rate determined by local code
    - 3) Roof system is to be replaced with like materials and overlapped a minimum of 12" on to the existing roof system.

#### **C. Leading Edges: At the leading edges of roof patches, apply a 3-course coating and fabric utilizing the PF 200 Polyester Fabric and HS 3200 Silicone Coating.**

- 1. Apply 12 to 15 mils of silicone coating over surface to receive fabric.
- 2. Embed fabric into silicone coating while still wet. Smooth out fabric and ensure there are no wrinkles or fish mouths
- 3. After the base coating has cured, apply a minimum 20 mil coat of HS 3200 silicone coating over the fabric to ensure complete saturation.

#### **D. Moisture Relief Vent Installation (wet area is less than 500 sq. ft.)**

- 1. Locate center of moisture containing insulation.
- 2. Cut a 4" diameter opening through the membrane and insulation material; remove material to vapor barrier or deck.
- 3. Lay the MRV 600 Roof Vent on top of roof system and attach vent to the roof deck with the appropriate fastener. Install 4 fasteners per vent, evenly spaced.



4. Clean area of vent that is to receive flashing material with clean rag and solvent to remove oil film from vent.
5. Flash in vent with the following procedure:
  - a. Apply a 3-course coating and fabric utilizing the PF 200 Polyester Fabric and HS 3200 Silicone Coating.
    - 1) Apply 12 to 15 mils of silicone coating over surface to receive fabric.
    - 2) Embed fabric into silicone coating while still wet. Fabric should extend at least 2" on to the flange of the vent and at least 4" on to the roof surface.
    - 3) After the base coating has cured, apply a generous coat of silicone coating over the fabric to ensure complete saturation.
- E. Flashing Details: Ensure all existing flashings provide a watertight condition. If necessary, re-flash any areas required utilizing a 3-course coating and fabric detail as outlined above.
- F. Lap Seam Treatment:
  1. Identify and repair all lap seam failures utilizing a 3-course coating fabric detail as outlined above.
  2. To ensure complete encapsulation of the lap seams at the completion of the project, install 20 mils (app. 2" wide) of HS 3200 Silicone Coating over all lap seams prior to coating the field of the roof. Coverage rate to be approximately 400 lf. per gallon.
- G. Sheet Metal: Ensure all sheet metal is in good condition and will provide a watertight condition. If necessary, replace or repair any sheet metal required.
- H. Low laying areas less than 100 sq. ft. that would impede drainage of water should be filled in with Progressive Materials Pro Slope SL 850 to ensure positive drainage. (See TDS for application and rate)
- I. For heavily cracked areas (such as alligating) Progressive Materials SL 800 Surface Leveler should be used to ensure proper sealing of coating. (See TDS for application and rate)

### **3.3 Silicone Coating Installation**

- A. Ensure surface is completely dry.
- B. Ensure subsequent coats of primer or silicone coating is completely cured.
- C. Ensure adhesion tests have been completed and results are satisfactory with the manufacturer's requirements.
- D. Install silicone coating in one or two passes over entire roof surface to achieve a final thickness of:
  1. 25 mils minimum for a 5-year warranty
  2. 30 mils minimum for a 10-year warranty
  3. 35 mils minimum for a 15-year warranty
  4. 40 mils minimum for a 20-year warranty
- E. While spraying or rolling the silicone coating, special effort should be made to have pass lines overlap on membrane seams as to provide additional coating thickness on the seams.
- F. It is strongly recommended that the coating should be applied with a roller at all edges and penetrations to prevent overspray and provide a clean straight edge.

#### **NOTES**

1. Any subsequent membrane repairs after the coating installation should be done only with silicone products. Repairs should be completed with a 3-course coating and fabric if needed.



2. Over some asphalt based or EPDM based products, a slight bleed-through or "yellowing" may occur through the silicone coating. This is only a cosmetic issue and will not affect the performance of the system

### **3.4 Walkway System**

- A. Install the Pro-Grip Walkway System at heavy traffic areas and at high impact areas as directed by the owner.

1. Walkway Areas

- a. Walkways should be a minimum of 30" wide.
    - b. Mask off area to receive walkway system to ensure clean straight edges.
    - c. Install PG 700 Pro-Grip Yellow Walkway Coating at a thickness of 25 mils.
    - d. Immediately after the application of the PG 700, broadcast PG 750 Pro-Grip Walkway Granules into the coating at a rate of 40 lbs. per 100 square feet. The granules will settle into the coating. Inspect the surface within a few minutes and reapply as needed to obtain a continuous film of granules.

2. High Impact Areas (around mechanical equipment, etc.)

- a. Mask off area to receive walkway system to ensure clean straight edges. Area should be 30" wide around all identified equipment.
    - b. Install PG 700 Pro-Grip Yellow Walkway Coating at a thickness of 40 mils.
    - c. Immediately after the application of the PG 700, broadcast PG 750 Pro-Grip Walkway Granules into the coating at a rate of 60 lbs. per 100 square feet. The granules will settle into the coating. Inspect the surface within a few minutes and reapply as needed to obtain a continuous film of granules.

- B. After the coating has completely cured, remove all loose granules with a small hand blower and a soft bristle broom.

### **3.5 Field Quality Control**

- A. Final Roof Inspection: Arrange for roofing system manufacturer's technical personnel to inspect roofing installation upon completion and submit report to Owner/Architect. There shall be no items on the roof that could inhibit the inspection process, such as, solar panels, decking systems, etc.

1. Notify Owner 48 hours in advance of date and time of inspection.

- a. Repair or remove and replace components of roofing system where inspection results indicate that they do not comply with specified requirements.

### **3.6 Protection of Finished Work**

- A. Ensure roof surface is free of traffic for minimum of 12 hours after silicone coating application or until coating is completely cured.
- B. Ensure any subsequent work does not cause damage to finished roof system. If necessary, install protection over finished roof area.

**END OF SECTION**



**PROGRESSIVE**  
MATERIALS

SILICONE  
ROOFING  
SYSTEMS

**PRO**  **eco sil**

*Technical Product Data*

## HS 3200-HB Roller Grade Series

*Roller-Grade, High Solids, Low VOC Silicone Roof Coating*

### **BASIC USES & DESCRIPTION:**

**HS 3200-HB Roller-Grade Series** Solvent-Free Silicone Roof Coating is a one-component, moisture curing silicone rubber roof coating system designed for use on existing smooth surface BUR, granulated cap sheet, well-adhered acrylic coating, concrete, metal, sprayed-in-place polyurethane foam and various single-ply membrane roofing.

The system provides long-term protection because it resists weathering, aging, oxidation, wind-driven sand, rain and snow, the effects of ozone, ultraviolet radiation and the temperature extremes typically found on roofs. With its high solids content and absence of hydrocarbon solvents, HS 3200-HB Series can be applied in excess of 70 mils in a single coat without blistering, while maintaining maximum adhesion. The HS 3200-HB Series Solvent Free Roof Coating is available in one standard color:

► White      HS 3201-HB

(Custom colors available upon request at an additional charge)

This product may contribute towards a variety of LEED credit points.

### **COMPOSITION AND MATERIALS:**

HS 3200-HB Series Silicone Roof Coating is a dispersion of silicone rubber. This coating is a one-part, ready-to-use material that can be applied easily to a dry, frost-free surface, and cures at normal temperature and humidity in 1 to 4 hours by reacting with moisture in the air. For applications with lower than normal temperature and humidity levels, expect the cure time to be longer.

### **STORAGE AND SHELF LIFE:**

HS 3200-HB Series has a recommended shelf life of 24 months from date of manufacture when stored in unopened containers and between 40°F and 80°F. Refer to product packaging.

### **APPLICATION:**

Surfaces to be coated with HS 3200-HB Series Coating must be properly prepared. All surfaces must be clean, dry and free of loose particles. The coating should be applied by medium nap roller. For small touch-up work, a brush may be used.

### **PACKAGING SIZES:**

HS 3200 Series Silicone Roof Coating is available in 5 gallon containers.

Revision Date: March 2018

PROGRESSIVE MATERIALS  
540 CENTRAL COURT • NEW ALBANY, IN 47150  
PHONE (812) 944-7803    FAX (812) 944-7804    WEB [PMsilicone.com](http://PMsilicone.com)



## MAINTENANCE:

The life of the roof may be extended by regularly scheduled maintenance. A roof should typically be inspected at least twice a year. The roof immediately needs to be inspected following severe weather and extraordinary maintenance on roof-mounted equipment.

## Technical Product Data

## CLEAN UP:

Uncured silicone coating can be cleaned and equipment can be flushed with VM&P Naptha or Mineral Spirits.

## LIMITED WARRANTY INFORMATION - PLEASE READ CAREFULLY:

Various warranties may be purchased from Progressive Materials, LLC. Available warranties include Full System Limited Warranties that range from 5 to 20 years. For warranty details, please contact your Progressive Materials Roofing Specialist.

*Specification Writers: A copy of the Application Specification for this product may be obtained from Progressive Materials Customer Service.*

### TYPICAL PROPERTIES

As Supplied:		As Cured:	
Appearance:	White	Durometer Hardness, Shore A, points ASTM D-2240	37
Solids Content, Percent by volume ASTM D-2369:	95(±2)	Tensile Strength, psi ASTM D-412	350
Solids Content, Percent by Weight	95(±2)	Elongation, percent ASTM D-412	174
Specific Gravity, at 25°C (77°F):	1.26	Permeability <sup>1</sup> , perms ASTM E-96	10.7
Tack-Free Time:	1-2 hrs.	Tensile, Set at 100 percent elongation	Nil
Cure Time:	1-4 hrs.	Temperature Stability Range, °C (°F)	- 37 to 100 (-35 to 212)
Volatile Organic Compounds:	<50 grams/liter	Accelerated Weathering, QUV, 5,000 hours ASTM G 154	No degradation
Flash Point	141°F	Flame Spread ASTM E-108	Class A
<sup>1</sup> 20 mils at 38°C (100°F) and 90 percent relative humidity			

*The information reported herein are based upon information reasonably available to Progressive Materials, LLC at the time publication, and are presented in good faith but are not to be construed as warranties or guarantees, expressed or implied.*

Contact Progressive Materials for more detailed specifications on our roofing systems and to find a certified contractor near you.



Revision Date: March 2018

For NSF Protocol P151 installation instructions, please visit:  
<http://info.nsf.org/Certified/Protocols/Listings.asp?Company=C0322312&Standard=P151>

**PROGRESSIVE MATERIALS**  
 540 CENTRAL COURT • NEW ALBANY, IN 47150  
 PHONE (812) 944-7803 FAX (812) 944-7804

WEB [PMsilicone.com](http://PMsilicone.com)





# Ready Patch

## Technical Product Data

### RP 300 Series

High Solids, Low VOC Textured Sealant

#### BASIC USES & DESCRIPTION:

**RP 300 Series Sealant** is a high-strength, one-component, elastomeric sealant that permanently adheres to many construction materials without the use of primer. This product can be used on wet surfaces and even underwater. RP 300 is a low odor and 100% solids formula designed for interior and exterior construction applications. RP 300 is an environmentally friendly formula that contains no solvents or isocyanates and yields very low VOC's.

▶ White	301
▶ Light Gray	303
▶ Black	308

#### APPLICATIONS

Typical uses include: Rough areas of SPF, drain bowls, and under and around rooftop-mounted equipment. It is also an excellent repair material for direct-to-metal repairs, spray polyurethane foam, smooth built-up and smooth modified bitumen, granulated modified bitumen, aged single-ply roof membrane, flashings, fasteners, and drains.

#### INSTALLATION

Repair cracks, breaks, tears, and holes by applying 1/8" to 1/2" thick with a trowel or putty knife. Thicker application results in better performance and longer sealant life. Sealant can be applied over old silicone coating or sealant which has cured. Work the sealant into the damaged area and spread it 2" to 4" beyond, feathering the edges. Check to see that no voids have been left in patched areas. If so, apply more sealant and allow to set up before coating. Ready Patch is tack-free in about 1 hour and fully cured in about 7 days.

#### SHELF LIFE & STORAGE

The shelf life is 12 months for an unopened container from the date of manufacture. Reference the date of manufacture.

#### CLEAN UP

Clean tools with an appropriate solvent such as alcohol.

#### PACKAGING

RP 300 comes in 10.1 oz. (300 ml) cartridges - 12 tubes/case, 105 cases/pallet. It also comes in 20 oz. sausages 12 tubes/case, 60 cases/pallet. Finally, RP 300 is available in 2-gallon pails, 60 pails/pallet

Revision Date: February 2024

## Technical Product Data

### TYPICAL PROPERTIES

Property	Typical Value	Units	Test Method
VOCs	26.5	g/L	EPA 24
Skinover Time @ 50% R.H. 70° F	15	Min.	ASTM C679
Density	14.5	#/gal	
Hardness	72	Shore A	ASTM D676
Tensile	287	psi	ASTM D412-06
Elongation at Breal	163	%	ASTM D412-06
Chemistry	Hybrid Polymer		

*Do not use until all instructions and safety precautions have been read and understood. Wear protective gloves, protective clothing, and eye protection. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. IF ON SKIN: Wash exposed body areas with soap and water. IF IN EYES: Rinse with water, remove contact lenses, and continue rinsing. If exposed or concerned get medical advise/attention. Refer to Safety Data Sheet (SDS) for further information.*

*Contact Progressive Materials for more detailed specifications on our roofing systems and to find a certified contractor near you.*

Revision Date: February 2024