



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000145718 PURCHASE OF SIGNS FOR THE DEPARTMENT OF
ENGINEERING**

Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

24-Jul-2024 04:53:36 PM



Bid Number 50-00145718

**PURCHASE OF SIGNS FOR THE DEPARTMENT OF
ENGINEERING**

BID DUE: JULY 29, 2024 AT 11:00 AM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Purchasing Specialist: Kiesler Lee
Email: Klee@jeffparish.net
Phone: 504-364-2688**



12" ITE Compliant XL15 Long Life LED Traffic Signals



Specifications

Operating voltage: 80 VAC–135 VAC (120 VAC nominal)
Operating temp: -40°F to +165°F (-40°C to +74°C)
Turn-on/-off Time: < 75 msec
Power Factor: > 0.9
Total Harmonic Distortion: < 20%
Failed State Impedance: > 250 ohm within 300ms

Certifications & Ratings

- IEC 1000-4-5, 3KV, 2 ohm source impedance
- NEMA TS-2 Sec. 2.1.6 and Sec. 2.1.8
- ANSI/IEEE C62, 41-2002; IEC 61000-4-12, 6KV, 200A, 100KHz ring wave
- CSA C22.2 No. 250.0-08
- CSA C22.2 No. 250.13-17
- UL 1598, 3rd Edition

Application

Fully compliant to the latest ITE Specifications, Dialight offers a full product line of LED traffic signal modules, arrows and pedestrian signals. Featuring the lowest wattage in the industry, Dialight's LED Traffic Signals are helping municipalities worldwide cut energy costs and reduce maintenance.

Features & Benefits

- 15 year full performance warranty
- Enhanced thermal management
- All modules meet the ITE VTCSH LED Vehicle Arrow Traffic Signal supplement over the full temperature range of -40°C to +74°C
- Robust Hi-Flux LED technology
- Meets/exceeds ITE uniformity specifications (better than 10 to 1)
- Transient suppression exceeds ITE and NEMA specifications (up to 6KV)
- Meets/exceeds ITE moisture intrusion specifications
- Meets/exceeds ITE failed state impedance specifications
- Hard coated lenses for abrasion resistance
- Intertek-ETL certification
- Long life power supply is conformally coated for robust operation

ITEM

	Part Number	Color	Lens Type	Dominant Wavelength (nm)	Typical Wattage @ 25 °C	Peak Minimum Maintained Luminous Intensity (cd)
10	433-1210-003XL15	Red	Tinted	625	7	365
	433-1270-003XL15	Red	Clear	625	7	365
20	433-3230-901XL15	Yellow	Tinted	590	13	910
	433-3270-901XL15	Yellow	Clear	590	13	910
30	433-2220-001XL15	Green	Tinted	500	7	475
	433-2270-001XL15	Green	Clear	500	7	475

Dialight reserves the right to make changes at any time in order to supply the best product possible. The most current version of this document will always be available at: www.dialightsignalsandcomponents.com
 Warranty Statement: Except for the warranty expressly provided for (herein/above/below), Dialight disclaims any and all other warranties, express or implied, including, without limitation, any warranties of merchantability, fitness for a particular purpose, title, and noninfringement.



16-inch Pedestrian Signal

Features

- Meets or exceeds ITE specifications.
- Design provides minimum weight but maximum rigidity and strength.
- The housing is designed to work with a gasket supplied by LED manufacturer.
- Mounting is completely compatible with all standard signal hardware.
- The housing is designed to accommodate 16-inch LEDs.
- Heavy duty .250" thick material.

Aluminum Signal

The 16-inch Aluminum Pedestrian Signal LED housing is one piece die-cast aluminum alloy, with two integrally-cast hinge lugs, screw slots, and openings at each end. The swing-down door is a single piece die-cast aluminum alloy, with two hinge lugs cast on the top of the door and two latch points on the bottom. The door is attached to the bottom of the housing using two hinge pins. Two eye bolts and wing nuts on the top allow the door to be opened and closed without the need for special tools.

Polycarbonate Signal

The Polycarbonate 16-inch Pedestrian Signal is available in three different colors, yellow, black and green. The LED housing is one-piece injection-molded with hinge lugs, screw slots, and openings at each end. The swing-down door is a single piece injection-molded polycarbonate, with two hinge lugs molded on the bottom of the door and two latch points on the bottom. The door is attached to the bottom of the housing using two cotterless locking pins. Two eye bolts and wing nuts on the top allow the door to be opened and closed without the need for special tools.



Eagle Traffic Control Systems continues our 80+ year history of providing excellence in the ever evolving traffic industry. All of Eagle's products are developed with the highest standards of engineering and manufacturing. Eagle maintains a superior level of integrity in interactions with all of our business partners and customers. We also take tremendous pride in being model corporate citizens.

16-inch Pedestrian Signal



Signal Head Ordering – 16" Pedestrian Aluminum and Polycarbonate

Signal Shape 16" PED	Housing Type	Lens Configuration*	Housing/ Door Material	Clamshell	LED Supplied By	Visor Type	Housing Color	Door Color	Visor Color	LED
SG7 = EAGLE	S = STD	A = Hand/Man	1 = Poly/Poly	0 = None	0 = None	0 = None	D = No Housing	0 = No Door	0 = No Visor	10
	M = MAINT	B = Walk/Don't	2 = Alum/Alum	1 = Right	1 = Eagle	1 = Egg	A = Aluminum Gray	A = Aluminum Gray	A = Aluminum Gray	
	H = Both	C = SMW/CD	3 = Poly/Alum	2 = Left	A = Diaight	2 = Alum Tuned	B = Gloss Black	B = Gloss Black	B = Gloss Black	
		D = Canada	4 = Alum/Poly		B = Diaight XTE	3 = Poly Tuned	C = Berkeley Brown	C = Berkeley Brown	C = Berkeley Brown	
		E = Canada			C = Customer	4 = McCain Alum 11"	D = MDC Gray	D = MDC Gray	D = MDC Gray	
		F = Count Down			F = Diaight USA	5 = MoboTrex Alum 11"	E = Battleship Gray	E = Battleship Gray	E = Battleship Gray	
		G = Hand/CD			G = Diaight 48V	6 = MoboTrex Alum 9"	F = Flat Black	F = Flat Black	F = Flat Black	
		H = H/M+CD			J = GE Specific		G = West Coast Green	G = West Coast Green	G = West Coast Green	
		Z = Customer Supplied					H = Minneapolis Yellow	H = Minneapolis Yellow	H = Minneapolis Yellow	
		0 = None					J = Texas Brown	J = Texas Brown	J = Texas Brown	
							L = Ocean State Green	L = Ocean State Green	L = Ocean State Green	
							M = East Coast Green	M = East Coast Green	M = East Coast Green	
							N = Bare	N = Bare	N = Bare	
						P = Quebec Brown	P = Quebec Brown	P = Quebec Brown		
						Q = Bronze (Retardo)	Q = Bronze (Retardo)	Q = Bronze (Retardo)		
						R = Wine Red	R = Wine Red	R = Wine Red		
						S = Star Dust Silver	S = Star Dust Silver	S = Star Dust Silver		
						T = Toronto Gray	T = Toronto Gray	T = Toronto Gray		
						V = VStanley - NY Green	V = VStanley - NY Green	V = VStanley - NY Green		
						W = White (Navajo)	W = White (Navajo)	W = White (Navajo)		
						Y = Yellow	Y = Yellow	Y = Yellow		
						Z = Special	Z = Special	Z = Special		
						X8 = Non-Standard for Poly (minimums apply)	X8 = Non-Standard for Poly (minimums apply)	X8 = Non-Standard for Poly (minimums apply)		

STD - Standard MAINT - Maintenance

Notes

When ordering Maintenance housing WITHOUT clamshell installed, BOTH sides of housing will have mounting holes drilled with removable plugs inserted.

When ordering Maintenance housing WITH clamshell installed, mounting holes will be drilled only on the side the clamshell is installed.

Egg Crate visors available in flat black ("F") only.



*All renderings are for reference only

MOBILITY & TRAFFIC EXPERTS

Uniform Appearance Hand and Person Pedestrian Signals



- ▲ *Fully compliant to ITE PTCSI Part 2 LED Pedestrian Traffic Signal Module Specification adopted 8/9/04
- ▲ Meets / exceeds ITE uniformity ratio of not more than 1 to 5 between the max and min luminance values as measured in (.5") dia spots
- ▲ Manufactured with anti-capillary wires
- ▲ Conformal coated power supply
- ▲ Fuse and transient suppressor incorporated for superior line and load protection
- ▲ Independent dedicated power supplies for added safety and reliability
- ▲ Intertek/ETL certified and listed on ETL certification program
- ▲ Transient suppression exceeds ITE and NEMA specifications (Up to 6kV ring wave)
- ▲ All units operate at 80-135VAC RMS, 60±3Hz

Part Number	Size	Description	Typical Wattage @ 25°C		Min. Luminance (cd/m²)		*Meets ITE Spec	CSA Approved
			Hand	Person	Hand	Person		
430-6450-001X	16 x 16	Side-by-side Hand and Person	8	7	1,400	2,200	✓	✓
430-6472-001X	16 x 18	Overlay Hand and Person	8	6	1,400	2,200	✓	✓
430-6770-001X	12 x 12	Hand only	8	N/A	1,400	N/A	✓	✓
430-7771-001X	12 x 12	Person only	N/A	7	N/A	2,200	✓	✓
430-6772-001X	12 x 12	Overlay Hand and Person	8	6	1,400	2,200	✓	✓
430-5570-001X	9 x 9	Hand only	6	N/A	1,400	N/A	✓	
430-7570-001X	9 x 9	Person only	N/A	6	N/A	2,200	✓	

Uniform Appearance Countdown Pedestrian Signals



- ▲ *Fully compliant to ITE PTCSI Part 2 LED Pedestrian Traffic Signal Module Specification adopted 8/04/2010
- ▲ MUTCD compliant for countdown applications
- ▲ Full preemption compatibility
- ▲ Up to 8 units can be connected in parallel without affecting the monitoring of the Hand/Person
- ▲ Manufactured with anti-capillary wires
- ▲ Three (3) independent dedicated power supplies for added safety and reliability
- ▲ Intertek/ETL certified and listed on ETL certification program
- ▲ Reduced off state icon visibility results in increased pedestrian safety by eliminating the potential to misinterpret the signal
- ▲ Conformal coated power supply
- ▲ New Improved one piece housing design
- ▲ Improved optical design to provide superior uniform appearance of the icons
- ▲ Transient suppression exceeds ITE and NEMA specifications (Up to 6kV ring wave)
- ▲ All units operate at 80-135VAC RMS, 60±3Hz

ITEM 50

Part Number	Housing Size	Symbol Color			Typical Wattage @ 25°C			Min. Luminance (cd/m²)			*Meets ITE Spec	CSA Approved
		Countdown	Hand	Person	Countdown	Hand	Person	Countdown	Hand	Person		
430-6479-001X	16 x 18	Portland Orange	Portland Orange	Lunar White	8	11	10	1,400	1,400	2,200	✓	✓
430-7773-001X	12 x 12	Portland Orange	N/A	N/A	5	N/A	N/A	1,400	N/A	N/A	✓	✓

Special Applications: Upon customer request, above units are available with option to countdown the clearance mode and the walk mode. Add suffix "W" to above part numbers.

IMPORTANT NOTE: MUTCD DOES NOT recommend the use of a countdown timer in the "walk" mode

DEPARTMENT OF ENGINEERING
TRAFFIC ENGINEERING DIVISION
SPECIFICATIONS FOR LED TRAFFIC SIGNALS

Red LED Traffic Signal Tinted

Dominant Wavelength: 625

Typical Wattage: 7

Peak Minimum Maintained Luminous Intensity: 365

Yellow LED Traffic Signal Tinted

Dominant Wavelength: 590

Typical Wattage: 13

Peak Minimum Maintained Luminous Intensity: 910

Green LED Traffic Signal Tinted

Dominant Wavelength: 500

Typical Wattage: 7

Peak Minimum Maintained Luminous Intensity: 475

For All Three LED Traffic Signals:

Operating voltage: 80 VAC-135 VAC (120 VAC nominal)

Operating temp: -40°F to +165°F

Turn-on/-off time: <75 msec

Power Factor: >0.9

Total Harmonic Distortion: <20%

Failed State Impedance: > 250 ohm within 300ms

DEPARTMENT OF ENGINEERING

TRAFFIC ENGINEERING DIVISION

SPECIFICATIONS FOR PEDESTRIAN SIGNAL HEAD & PED COUNTDOWN

Pedestrian Signal Head

16-inch

Meets or exceeds ITE specifications

One piece die-cast aluminum alloy

Two integrally-cast hinge lugs, screw slots, & openings at each end

Pedestrian Countdown Signal

Hand/Man Count Down

Housing size: 16 x 18

Symbol color:

Countdown: Portland Orange

Hand: Portland Orange

Person: Lunar white

Typical Wattage @ 25 degrees C:

Countdown: 8

Hand: 11

Person: 10

Min. Luminance:

Countdown: 1,400

Hand: 1,400

Person: 2,200

Meets ITE specifications

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

DATE: 7/24/2024

BID NO.: 50-00145718

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

PURCHASING SPECIALIST:
KLEE@jeffparish.net

VENDOR: Blackstar Diversified Enterprises

Bids will be received until 11:00 AM, 7/29/2024

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2602(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 and/or Resolution No. 141125 as amended. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. **JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR.** Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the **LOWEST RESPONSIVE and RESPONSIBLE BIDDER**, taking into consideration the **CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE**

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder by the bidder placing the Addendum number in the appropriate section. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A1 17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies). When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is an as needed basis contract. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications as per the appendix instructions will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 7/24/2024

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00145718

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: Blackstar Diversified Enterprises

PURCHASING SPECIALIST:
KLEE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	14 weeks
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	n/a
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	n/a

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: n/a

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) n/a

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: Blackstar Diversified Enterprises	
SIGNATURE: (Must be signed here) 	TITLE: Vice President of Sales
PRINT OR TYPE NAME: Chad Risher	
ADDRESS: 11131 Winchester Park Drive	
CITY, STATE: New Orleans, LA	ZIP: 70128
TELEPHONE: (504) 265-9919	FAX: (504) 265-9919
EMAIL ADDRESS: chad@blackstardiversified.net	

TOTAL PRICE OF ALL BID ITEMS: \$ 11,853.60

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145718

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF SIGNS FOR THE DEPARTMENT OF ENGINEERING		
1	48.00	EA	0010 RED TINTED LED TRAFFIC SIGNAL 12" RED TINTED LED, ITE COMPLIANT WITH 15 YR WARRANTY ITEM # 4331210003XL15	\$ 58.95	\$ 2,829.60
2	40.00	EA	0020 YELLOW TINTED LED TRAFFIC SIGNAL 12" YELLOW TINTED LED, ITE COMPLIANT; WITH 15 YR WARRANTY ITEM # 4333230901XL15	\$ 58.95	\$ 2,358.00
3	80.00	EA	0030 GREEN TINTED LED TRAFFIC SIGNAL 12" GREEN TINTED LED, ITE COMPLIANT WITH 15 YR WARRANTY ITEM # 4332220001XL15	\$ 58.95	\$ 4,716.00
4	12.00	EA	0040 PEDESTRIAN SIGNAL HEAD 16" 1-SEC ALUMINUM PED SIGNAL, MACHINED FOR CLAMSHELL ITEM # SG7MZ20C1BBF	\$ 135.50	\$ 1,626.00
5	2.00	EA	0050 PED COUNTDOWN LED SIGNAL ITEM # 4306479001X TO BE DELIVERED TO: 2100 DICKORY AVE. HARAHAN, LA 70123 Proposed Alternate : Line Item 1 : As specified Line Item 2 : As specified Line Item 3 : As specified Line Item 4 : McCain Line Item 5 : As specified	\$ 162.00	\$ 324.00

SWARCO

McCain PEDESTRIAN SIGNAL HOUSING

12"
16"
ALUMINUM
POLYCARBONATE



The McCain Pedestrian Signal Housing is designed to promote pedestrian safety at intersections. Used in conjunction with standard or LED pedestrian signal modules, the McCain Pedestrian Signal Housing exceeds standards and offers a low maintenance and durable housing solution. The McCain Pedestrian Signal Housing is available in 12" and 16" form factors with a variety of configurations, including die cast aluminum or injection molded polycarbonate construction.



Federal Yellow



Black

KEY BENEFITS

- Highly customizable; including a variety of sizes, fabrication, mounting, and visor options
- Offers rugged aluminum or polycarbonate construction
- Accommodates standard symbol or word pedestrian signal modules including LED
- Increases visibility and impact protection¹

PRODUCT DESCRIPTION


The door on the McCain Pedestrian Signal Housing is equipped with door-hinge hardware that is removable, reversible, or permanently attached.

The door is attached with stainless steel detent-type clevis or roll pins and eye bolt/wing nut assemblies. Two equally spaced mounting lugs, integrally cast into the sides of the 12" and the top and bottom of the 16", allow the doors to hinge from either direction. When clevis pins are used, the door and eye bolt assemblies can be removed and rotated without the use of any tools.


All interior mounting locations on the 16" housing are symmetrically positioned, allowing the rotation of components when using the bi-directional McCain Clamshell Mount to mount to the right or left side.

McCain PEDESTRIAN SIGNAL HOUSING



12" HOUSING
FRONT





16" HOUSING



SIDE



TOP



STANDARD FEATURES

- Stainless steel hardware
 - Hinge pins; detent-type clevis or roll
 - Eye bolt/wing nuts; latch
- Terminal block with quick-disconnect fittings on one side of each terminal position and screw clamps on the other side

OPTIONS

- Polycarbonate 10% fiberglass fill for added durability²
- Custom terminal blocks
- Door hardware: permanent or removable³
- LED modules
 - International Hand/Man symbol
 - "WALK"/ "DON'T WALK" words
- Visors
 - Vantage visor (16" only)
 - Tunnel
 - Cap (12" only)
- Clamshell mount⁴



12" 2-section with Tunnel Visors



16" Clamshell Mount



16" Vantage Visor



16" Tunnel Visor



Hand/Man Module

GENERAL SPECIFICATIONS

	12" Housing	16" Housing
Dimensions ⁵ :		
Housing:	13.2"W x 13.2"H x 5.7"D	17.4"W x 15.8"H x 7.3"D
Door:	15"W x 13.5"H x 5.6"D	18.5"W x 18.7"H x 1.8"D
Overall:	15"W x 14"H x 11.3"D	18.5" W x 18.7"H x 9.1"D
Material:	Aluminum: Type 360, reduced corrosion, increased powder coat adhesion Polycarbonate: Ultraviolet and heat stabilized, flame retardant, permanently colored, 10% fiberglass reinforcement ²	
Finishes:	Aluminum: Powder coated Polycarbonate: Colored resins integral to housing	
Colors:	Federal yellow, signal green, black, or custom colors	
Access ⁶ :	Hinged left or right	Hinged top or bottom
Latching System:	Eye bolt assemblies	
Mounting:	Standard signal hardware	
Environmental:	Operating Temperature: -37°C to +74°C Humidity: 0 to 95% (non-condensing)	
Weight:	Aluminum: 9 lbs Polycarbonate: 5 lbs	Aluminum: 10 lbs Polycarbonate: 9 lbs

¹With Vantage Visor™ on 16" housing

²Standard on 12" housing; optional on 16" housing

³Permanent with roll pins or removable with clevis pins

⁴For 16" housing only; housing available pre-drilled for mount

⁵Dimensions are approximate and vary based on material used; door dimensions include tabs

⁶Front door access