

DATE: 10/09/2024

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00146173

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:
DABRAHAM

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

Approx Dec 16th

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 31500

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	<u>Precision Mechanical Power Services, Inc.</u>
SIGNATURE: (Must be signed here)	TITLE: <u>Sales</u>
PRINT OR TYPE NAME:	<u>Summer Brown</u>
ADDRESS:	<u>3910 Industrial Circle</u>
CITY, STATE:	<u>Bossier City, LA</u> ZIP: <u>71112</u>
TELEPHONE:	FAX: <u>381 746-8184</u>
EMAIL ADDRESS:	<u>Summerprecision24.net</u>

TOTAL PRICE OF ALL BID ITEMS: \$ 42,857

DATE: 10/17/2024

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146173

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>Purchase of Diesel Engine-Driven Mobile Light Tower and 44KW Mobil Diesel Engine Driven Generator Set for the Department of Emergency Management</p> <p>0010 - GENERAC DIESEL ENGINE-DRIVEN MOBILE LIGHT TOWER WITH TIER 4</p> <p>MITSUBISHI ENGINE, CONSISTING OF THE FOLLOWING FEATURES AND ACCESSORIES:</p> <ul style="list-style-type: none"> - 720 CCA WET CELL BATTERY - CSA CERTIFIED - STANDARD ANALOG CONTROLLER - 50% ETHYLENE GLYCOL/50% WATER COOLANT - 2" BALL HITCH - TUBE AND SLEEVE JACK - LED LIGHTS, 4 X 320 WATT - COIL CORD - ELECTRIC MAST - RECEPTACLE PANEL <ul style="list-style-type: none"> 2 X 120V/20A GFI(5-20R) UL 2003 2 X 240V/30A TWIST(L14-30R) 2 X 240V/50A TWIST LOCK - FLAT TRAILER ADAPTER - MARATHON BRUSHLESS ALTERNATOR - MLT415MV - FREIGHT INCLUDED - FINAL INSPECTON & WARRANTY STARTUP SERVICE INCLUDED 	\$ 7450	\$ 7450
2	1.00	EA	<p>0020 - GENERAC MOBILE DIESEL ENGINE-DRIVEN GENERATOR SET MMG45IF4 CONSISTING OF THE FOLLOWING FEATURES AND ACCESSORIES:</p> <ul style="list-style-type: none"> - 45KVA(36KW) RATING - PRIME DUTY POWER RATING - 3 POSITION VOLTAGE CHANGEOVER SWITCH <ul style="list-style-type: none"> 480V THREE PHASE 208V THREE PHASE 240V SINGLE PHASE - ISUZU 4LE2XAGVO1 ENGINE <ul style="list-style-type: none"> TURBOCHARGED/AFTERCOOLED EPA FINAL TIER 4 APPROVED - DIGITAL CONTROLS - SINGLE AXLE TRAILER - SURGE BRAKES - 2in BALL - FUEL TANK - SINGLE WALL, 106 GALLON - 720CCA WET BATTERY - CONTROL PANEL LIGHT - INTERIOR CABINET LIGHT - CSA - FLUID CONTAINMENT - STANDARD ENGINE COOLING FAN - BATTERY DISCONNECT - ENGINE COOLANT, 50% ETHYLENE GLYCOL/ 50% WATER 	\$ 35,407	\$ 35,407

DATE: 10/17/2024

Page: 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146173

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<ul style="list-style-type: none">- MMG45IF4- FREIGHT INCLUDED- FINAL INSPECTION & WARRANTY STARTUP SERVICE INCLUDED <p>DELIVER TO: FLEET MANAGEMENT 4901 JEFFERSON HWY., SUITE A JEFFERSON, LA 70121</p>		

MMG45IF4 | 2.2 L | 45 kVA

MOBILE DIESEL GENERATOR SET

Standby Power Rating

44 kW, 55 kVA, 60 Hz

Prime Power Rating

38 kW, 47 kVA, 60 Hz

STANDARD FEATURES

ENGINE SYSTEM

- Isuzu® 4LE2XAGV01
- 4 cylinder
- Turbocharged & Aftercooled
- 134 in3 (2.2 L) Displacement
- EPA Tier 4 Final
- Power @ 1,800 RPM -hp (kW):
 - Prime: 57 (42.8)
 - Standby: 63.7 (47.5)
- Paper Element Air Filter
- Electronic Isochronous Governing
- Fixed Speed Fan
- Spin On Cartridge Oil Filter
- Oil Drain Extension
- Two Fuel Filters
- One 12 V, 720 CCA, Wet Cell Battery

COOLING SYSTEM

- Capable of Operating at 120 °F (49 °C) Ambient
- 50/50 Coolant (50% Ethylene Glycol)
- Coolant Drain Extension

FUEL SYSTEM

- Polyethylene Fuel Tank
- Fuel Tank Capacity — US gal (L):
 - Total: 100 (379)
 - Usable: 90 (341)

WARRANTY

- 2 year limited or 2,000 hours
- Unlimited hours covered in first year
- Maximum Runtime @ 75% load: 36 hr
- 110% Containment - engine fluid (oil & coolant) and fuel
- Padlockable Fuel Cap

CONTROL SYSTEM

- Deep Sea Electronics® 7310 MKII Controller
- 3-Position Voltage Selection Switch
- 225 A Main Circuit Breaker (MCB), Manual, with Shunt Trip
- Individual Convenience Receptacle Circuit Breakers
- Emergency Stop Switch
- Battery Disconnect Switch, Padlockable
- Remote 2-wire Start/Stop Contacts

ALTERNATOR SYSTEM

- 60 Hz Engine-Driven Alternator
- SUPERSTART Alternator
- Brushless
- 4 Pole
- 2/3 pitch
- Class H insulation
- Corrosion Protection
- Marathon Electric® PM500 AVR
- Shunt Excitation System

POWER DISTRIBUTION

- Connection Lugs
- Convenience Receptacles
- Two 120 V, 20 A, GFCI Duplex (NEMA 5-20R)
- Three 120/240 V, 50 A, 3 Pole, 4 Wire Twistlock (CS6369)

ENCLOSURE

- Aluminum, Sound Attenuated Enclosure, Insulated and Baffled
- UV and Fade Resistant, High Temperature Cured, White Polyester Powder Paint
- Central Lifting Point
- Fully Lockable Enclosure
- Multi Lingual Operating and Safety Decals
- Document Holder with Owner's Manual - includes AC and DC wiring diagrams
- Control Panel Lights
- Interior Lights

TRAILER

- Hydraulic Surge Brakes
- 2 in. (50.8 mm) Ball Hitch
- Single 6,000 lb (2,722 kg) Axle
- Tires: ST225/75, 15 in. Rim
- 2,000 lb. (907 kg) Tongue Jack with Footplate
- Safety Chains with Spring Loaded Safety Hooks
- Transportation Tie Downs
- Plug Adapter, Round 7 Spade (SAE J2863)
- DOT Approved Tail, Side, Brake, and Directional Lights

CONTROL SYSTEM

Deep Sea Electronics CONTROLLER AND DISPLAY

- Model DSE7310 MKII
- 4 Line Back Lit LCD Text Display
- -40 to 158 °F (-40 to 70 °C) Operating Temperature Range
- Multiple Language Options
- Configurable Timers and Alarms
- Configurable Start/Stop Timers
- Configurable Maintenance Alarms
- Heated Display

PUSH BUTTONS FOR EASY OPERATION

- Manual or Auto Start
- Engine Start
- Engine Stop/Reset
- User Friendly Setup and Button Layout
- Five Key Menu Navigation

- Multiple Parameters are Monitored and Displayed Simultaneously for Full Visibility
- View Controller Parameters (Configuration, Firmware Version, Connections)

ELECTRICAL CONTROLS

- Lockable Control Box Door with Diagnostics Window
- Lockable lug box with safety switch
 - Trips main breaker when door is opened
 - Disables voltage regulator
- Output ground connection lug inside lug box
- Voltage adjustment $\pm 10\%$

LCD ALARM INDICATION

- Generator Diagnostic Display
 - System kVA Output Display
 - Line Output and Frequency Display
- Alarm Types: Warning, Shutdown, Electrical Trip, Engine
- Alarm List – Warnings/Shutdowns; 250 Event History Log – Date/Time Stamped
 - Fuel Level: Warning – 15%; Shutdown – 5%
 - Overspeed Protection: Shutdown – 110%
 - Engine Diagnostic Warnings Communicated Through J1939 CANbus
 - Battery Voltage: Over – 15 VDC; Under – 11 VDC
 - Generator Over Voltage: Warning – 110%; Electrical Trip – 115%
 - Generator Under Voltage: Warning – 90%; Shutdown – 85%
 - Generator Over Frequency: Warning – 105%; Electrical Trip – 110%
 - Generator Under Frequency: Warning – 95%; Electrical Trip – 90%
- Auto Schedule
- Status

CONFIGURABLE OPTIONS***ENGINE SYSTEM**

- ☐ Positive Air Shutdown (PAS), Electronic
- ☐ One 12 V, 720 CCA AGM Optima Battery
- ☐ Alternate Load Device (ALD)
- ☐ Oil Evacuation System - requires customersourced, specialized equipment to use for oil change

COLD WEATHER

- ☐ Engine Block Heater
- ☐ Two Heated Fuel Filters
- ☐ Crankcase Ventilation (CCV) System Heater
- ☐ 10 A Battery Charger
- ☐ 60/40 Coolant (60% Ethylene Glycol)

CONTROL SYSTEM

- ☐ 4-Position Voltage Selection Switch
- ☐ Telemetry
- ☐ Lojack Equipment Recovery System

FUEL SYSTEM

- ☐ Steel Fuel Tank, Extended Runtime
- ☐ Fuel Tank Capacity— US gal (L)
 - Total: 160 (606)
 - Usable: 144 (545)
- ☐ Runtime @ 75% Load: 57.5 hr
- ☐ Auxiliary Fuel Tank Connection
- 3-Way Fuel Valve

ALTERNATOR SYSTEM

- ☐ VFLEX (600 V) Alternator
- ☐ Marathon Electric® DVR2400 DVR
- ☐ Permanent Magnet Generator (PMG) Excitation System

POWER DISTRIBUTION

- ☐ Camlocks—one set, female (US or Canada color code)
- ☐ Buck Transformer

ENCLOSURE

- ☐ Fire Extinguisher

TRAILER

- ☐ Skid Mount (Non-trailer)
- ☐ Electric Brakes
- ☐ Tandem Axle
- ☐ 2 in (50.8 mm) BULLDOG® Hitch
- ☐ 2-5/16 in (58.7 mm) BULLDOG Hitch
- ☐ 3 in (76.2 mm) Pintle Ring Hitch
- ☐ Rear Stabilizer Jacks
- ☐ Toolbox Aluminum, 49 x 15 x 18.5 in. (125 x 38 x 47 cm)
- ☐ Spare Tire

Anti-Lobbying Form

CERTIFICATION OF RESTRICTIONS ON LOBBYING


I, Chase Hamilton - owner, hereby certify on
(name and title of bidder's official)

behalf of Summer Brown that:
(name of bidder)

- (1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
- (3) The undersigned shall require that the language of this certification be included in the award documents for all sub awards at all tiers (including subcontracts, sub grants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance is placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

Executed this 21 day of Oct. 2024.

By 
(signature of authorized official)

owner
(title of authorized official)

Debarment/Suspension Form

DEBARMENT/SUSPENSION CERTIFICATION

Debarment:

Federal Executive Order (E.O.) 12549 "Debarment" requires that all contractors receiving individual awards, using federal funds, and all subrecipients certify that the organization and its principals are not debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any Federal department or agency from doing business with the Federal Government. By signing this document you certify that your organization and its principals are not debarred. Failure to comply or attempts to edit this language may disqualify your bid. Information on debarment is available at the following websites: www.sam.gov and <https://acquisition.gov/far/index.html> see section 52.209-6.

Your signature certifies that neither you nor your principal is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any federal department or agency.

Chase Hamilton - owner

(Name and Title of bidder's official)

Precision Mechanical Power Systems Inc.

(Name of bidder/company)

3910 Industrial Circle

(Address)

Bossier City, LA 70012

(Address)

PHONE 318-746-8147 FAX 318-746-8184

EMAIL chase@precision24.net



Signature

10/21/24

Date



PRECISI-01

PJOHNSON

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

10/18/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER McClure, Bomar, and Harris LLC 900 Pierremont Rd, Suite 200 Shreveport, LA 71106	CONTACT NAME: Pam Johnson		
	PHONE (A/C, No, Ext):	FAX (A/C, No):	
	E-MAIL ADDRESS: pam.johnson@mbhinsurance.com		
INSURED Precision Mechanical Power Services, Inc. P.O. Box 72489 Bossier City, LA 71172	INSURER(S) AFFORDING COVERAGE		NA/C #
	INSURER A : EMC Insurance Companies		21415
	INSURER B : Evanston Insurance Company		35378
	INSURER C : LUBA Casualty Ins Company		12472
	INSURER D :		
	INSURER E :		
	INSURER F :		

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:		6A2313023	2/5/2024	2/5/2025	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 500,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input checked="" type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY		6A2313023	2/5/2024	2/5/2025	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
B	UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$ 0		EZXS3145771	2/5/2024	2/5/2025	EACH OCCURRENCE \$ 5,000,000 AGGREGATE \$ AGGREGATE \$ 5,000,000
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory In NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N N/A	028000022051124	2/5/2024	2/5/2025	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER E.I. EACH ACCIDENT \$ 1,000,000 E.I. DISEASE - EA EMPLOYEE \$ 1,000,000 E.I. DISEASE - POLICY LIMIT \$ 1,000,000
A	Equipment Floater		6A2313023	2/5/2024	2/5/2025	LEASED FROM OTHERS 250,000
A	Equipment Floater		6A2313023	2/5/2024	2/5/2025	Deductible 5,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

GENERAL LIABILITY - BLANKET ADDITIONAL INSURED

PRIMARY NON CONTRIBUTORTY AS REQUIRED BY WRITTEN CONTRACT

BLANKET WAIVER OF SUBROGATION

AUTOMOBILE - BLANKET ADDITIONAL INSURED

BLANKET WAIVER OF SUBROGATION

SEE ATTACHED ACORD 101

CERTIFICATE HOLDER

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



ADDITIONAL REMARKS SCHEDULE

Page 1 of 1

AGENCY McClure, Bomar, and Harris LLC		NAMED INSURED Precision Mechanical Power Services, Inc. P.O. Box 72489 Bossier City, LA 71172	
POLICY NUMBER SEE PAGE 1			
CARRIER SEE PAGE 1	NAIC CODE SEE P 1	EFFECTIVE DATE: SEE PAGE 1	

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance

Description of Operations/Locations/Vehicles:
WORKERS COMP- BLANKET WAIVER OF SUBROGATION

UMBRELLA-FOLLOW FORM