

MobilityTRANS


E-Transit - All Electric



The Only OEM All-Electric Passenger And Paratransit Van! Available In 20ft And 22ft Models

MobilityTRANS Has Always Had An Eye To The Future. After Ford Introduced The E-Transit Chassis We Jumped At The Opportunity To Be The First Manufacturer To Develop A Passenger And Paratransit Upfit To Fit Public Transportation Needs.

- Available With Rear Curb Side “Game Changer’ Lift Door
- Ford Pro Charger Available, Mobile Charger Is Standard
- 99” And 109” Roof Heights Available
- 40% Fewer Scheduled Maintenance Costs
- Federal Grants And Tax Credits Available To Offset Costs
- Access To Network Of Over 75,000 Public Charging Stations
- Made In The USA And Meets Buy America



Creative Bus Sales

THE NATION'S LARGEST BUS DEALER SINCE 1980

CreativeBusSales.com

800.326.2877





MobilityTRANS



- Total Cost Of Ownership Lower Than Comparable ICE Vehicle
- Less Parts, Less Maintenance, Less Down Time
- Charger Installation Assistance Is Available

MULTIPLE CONFIGURATIONS

MobilityTRANS Offers A Variety Of Seating Configurations To Customize The Ford E-Transit To Meet Your Transportation Needs.



About MobilityTRANS


Founded in 1992, MobilityTRANS is a minority owned company providing a one-stop shop for all commercial passenger transportation needs. MobilityTRANS is a manufacturer small buses, ADA Paratransit, vans passenger shuttles, and prisoner transportation vans. All vehicles we provide meet and exceed NHTSA, FMVSS, NMEDA, ADA, and our own tough standards. We have the largest facility in the U.S. dedicated solely upfitting vans for commercial passenger transport.




Creative Bus Sales
THE NATION'S LARGEST BUS DEALER SINCE 1980

CreativeBusSales.com
800.326.2877

One Wheelchair Position



Two Wheelchair Positions



MobilityTRANS

Paratransit & Passenger Vans

FMVSS SELF CERTIFICATION

To Whom It May Concern:

MobilityTRANS hereby certifies that the vans and small buses that we provide comply with all applicable Federal Motor Vehicle Safety Standards, including but not limited to FMVSS 207, 208, 225, 302, 403, and 404, in effect on their date of manufacture.

Sincerely,



David Brown,
President



Americans with Disabilities Act of 1990 Certification

To Whom it may concern,

Date: 06-02-2022.

MobilityTRANS, Inc. hereby certified that vehicles converted at our manufacturing facility at 12633 Inkster Road Livonia, MI 48150 conform to all requirements of the Americans with Disabilities Act of 1990.

Sincerely,

A handwritten signature in grey ink that reads "Dave Brown".

Dave Brown,

President, MobilityTRANS

Simplicity... Redefined

NHTSA **BRAUN MILLENNIUM 2 SERIES™**



Creative Bus Sales
800.326.2877
CreativeBusSales.com

THE BRAUN CORPORATION.
mobility products

BRAUN **MILLENNIUM2** SERIES

- fully automatic NHTSA compliant lift, operated by an attendant
- loading position - either direction
- interfaces with OEM interlocks
- lift mounted lights - active when interlocks are met and lift is powered
- hand-held control box with illuminated functions
- locking mechanical Inboard Barrier (IB), powder coated yellow for safety and high visibility, prevents operation if occupied
- pump design prevents platform folding when occupied, quiet operation & low current draw
- durable redesigned baseplate reduces lift weight and allows for quicker and easier service of hose/wiring
- easily installed, step-by-step installation instructions, no peripheral hardware required
- platform movement prevented during unsafe operation
- hydraulic outer barrier that will be in the fully up position before the platform leaves the ground, complete with durable rubber nose guard
- transition areas marked with durable high-gloss yellow powder coating for safety & visibility
- side or rear door application
- several platform widths and lengths
- dual handrails for security and convenience
- bridging feature permits the wheelchair user to board the lift from sidewalks or inclines
- floor to ground travel is 42" or 48"
- lifting capacity is 800 lbs
- integrated back-up pump
- equipped with an adjustable anti-rattle feature to avoid unpleasant noise in the vehicle during transit
- durable high-gloss powder coated finish
- Lift-Tite system stows the lift platform securely while the vehicle is in transit
- pump module with removable cover offers easy access to all components



Integrated dual handrails provide added security for wheelchair users and standees



Visual and audible warnings alert both passengers and attendants to unsafe conditions



Hydraulic roll stop engages and locks before the platform leaves the ground



THE BRAUN CORPORATION.



Creative Bus Sales

800.326.2877

CreativeBusSales.com



Braun® Limited Warranty

WARRANTY COVERAGE AND WARRANTY COVERAGE TIME PERIODS

The Braun Corporation (“Braun”) warranty covers certain parts of this wheelchair lift for three (3) years or 10,000 cycles and the cost of labor to repair or replace those parts for one (1) year or 3,000 cycles. If The Braun Corporation receives the warranty registration card within 20 days after the lift is put into service, the warranty labor coverage will increase from one (1) year or 3,000 cycles to three (3) years or 10,000 cycles. In addition, providing the warranty registration card is returned as noted above, the following lift’s power train parts are warranted for five (5) years or 15,000 cycles: Cable, Cylinder, Flow Control, Gear Box, Motor, Pump, Hydraulic Hose and Fittings. This limited warranty covers substantial defects in materials and workmanship of the lift, provided that the lift is operated and maintained properly and in conformity with the owner’s manual. The warranty period begins on the date that the product is delivered to the first retail purchaser by an independent, authorized dealer of Braun, or, if the dealer places the product into any type of service prior to retail sale, on the date the dealer first places the product in such service. This limited warranty applies only to the first purchaser. It may not be transferred.

WHAT BRAUN WILL DO TO CORRECT PROBLEMS

In the event that a substantial defect in material or workmanship, attributable to Braun, is found to exist during the first year of warranty coverage, it will be repaired or replaced, at Braun’s option, without charge for parts or labor to the owner, in accordance with the terms, conditions and limitations of this limited warranty. If the substantial defect in material or workmanship, attributable to Braun, is found to exist during the second or third year of warranty coverage, it will be repaired or replaced, at Braun’s option, without charge to the owner for parts, only, in accordance with the terms, conditions and limitations of this limited warranty. Providing the warranty card is returned within 20 days as outlined above, the labor warranty period will be extended by two years of coverage in accordance with the terms, conditions, and limitations of this limited warranty. In addition, if a substantial defect in material or workmanship, attributable to Braun, is found to exist during the fourth or fifth year of warranty coverage to the following lift’s power train parts: Cable, Cylinder, Flow Control, Gear Box, Motor, Pump, Hydraulic Hose and Fittings, it will be repaired or replaced, at Braun’s option, without charge to the owner for parts, only, in accordance with the terms, conditions and limitations of this limited warranty. The cost of labor for repair or replacement at any time after the warranty coverage detailed above is the sole responsibility of the owner.

Braun’s obligation to repair or replace defective materials or workmanship is the sole obligation of Braun under this limited warranty. Braun reserves the right to use new or remanufactured parts of similar quality to complete any work, and to make parts and design changes from time to time without notice to anyone. Braun reserves the right to make changes in the design or material of its products without incurring any obligation to incorporate such changes in any previously manufactured product. Braun makes no warranty as to the future performance of this product, and this limited warranty is not intended to extend to the future performance of the product. In addition, the owner’s obligation to notify Braun, or one of its authorized, independent dealers, of a claimed defect does not modify any obligation placed on the owner to contact Braun directly when attempting to pursue remedies under state or federal law.

LIMITATIONS, EXCLUSIONS AND DISCLAIMER OF IMPLIED WARRANTIES

ANY IMPLIED WARRANTY THAT IS FOUND TO ARISE BY WAY OF STATE OR FEDERAL LAW, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR ANY IMPLIED WARRANTY OF FITNESS, IS LIMITED IN DURATION TO THE TERMS OF THIS LIMITED WARRANTY AND IS LIMITED IN SCOPE OF COVERAGE TO THE SCOPE OF COVERAGE OF THIS LIMITED WARRANTY. Braun disclaims any express or implied warranty, including any implied warranty of fitness or merchantability, on items excluded from coverage as set forth in this limited warranty. Braun makes no warranty of any nature beyond that contained in this limited warranty. No one has authority to enlarge, amend or modify this limited warranty, and Braun does not authorize anyone to create any other obligation for it regarding this product. Braun is not responsible for any representation, promise or warranty made by any independent dealer or other person beyond what is expressly stated in this limited warranty. Any selling or servicing dealer is not Braun’s agent, but an independent entity.

Braun® Limited Warranty

BRAUN SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES THAT MAY RESULT FROM BREACH OF THIS LIMITED WARRANTY OR ANY IMPLIED WARRANTY. THIS EXCLUSION OF CONSEQUENTIAL AND INCIDENTAL DAMAGES SHALL BE INDEPENDENT OF ANY FAILURE OF THE ESSENTIAL PURPOSE OF ANY WARRANTY, AND THIS EXCLUSION SHALL SURVIVE ANY DETERMINATION THAT THIS LIMITED WARRANTY OR ANY IMPLIED WARRANTY HAS FAILED OF ITS ESSENTIAL PURPOSE. This warranty does not cover, and in no event shall Braun be liable for towing charges, travel, lodging, or any other expense incurred due to the loss of use of the product or other reason.

Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

HOW TO GET SERVICE

To obtain warranty service the owner must do all of the following:

1. Notify an authorized service center, of the claimed defect attributable to Braun, within the warranty coverage period designated above
2. Provide the notification mentioned in (1), above, within ten (10) days of when the owner discovered, or should have discovered, the claimed defect
3. Promptly schedule an appointment with and take the product to an authorized service center for service.
4. Pay any transportation costs and all expenses associated with obtaining warranty service.

Since Braun does not control the scheduling of service work at the independent dealerships you may encounter some delay in scheduling or completion of work. If you need assistance you may contact Braun, at 631 West 11th Street, Winamac, Indiana 46996; 1-800-THE-LIFT, (843-5438).

If two (2) or more service attempts have been made to correct any covered defect that you believe impairs the value, use or safety of the product, or if it has taken longer than thirty (30) days for repairs to be completed, you must, to the extent permitted by law, notify Braun directly, in writing, at the above address, of the unsuccessful repair(s) of the alleged defect(s) so that Braun can become directly involved in providing service pursuant to the terms of this limited warranty.

WHAT IS NOT COVERED

This Limited Warranty does not cover any of the following: defects in materials, components or parts of the product not attributable to Braun, any material, component or part of the product that is warranted by another entity (Note: the written warranty provided by the manufacturer of the material, component or part is the direct responsibility of that manufacturer); items that are added or changed after the product leaves Braun's possession; additional items installed at any dealership, or other place of business, or by any other party, other than Braun; normal wear, tear, usage, maintenance, service, periodic adjustments, the effects of condensation or moisture from condensation; mold or any damage caused by mold; imperfections that do not affect the product for its intended purpose; items that are working as designed but that you are unhappy with; problems related to mis-operation, misuse, mishandling, neglect or abuse, including failure to maintain the product in accordance with the owner's manual, or other routine maintenance such as inspections, lubricating, adjustments, tightening of screws, sealing, wheel alignments or rotating tires; damage due to accident or collision, including any acts of weather or damage or corrosion due to the environment; theft, vandalism, fire, or other intervening acts not attributable to Braun; damage resulting from tire wear or tire failure; defacing, scratches, dents or chips on any interior or exterior surface of the product, including those caused by rocks or other road hazards, damage caused by off road use, overloading or alteration of the product, or any of its components or parts.

Defects and/or damage to interior and exterior surfaces and other appearance items may occur at the factory or when the product is in transit. These items are usually detected and corrected at the factory or by

Braun® Limited Warranty

a dealer prior to delivery to the purchaser. You must inspect the product for this type of damage when you take delivery. If you find any such defect or damage you must notify the selling dealer, or Braun, at the time of delivery to have these items covered by this limited warranty and to have work performed on the items at no cost to you as provided by this limited warranty.

EVENTS DISCHARGING BRAUN FROM OBLIGATION UNDER WARRANTY

The following shall completely discharge Braun from any express or implied warranty obligation to repair or replace anything and void this warranty: misuse, neglect, collision, accidents, failure to provide routine maintenance (See Owner's Manual), unauthorized alteration, off road use, Acts of Nature, damage from weather or the environment, theft, vandalism, tampering, fire, explosions, overloading the product and odometer tampering.

LEGAL REMEDIES

Any action to enforce any portion of this limited warranty, or any implied warranty, must be commenced within six (6) months after expiration of the warranty coverage period designated above or the action will be barred because of the passage of time. Any performance of repairs shall not suspend this limitation period from expiring. Any performance of repairs after the warranty coverage period has expired, or performance of repairs regarding any thing excluded from coverage under this limited warranty shall be considered "good will" repairs, and they will not alter the terms of this limited warranty, or extend the warranty coverage period or the filing limitation period in this paragraph. In addition, since it is reasonable to expect that the product will need some service during the warranty period; this warranty does not extend to future performance. It only sets forth what Braun will do and does not guarantee anything about the product for any time period. Nothing in this warranty, or any action of Braun, or any agent of Braun, shall be interpreted as an extension of any warranty period or the filing limitation period in this paragraph. Some states do not allow a reduction in the statute of limitations, so this reduction may not apply to you.

WARRANTY REGISTRATION and MISCELLANEOUS

Your warranty registration records should be completed and delivered to the appropriate companies, including the Braun Delivery Checklist & Warranty form. That form must be returned to Braun within twenty (20) days of purchase. The Braun warranty will not be registered unless this warranty registration is completed and received by Braun. Failure to file this warranty registration with Braun will not affect your rights under this limited warranty as long as you can present proof of purchase, but it can cause delays in obtaining the benefits of this limited warranty, and it changes the start date of the warranty to the date of final assembly of the product by Braun.

Braun agrees to repair or replace any of its factory installed parts found to have substantial defects within the appropriate warranty period designated above, provided that the repair is authorized by Braun and carried out by an authorized service center (a Braun labor schedule determines the cost allowance for repairs). Braun will not honor any warranty claim for repairs or replacement of parts unless the claim is submitted with the appropriate paperwork, and the work is completed by an independent, factory authorized service center. The appropriate paperwork can be obtained by written or phone contact with Braun at the contact information in this warranty.


Braun reserves the right to designate where any warranty work can be performed. Braun also reserves the right to examine any defective workmanship or part prior to giving any authorization for warranty work. Braun's return authorization procedure must be adhered to in order to process any warranty claims.

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE.

QRT[®]-1 SERIES



MAX / DELUXE / STANDARD
4-POINT SECUREMENT
WHEELCHAIR RETRACTORS



QRT[®]-1 SERIES

The Securement System That Changed Everything

The original 4-point wheelchair securement system, QRT-1 Series retractors defined the way passenger safety devices are designed and tested.

With a range of 3 different options to fit every need and every budget, the QRT-1 Series of retractors offer easy to use, effective 4-Point securement of wheelchairs for virtually any vehicle application.



QRT MAX

FULLY AUTOMATIC, premium knobless retractor that allows for one-handed operation.



QRT DELUXE

SELF-LOCKING & SELF-TENSIONING retractor with ergonomic housing and dual tensioning knobs.



QRT STANDARD

SEMI-AUTOMATIC retractor that meets all industry standards and specifications.



More than 30 years ago, Q'STRAIT introduced the world's first fully integrated 4-Point wheelchair passenger securement system, now an industry standard the world over.

The QRT line of retractors are the linchpin of that system.



Every QRT retractor is fully ADA compliant, and meets or exceeds all standards and regulations, including:

- SAE J2249, ISO 10542,
- FMVSS 209, 302, 210, 222
- CMVSS 209
- CSA Z605
- and 30mph/20g crash testing

Anchorage Options

All QRT-1 Series Retractors are compatible with L-Track, L-Pockets and Slide 'N Click anchorages, or may be directly mounted to vehicle floors, seat legs or barriers.



L-TRACK / L-POCKETS

For kits that use L-Track or L-Pocket anchorages, QRT Series retractors feature our patented Positive Lock Indicator (PLI) that clearly indicates when the fitting is locked in the anchorage.

SLIDE 'N CLICK

For kits that include Slide 'N Click anchorages, QRT Series retractors feature a single-bolt SNC assembly and plunger that allows a full 360° rotation, eliminating anchorage alignment guesswork.

QRT-1 SERIES FEATURES COMPARISON

	MAX	DLX	STD
Knobless, One-Handed Operation. No knobs to interfere with wheels and footrests.	●		
Dual Tensioning Knobs. Provides additional tensioning if needed.		●	
Single Tensioning Knob. Provides additional tensioning if needed.			●
Automatic, Self-Locking. Allows easy, one-handed hook-up.	●	●	
Self-Tensioning. Retractors automatically take up 'slack'.	●	●	
Positive Lock Indicator. Patented feature clearly indicates when fitting is locked in anchorage.	●	●	●
Interchangeable. Eliminates confusion: no right, left, front or rear locations.	●	●	●
Low Profile & Compact. Elimination of mounting bracket allows retractors to fit under most footrests.	●	●	●
Accommodates Larger Wheelchairs. Reduced overall length leaves more room for wheelchairs.	●	●	
Ultra-Durable. Hardened steel and coated zinc for maximum corrosion resistance.	●	●	●
Universal Design. Accommodates virtually all wheelchair designs, including scooters.	●	●	●
J-Hook. Reduces twisting of belts and ensures proper securement for all wheelchair designs.	●	●	●
Foot Release Lever. Easy release eliminates the stress of bending down.	●	●	●



WWW.QSTRAINT.COM/QRT-1-SERIES

© 2017 Q'STRAIT®. All Rights Reserved.
Q'STRAIT®, Q'STRAIT® logo, QRT-SERIES® and QRT™ are registered trademarks of Q'STRAIT®, Inc.

Q'STRAIT EUROPE

72-76 John Wilson Business Park
Whitstable, Kent, CT5 3QT
United Kingdom
Tel: +44 (0)1227 773035
Fax: +44 (0)1227 770035
Email: info@qstraint.co.uk

Q'STRAIT AMERICA

4031 NE 12th Terrace
Oakland Park, FL 33334
Tel: 800-987-9987
Fax: 954-986-0021
Email: qstraint@qstraint.com

Q'STRAIT AUSTRALIA

Tramanco Pty Ltd.
21 Shoebury Street,
Rocklea, Australia, QLD. 4106
Tel: +61 7 3892 2311
Fax: +61 7 3892 1819
Email: info@tramanco.com.au

LIMITED WARRANTY

Q'STRAIT provides limited warranty coverage on Q'STRAIT products (the "Products") as described in this Limited Warranty. For customers in the U.S.: this warranty gives you specific legal rights; you also may have other rights, which vary from state to state. For customers in the European Union: the purchaser may have additional legal rights under applicable national legislation governing the sale of consumer goods, and those rights (if applicable) are not affected by this warranty.

COVERED PRODUCTS AND LIMITATIONS:

Q'STRAIT's limited warranty coverage applies only to factory defects in materials and workmanship in the Products as follows:

- **QUANTUM** – 3 years* or 10,000 cycles.
- **Q'POD, QRT-3 Series, QRT-5 Series** – 5 years* limited warranty coverage.
- **QRT Max, QRT Deluxe, QLK-150, Q'UBE** – 3 years* limited warranty coverage.
- **QRT Standard, Q-5000, M-Series, QLK-110, INQLINE, INQLINE Loader** – 2 years* limited warranty coverage.
- **All other Products** – 1 year limited warranty coverage.

***Only valid if product is registered with Q'STRAIT.** Otherwise a 1 year limited warranty applies to all products.

Each of the warranty coverage periods runs from the date the Products are shipped from Q'STRAIT, and applies only to warranted defects that first manifest themselves and are reported to Q'STRAIT within the applicable warranty period. Q'STRAIT retains the right to determine to its reasonable satisfaction whether any claimed defect is covered by this warranty.

CERTAIN ITEMS ARE EXCLUDED FROM WARRANTY COVERAGE BY Q'STRAIT, AND THIS LIMITED WARRANTY COVERAGE DOES NOT APPLY TO:

1. Products which are not installed and maintained in accordance with Q'STRAIT's instructions.
2. Products which are subject to misuse, abuse, accident, negligence, or exposure to the elements or chemicals.
3. Products which are altered or not repaired by a Q'STRAIT authorized repair service.
4. Normal wear and tear, and routine maintenance.

5. Products which are not used in applications or in a manner approved by Q'STRAIN.

ALL STATUTORY OR IMPLIED WARRANTIES (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE), CONDITIONS AND GUARANTIES ARE EXCLUDED AND DISCLAIMED TO THE FULLEST EXTENT ALLOWED BY LAW. If any implied warranties, conditions or guarantees are required under applicable law, they are limited to the minimum duration allowed by law (not longer than the duration of the applicable express limited warranty coverage). For customers in the U.S.: some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

REMEDIES UNDER THIS LIMITED WARRANTY

If a defect covered by this warranty occurs, Q'STRAIN (or one of its authorized dealers, as determined by Q'STRAIN) will repair or replace the defective Products, in its sole discretion. This "repair or replacement" remedy is the **exclusive remedy** under this warranty. Q'STRAIN has **no responsibility or liability for any incidental or consequential damages**, such as loss of use, interest or finance charges, the cost of repairs by unauthorized repair services, depreciation, etc., all of which are specifically **excluded and disclaimed** from this warranty. For customers in the U.S.: some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

RESPONSIBILITY OF PURCHASER

1. Any claims under this limited warranty must be made to Q'STRAIN within fifteen (15) days after the defect first arises.
2. The Products must be returned to Q'STRAIN (or its authorized repair facility, as determined by Q'STRAIN) within the warranty period for inspection and warranty service. The expense of disassembly, returning the Products for warranty service, and of returning the Products to the owner and reassembly after any warranty service has been completed, is the responsibility of the owner and will not be reimbursed by Q'STRAIN. Contact Q'STRAIN Customer Service for information on how to return Products.
3. If your Product includes a registration form it must be returned to Q'STRAIN within thirty (30) days after the Products are delivered to the purchaser.

Q'STRAIN reserves the right to improve its products through changes in design or materials without being obligated to the owners of other Products.

Q'STRAIN may be contacted at **800-987-9987** or via email at customersatisfaction@qstraint.com.

Gateway

INTERMOTIVE
VEHICLE
CONTROLS

An ISO 9001:2015 Registered Company

Gateway

High Idle and Shift Interlock System

Overview

- All-in-one wheelchair interlock and high idle system to ensure full functionality of the vehicle's systems while using the lift
- Provides battery charge protection and improves air conditioning performance
- System is fully compliant with FMVSS 403/404 and the Americans with Disabilities Act (ADA) for wheelchair lift interlocks
- Simple plug and play connections to the OEM chassis

Features

- Prevents vehicle movement while the lift is in use by locking the shifter in Park
- Monitors OEM sensor inputs from the transmission, engine, charging system and ambient air temperature
- Programmable RPM for high idle
- Prevents driving with the park brake set
- Can provide real-time chassis data
- Diagnostic trouble codes available
- Optional BrakeMax add-on: automatically places vehicle in "tow haul" mode for reduced brake wear
- Uses Intermittent Fault Filter™ (IFF) technology to eliminate erroneous lift door signals

Product features may vary by make, model or year. See instructions for complete details.


Proudly distributed by

LGS GROUP
AUTOMOTIVE TECHNOLOGIES

(775) 831-2002

Details

EXAMPLE SCHEMATIC



SPECIFICATIONS

Number of Inputs	Five inputs (lift inhibit, door ajar, shift lock, lift door and RPM adjust)
Number of Outputs	Four configurable outputs, plus one lift power/vehicle secure output and one tow haul switch output
Current Draw	~120 mA
Quiescent Draw	~2 mA (sleep current)
CAN Speed	High and medium speed
Temperature Range	-40°C to 80°C
Dimensions	4" L x 2" W x 1" H