



**CENTRALBIDDING**  
FROM CENTRAL AUCTION HOUSE

**50001469003 PURCHASE OF ZONE BEACONS FOR JEFFERSON PARISH  
DEPARTMENT OF TRAFFIC ENGINEERING**  
Jefferson Parish Government

Project documents obtained from [www.CentralBidding.com](http://www.CentralBidding.com)

06-Jan-2025 01:10:23 PM



**Bid Number 50-00146903**

**PURCHASE OF ZONE BEACONS FOR JEFFERSON PARISH DEPARTMENT  
OF TRAFFIC ENGINEERING**

**BID DUE: January 7, 2025 AT 11:00 AM**

**ATTENTION VENDORS!!!**

**Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, [www.jeffparishbids.gov](http://www.jeffparishbids.gov), by the bid due date and time. Late bids will not be accepted.**

**Jefferson Parish Purchasing Department  
200 Derbigny Street  
General Government Building, Suite 4400  
Gretna, LA 70053  
Purchasing Specialist: Stacey Champagne  
Email: [stacey.champagne@jeffparish.gov](mailto:stacey.champagne@jeffparish.gov)  
Phone: 504-364-2688**

**DEPARTMENT OF ENGINEERING  
TRAFFIC ENGINEERING DIVISION**

**Specifications for School Zone Beacon Assembly**

R829G Dual Solar School Zone Beacon Assembly & Pole

Includes: No color Solar cabinet, Top of Pole Mount, solar panel, 55w battery,

12 ft pole, base, collar, foundation anchor assembly

---

# R829-G

## SOLAR AND AC SCHOOL ZONE FLASHING BEACON



Schedule-based, solar and AC school zone flashing beacon

- Decreases vehicle speeds by five to seven miles per hour in school zones
- Solar-powered ITE intensity compliant system
- Simple, software-based calendar program or programmable time clock operation
- Solar and AC-powered models sized to meet site-specific demands
- Proven technology platform
- Meets and exceeds MUTCD requirements

### Superior Design and Technology

The R829-G is a cabinet-based system with a separate, high-power solar panel. This design enables the R829-G to work with third-party time clocks and remote monitoring, as well as operate at higher intensities in challenging environments. MUTCD flash patterns, available ITE intensity, and multiple configurations enable the R829-G to handle all school zone and speed limit sign applications.

### Easy Installation

All components, including the battery or AC power supply, Energy Management System (EMS) and optional time clocks are housed in a compact, lockable, purpose-built enclosure. It also incorporates a wire routing and termination system, and all components are wired at the factory for an efficient installation.

### Calendar Operation

Schedule beacon operation with our easy software-based calendar program, or use third-party time clocks for local or remote control.

### Advanced User Interface

The R829-G comes with an on-board user interface for quick configuration and status monitoring. It allows for simple in-the-field adjustment of flash pattern, duration, intensity, ambient auto adjust, night dimming, and many more. Optional wireless connection enables one beacon's calendar settings to control multiple school zone beacons.

### Reliable

Designed with Carmanah's industry-leading solar modeling tools to provide dependable year-after-year operation.

### Trusted

With thousands of installations, Carmanah's beacons are the benchmark in traffic applications and other transportation applications worldwide.




# R829-G


## SOLAR AND AC SCHOOL ZONE FLASHING BEACON



### CABINET DIMENSIONS




### SOLAR PANEL MOUNTING



PANELS	A	B	C	D	E	F	G
20 W					13.5" (343 mm)	18.5" (470 mm)	13.8" (350 mm)
50 W	21.2" (538 mm)	26.3" (668 mm)	18.8" (477 mm)	10.0" (254 mm)	28.3" (719 mm)	21.2" (538 mm)	18.0" (457 mm)
80 W	30.7" (780 mm)	26.5" (673 mm)	19.7" (500 mm)	10.0" (254 mm)	30.7" (780 mm)	26.5" (673 mm)	19.7" (500 mm)

### BEACON MOUNTING





Specifications subject to local environmental conditions, and may be subject to change.  
 All Carmanah products are manufactured in facilities that are certified to ISO quality standards.  
 US Patent No 8,573,650. Other patents pending.  
 "Carmanah" and Carmanah logo are trademarks of Carmanah Technologies Corp.  
 © 2020, Carmanah Technologies Corp.  
 Document: SPEC\_TRA\_R829-G\_Rev1

	Adjustable system settings with auto-scrolling LED display on our latest EMS System test, status, and fault detection; battery, solar, button, beacon, radio, daylight Flash patterns: RFB1 (WWW-S), RFB2 (WSDOT), 0.5 sec. alternating (MUTCO), 0.5 sec. unison (MUTCO), 0.1 sec. unison, 0.25 sec. unison, 0.1 sec. x3 quick flashes unison, 0.1 sec. x3 quick flashes alternating Input: momentary for push button activation, normally open switch, normally closed switch Flash duration: 6 sec. to 1 hr. Intensity setting: 2J to 1400 mA for multiple circular beacons, 66/6A, or LED or-flashed signs Nighttime dimming: 10 to 100% of daytime intensity Ambient Auto Adjust: increases intensity during bright daytime Automatic Light Control: reduces intensity if the battery is extremely low Temperature correction: yellow or red beacons Calendar: internal time clock function Radio settings: enable/disable, selectable channel from 1 to 14 Output: enabled when beacons flashing daytime and nighttime, or nighttime only Activation counts and data reporting via DBU or optional USB connection
On-Board User Interface (OBU)	MUTCO compliant 2009 MUTCO, Chapter 4L, Flashing Beacons, Manual on Uniform Traffic Control Devices (MUTCD) ITE VICSII-LED Circular Signal Supplement compliant; meets ITE or 1.7x ITE intensity when used as recommended 12 in (305 mm) or 8 in (203 mm) diameter LED modules, yellow High-power LEDs: +80% lumen maintenance (LM) based on IES LM-80 Yellow, black, or green signal heads in UV-resistant polycarbonate or aluminum
Optical	Optional encrypted, wireless radio with 2.4 GHz mesh technology Optional radio allows calendar program, manual override switch, or input device from one system to remotely control other systems User-selectable multiple channels to group different beacons and ensure a robust wireless signal
Connectivity	Instantaneous wireless activation: <150 ms Wireless range: 1000 ft (305 m) Integrated, vandal-proof antenna
Power System	Solar or AC-powered AC: 90-264 VAC input, 6-14 AWG Replaceable AC-DC power supply, circuit breaker, terminal block wiring
Energy Collection	45 deg tilt for optimal energy collection Maximum Power Point Tracking with Temperature Compensation (MPPTC) battery charger for optimal energy collection in all solar and battery conditions
Energy Storage	12 V battery system with multiple cells: 30, 55, 100 Ah Replaceable, recyclable, sealed, maintenance-free, best-in-class AGM batteries offer the widest temperature range and longest life Battery design life: +5 yrs.
Cabinet Construction	Weatherproof, gasketed enclosure with vents for ambient air transfer (NEMA 3R) Lockable, hinged door with #2 lock Corrosion-resistant aluminum with stainless steel hardware Raw aluminum finish or yellow, black, or green powder coated Prewired to minimize installation time High-efficiency optics and EMS – the most compact, lightweight system
Environmental	-40 to 165° F (-40 to 74° C) system operating temperature -40 to 162° F (-40 to 72° C) battery operating temperature 150 mph (241 kph) wind speed as per AASHTO US-6
Activation	Internal time clock; calendar programming via our simple software Also compatible with 3rd-party time clocks: • Applied Information AI 500-0708 • Temple FCU 500-071 (FL only) • RTC AP21, AP22, CPR2102, and MQM models • Information Display DC-FB Other time clocks may also be compatible. Manual override switch allows local control of beacons
Warranty	Junction box: lockable, hinged door, corrosion-resistant aluminum enclosure allows easy calendar programming and access to manual override switch 5-year limited warranty


## Foundation Anchors

Pelco's foundation anchors feature a top plate which enables the bolt head to be inserted after the anchor is in place. This eliminates the necessity of digging under the plate to install base bolts. Plate scrapers loosen the soil for easy bolt installation from top of the plate. The bolt is held by the plate scraper which prevents it from turning.




**Foundation Anchor Assy, 6" Sch 40 x Length  
9" to 14" Bolt Circle  
1"-8NC Hardware**


PB-5537 - Length - GLV  
 48=4'-0"  
 60=5'-0"  
 72=6'-0"  
 84=8'-0"



Note:  
 48" (wt. 115 lbs.); 60" (wt. 134 lbs.); 72" (wt. 152 lbs.); 84" (wt. 172 lbs.)



**PB-5372-GLV Foundation Anchor Assy, 6" Sch 40 x 5'-0"  
10" to 15" Bolt Circle  
1"-8NC Hardware**



Note:  
 For residential lights, parking lots, etc. Typically for poles ranging from 20'-30' in height. (wt. 167 lbs.)

- Note: 1. Foundation anchors are hot dip galvanized per ASTM A123.  
 2. All assemblies are supplied with Grade 5 Galvanized Bolts.  
 3. All assemblies with hardware are bagged in a nylon weatherproof bag.



This drawing is the property of Pelco and is not to be used in whole or in part without Pelco's written permission.

# ASSEMBLY SHEET



REF:

TITLE:  
Foundation Anchor Assy, 4" x 56", 8-1/4" - 14-3/4" BC w/ 3/4"-10 Hardware, w/o MTRS, Steel, Galv

PART NO:  
PB-5364-GLV

PART NO  
PB-5364-GLV  
PB-5364-MTR-GLV

Mill Test Report  
Galvanize



- Notes:  
1. Place hardware in nylon weatherproof bag and attach to hole with drawstring.  
2. PB-5364-MTR-GLV is manufactured in accordance with Buy America Act.

OPTIONS  
Mill Test Report

ITEM	PART NUMBER	DESCRIPTION	QTY
1	PB-5363-M1	Weldment, Foundation Anchor, 4" x 56", 8-1/4" to 14-3/4" BC, Steel	1
2	PB-5365-GLV	Hardware Kit, 4" Foundation Anchor, 3/4"-10NC Sq Hd Bolts, Galv	1

LCA DRAWN:	12/21/1998 DATE:	RW CHECKED:	10/14/2005 DATE:	KAK MGR/ENG:	4/26/2016 DATE:	RKV QA:	4/26/2016 DATE:	V REV:	08/07/17 CBJ DATE:	TWO REV/CHK:	8/9/2017 DATE:	SHEET 1 OF 1
---------------	---------------------	----------------	---------------------	-----------------	--------------------	------------	--------------------	-----------	-----------------------	-----------------	-------------------	--------------

Pelco Assembly 4/25/18

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 1

DATE: 1/02/2025

BID NO.: 50-00146903

**JEFFERSON PARISH**  
PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:  
SCHAMPAGNE@jeffparish.net

Bids will be received until 11:00 AM, 1/07/2025

**LATE BIDS WILL NOT BE ACCEPTED**

**NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA – R.S. 9:2602(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE AND MUST PROVIDE PROOF OF THE SECURED SIGNATURE WITH BID SUBMISSION.**

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 as amended. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://www.jeffparish.gov/464/Purchasing> and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://www.jeffparish.gov/464/Purchasing> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder by the bidder placing the Addendum number in the appropriate section. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51,55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A1 17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

**IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS**

**This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.**

**Please visit our E-Procurement Page at [www.jeffparishbids.net](http://www.jeffparishbids.net) to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://www.jeffparish.gov/464/Purchasing>.**

**ADDITIONAL REQUIREMENTS FOR THIS BID**

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW. IF THE NUMBER IS NOT SPECIFIED IN THIS BOX, IT IS NOT APPLICABLE FOR THIS BID.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Building Permits. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Building Permits. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.

## INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Any deviation from the Standard Insurance Requirements must be requested in writing prior to bid opening. Written approval for any deviation, must be submitted with your bid submission. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies). When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is an as needed basis contract. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications as per the appendix instructions will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment") All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

**It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.**

DATE: 1/02/2025

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00146903

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

PURCHASING SPECIALIST:  
SCHAMPAGNE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	_____
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
 NUMBER: \_\_\_\_\_  
 NUMBER: \_\_\_\_\_  
 NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: Temple, Inc	
SIGNATURE: (Must be signed here) Delilah Mitchell	TITLE: Sales Support
PRINT OR TYPE NAME: Delilah Mitchell	
ADDRESS: 305 Bank St	
CITY, STATE: Decatur AL	ZIP: 35601
TELEPHONE: 800-633-3221	FAX: 256-353-4678
EMAIL ADDRESS: delilah.mitchell@temple-inc.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 39,018.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00146903

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	6.00	EA	<p>PURCHASE OF ZONE BEACONS FOR JEFFERSON PARISH DEPARTMENT OF TRAFFIC ENGINEERING</p> <p>0010 CARMANAH R829G DUAL SOLAR SCHOOL ZONE BEACON ASSEMBLY</p> <p>INCLUDES:                      R829G SOLAR SCHOOL ZONE BEACON ASSY (NO COLOR)                      BATTERY 55 AHR, SOLAR PANEL 50 W, SIDE OF POLE MOUNT                      SOLAR PANEL HARNESS MC4 TO SPADE TERMINALS 16 FT                      (2) 12" GREEN POLY HEADS WITH YELLOW LEDS                      CALENDAR COMMUNICATION KIT 16FT SERIAL TO USB HARNESS                      TC-18 ELTEC TIME CLOCK                      12 FT. POLE ASSEMBLY, SQUARE BASE, SCREW IN ANCHOR (NO COLOR)</p> <p>SEE ATTACHED SPECS</p> <p>TO BE DELIVERED TO:                      2100 DICKORY AVE.                      HARRAHAN, LA 70123                      ATTN: JOSEPH PARKER</p>	<p>\$4,503.00</p>	<p>\$39,018.00</p>

# TEMPLE, INC.

P.O. Box 2066 / 50 Davis Street  
Decatur, AL 35602  
Phone: 800/633-3221  
Fax: 256/353-4578

**1954 - 2024**  
**Serving the South's**  
**Traffic Needs**  
**for 70 Years**

**TO: Jefferspm Parish**  
Attn. Joseph Parker  
e mail: [Joseph Parker <Joseph.Parker@jeffparish.gov>](mailto:Joseph.Parker@jeffparish.gov)

DATE: <b>8-Nov-24</b>
TERMS: <b>NET 30 DAYS</b>
DELIVERY: <b>16 to 18 Weeks ARO</b>
SALESPERSON: <b>Delilah Mitchell</b>

QUOTE #:

Page 1 of 1

**CONDITIONS:** The prices and terms on this quotation are subject to verbal changes or other agreements unless approved in writing by Temple, Inc.. All quotations and agreements are contingent upon strikes, accidents, fires, availability of materials and all other causes beyond our control. Prices are based on cost and conditions existing on the date of the quotation and are subject to changes by Temple, Inc. before final acceptance.

Quantity	Description	Price	Extended
----------	-------------	-------	----------

6	<b>Carmanah R829G Dual Solar School Zone Beacon Assy</b> <i>includes:</i> <i>R829G Solar School Zone Beacon Assy (No color)</i> <i>Battery 55 Ahr, Solar panel 50 W, Side of pole mount</i> <i>Solar panel harness MC4 to spade terminals 16ft</i> <i>(2) 12" GREEN Poly Heads with Yellow LEDs</i> <i>Calendar communication kit 16ft serial to USB harness</i> <i>TC-18 ELTEC Time Clock</i> <i>12ft Pole Assembly, Square Base, Screw in Anchor (no color)</i>	\$6,503.00	<b>\$39,018.00</b>
---	---	------------	--------------------

**Subtotal = \$39,018.00**

Notes: Prices include shipping, freight insurance, and duties. Taxes are not included and will be added if applicable. Carmanah products are backed by a three-year warranty.  
Flashing Beacon Systems Include Solar Engine, Solar Panels, Batteries, Energy Management System, LED modules signal heads, mounting hardware, buttons (as required), harnesses and connectors.  
All flashing beacons are available in yellow, black, or green. Color & mounting option must be identified when ordering.  
All equipment listed above to be delivered unassembled.

Quote Valid for 30 Days

Delilah Mitchell