

May 22, 2024

Jefferson Parish
Jefferson Parishh Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053

Re: Bid Number 50-00145263
Purchase of Two (2) Vac-Con Vacuum Trucks for Jefferson
Parish Department of Sewerage

Covington Sales & Service, Inc., is pleased to submit our proposal on the above referenced bid.

Two (2) Vac-Con Model VPD4290H/1000 LHA
Combination Trucks mounted on a New Freightliner
Model 114SD Plus 4x2 Chassis.

We take no exceptions to your advertised specifications.

Thank you for allowing us the opportunity to submit our bid.

Should you require any additional information, please do not hesitate to contact our office
at 800-349-8000 or Mark Wardlaw's cell 225-465-9618.

Sincerely,

Covington Sales & Service, Inc.



Chris Kinchen
President



Bid Number 50-00145263

**PURCHASE OF TWO (2) VAC-CON VACUUM TRUCKS FOR JEFFERSON
PARISH DEPARTMENT OF SEWERAGE**

BID DUE: May 23, 2024 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Purchasing Specialist: Ruby Tran
Email: ruby.tran@jeffparish.net
Phone: 504-364-2687**



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000145263 PURCHASE OF TWO (2) VAC-CON VACUUM TRUCKS FOR
JEFFERSON PARISH DEPARTMENT OF SEWERAGE**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com
08-May-2024 01:01:32 PM

INSTRUCTIONS AND CONDITIONS

FREIGHT AND OTHER CHARGES MUST BE PREPAID

**THIS ORDER NUMBER MUST APPEAR ON ALL INVOICES & DRAY RECEIPTS,
DRAY RECEIPT MUST ACCOMPANY INVOICE.**

The right reserved to cancel all or any part if not shipped promptly. No charges will be allowed for packing or cartage unless specified in quotation. This order must not be filled at a higher price than quoted. If there is a price difference please contact the Purchasing Division.

INSPECTION: By accepting this order you hereby warrant that the merchandise to be furnished hereunder will be in full conformity with specifications, drawing or sample and agree that this warranty shall survive acceptance of the merchandise and that you will bear the cost of inspecting merchandise rejected.

REJECT: All rejected goods will be held at seller's risk and expenses, subject to seller's prompt advice as to disposition. Unless otherwise arranged, all rejected goods will be returned and charged back including all transportation and handling cost.

FEDERAL EXCISE TAX: Not applicable to Parish Purchases. Vendor must furnish Federal Excise Tax Exemption Certificates.

USE AND SALES TAX: Parish purchases are exempt from Use Tax, Louisiana State Sales Tax, and Jefferson Parish Sales Tax, as per Act 616, amending Title 47 of the Louisiana Revised Statutes, by addition of Section 305.29 and Parish Ordinance No. 14572.

MSDS: Material safety data sheets (MSDS) must accompany all deliveries on products requiring MSDS.



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000145263 PURCHASE OF TWO (2) VAC-CON VACUUM TRUCKS FOR
JEFFERSON PARISH DEPARTMENT OF SEWERAGE**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

08-May-2024 01:01:32 PM

SPECIFICATIONS - COMBINATION SEWER CLEANER

Louisiana State Dealer's License:

In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealers License is required. All bidders must provide a copy of their Louisiana Dealer's License with their bid submission. Failure to submit this copy shall result in bid rejection.

"Where brand names are specified, it is for the purpose of establishing minimum standard of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated. Complete equivalent product data will be required with bid submission Failure to provide this documentation may result in bid rejection."

GENERAL

The machine is capable of removing stones, grit, grease, sludge and other debris from sanitary sewer and/or storm drain lines by the flushing action of high-pressure water. The high-pressure sewer cleaner operates independent of the vacuum system.

The machine is capable of being operated by one man, with all operating controls for high-pressure water pump, hose reel, and vacuum, located at the front of the machine for safety. The machine shall have a total of 510 available horsepower. The auxiliary engine, water pump, vacuum compressor, debris body and boom support assembly shall be mounted to a single unitized welded sub-frame.

DEBRIS BODY

Debris storage body has a minimum usable liquid capacity of 9 cubic yards. The debris body shall be round for maximum strength and constructed of 3/16 inch ASTM A242 Corten A steel for enhanced corrosion resistance.

There shall be a 6" diameter liquid drain valve, "knife valve type" and screen weldment inside for removing excess liquids. Drain will have 10 feet of 6 inch lay flat hose.

A rear door safety prop shall be provided. For ease of maintenance there shall be no hydraulic components located inside the debris body or rear door.

Hydraulic operated, heavy duty wedge style door locks shall be installed. The door locks shall be operated by two double acting hydraulic cylinders. The rear door shall also hydraulically open and close (raise and lower) by means of two double acting hydraulic cylinders. The unlocking-opening and the closing-locking operations shall be controlled by a single switch and sequence valve.

Dual steel weldments with stainless steel screen 8" x 28" each providing up to 1200 square inches of added filtration for the vacuum system shall be provided inside the debris tank. These weldments shall be removable and require no cutting or welding.

A double acting power up/power down hydraulic scissors lift mechanism will be provided to raise body to a minimum 60-degree angle. The scissors lift mechanism shall be designed to support a minimum of 24 inches of the debris tank width to provide stability and when dumping on uneven ground. The lift capacity of hydraulic scissors lift cylinder is 56,000 lbs.

Dump controls are located on curbside mid-ship of the unit, well forward of the dumping area for operator safety. A manual override system is provided in case of system failure.

The debris body has a five-year warranty. A copy of manufacturer's warranty statement shall be enclosed with bid. If pro-rated so state: N/A.

An internal polyethylene float device with external indicator is supplied to show when body is loaded to capacity.

AUTOMATIC VACUUM BREAKER

SPECIFICATIONS - COMBINATION SEWER CLEANER

The automatic vacuum breaker assembly is located inside the body.

The automatic vacuum breaker assembly shall be controlled by an electric over hydraulic circuit. The entire system shall be replaceable via a bolt on assembly. The assembly shall consist of a 12" inlet and two 8" ports that provide air flow to the vacuum system.

A full indication activates an automatic vacuum breaker shut down system that completely shuts down 100 percent of the airflow to the vacuum system to prevent overfilling and wastewater discharge into the atmosphere.

The vacuum breaker system is automatically activated (closed) when the parking brake system is released to eliminate carryover during transit.

The system is controlled/activated, at the front hose reel control station. This enables the operator to pick up large debris with boom and place debris on the road surface. This system can be used for safety in the event suction must be shut off in case of an emergency.

POSITIVE DISPLACEMENT BLOWER

A lobe type positive displacement blower shall be provided capable of 6000 CFM's and 18" of Hg. with cyclone separator. Control of the blower regarding start, stop and the rate of vacuum suction is performed from the front of the truck. A vacuum suction breaker disconnect switch is provided to enable operators to pick up large debris with boom and place debris on road surface. The vacuum system shall operate independent of the high-pressure water system.

The compressor is driven by the chassis engine via a closed loop hydrostatic system using a variable piston pump and motor. This system shall include a heat exchanger for extreme ambient conditions and to maintain the pump suction oil temp at 160 deg. F. max. The heat exchanger shall be protected by a 30-micron filter and cold weather bypass valve. Hydrostatic loop filtration shall be accomplished by a 10 Beta micron return filter and a 10-micron Absolute (no bypass) charge filter.

The blower is protected by (2) two 3" diameter vacuum relief valves. The system incorporates an air/water separator and a sound silencer to separate material before it enters blower and to ensure quiet operation.

A means of starting, stopping and varying the vacuum suction from operator station at the front of the machine is provided.

The blower is mounted on a frame independent of the water tank.

Unit must be capable of vacuuming under water without air induction. A manometer/vacuum test may be required to demonstrate the system performance.

The positive displacement blower shall have a 12-month non-prorated warranty.

VACUUM PICK UP HOSE

Shall be front loading, attached at the front of the machine in order to provide ease of positioning the machine over the manhole, as well as afford maximum safety for the operator.

The 8" will be mounted on a boom that will provide a minimum of 18' vertical lift utilizing dual hydraulic cylinder and 180 degree of boom rotation powered hydraulically for non-interrupted smooth movement. Boom to have a lift capacity of 500 lbs. at the front bumper.

The boom will be powered by an electric over hydraulic system: up/down by dual lift cylinders. The right/left movements shall be hydraulic via worm gear rotation.

The boom shall hydraulically telescope a minimum of 10 ft. forward from the operator's station. The height of the boom shall not change while the boom is being telescoped. A manual override system shall be provided for right/left, and up/down functions in case of system failure.

Control of the boom is by means of a joystick control at the operator's station, requiring no cables at operator's feet for boom operation. A wireless remote control will be provided for Boom, Vacuum Breaker, Chassis Throttle, and Debris Body functions. A manual override system shall be provided for right/left, and up/down functions in case of system failure.

A boom coverage chart shall be provided stating the square feet the boom covers.

8-inch diameter pipe extensions with clamps will be provided and carried on the truck as follows:

- 1 6-1/2' Catch Basin Nozzle

SPECIFICATIONS - COMBINATION SEWER CLEANER

- 3 6' Aluminum Pipe Extension
- 1 5' Aluminum Pipe Extension
- 1 3' Aluminum Pipe Extension
- 8 spare quick clamps

WATER SUPPLY

The water tanks shall have a minimum usable capacity of 1000 U.S. gallons.

The water tanks shall be constructed of non-corrosive, non-metallic, durable, cross-linked polyethylene to eliminate rust, corrosion, and stress cracking.

The water tanks shall be mounted at and below the truck frame level to provide a low center of gravity for truck stability.

A 2-1/2 inch diameter x 25 feet long hydrant hose with hydrant wrench is supplied on the unit.

An anti-siphon fill device is installed on the unit.

Inspection ports shall be provided to fill or to add chemicals to the water system.

A sight gauge to indicate water level is located within sight of the operator station.

The water tanks are protected by a minimum of 11-gauge steel plating mounted below the water tanks for protection against road hazards when unit travels over the road, off the road or to landfills.

The water tanks carry a ten-year replacement warranty.

AUXILIARY ENGINE (WATER PUMP DRIVE ENGINE) 140 HP Tier IV Diesel

The auxiliary engine, John Deere Diesel, 140HP, Tier 4 final shall be used to drive the water pump. An electronic digital diagnostic and fault monitoring panel shall be mounted on the front of the unit at the operator's station and be able to display various engine operation conditions including but not limited to engine rpm, hours, coolant temp and oil pressure. A standard integrated safety shutdown system shall be provided in the engine ecu and will shut the engine down in the event of low oil pressure or excessive coolant temperature. The ignition system start stop switch will be located at the operator's station. The auxiliary engine shall be shrouded and have a hinged door on the driver's side of the unit. The engine oil dipstick shall be accessed from the ground level on the driver's side.

HIGH-PRESSURE WATER PUMP

The high-pressure water pump shall be rated to deliver smooth continuous pressure and flow through the entire flow range of the pump. The high pressure shall have smooth continuous flow for both the high-pressure system and the handgun system.

A continuous duty flow of 80 GPM and 2000 PSI shall be provided.

High-pressure relief valves are provided for both the high-pressure system and handgun system.

The water pump operates independently of the vacuum system and is powered by the auxiliary engine via clutch less, direct dual powerband drive system.

The high-pressure water pump drive system carries a five-year replacement warranty. Warranty excludes the drive engine, i.e., auxiliary engine.

The water pump is capable of running dry.

Controls for starting and stopping the water pump and to vary the flow and pressure shall be at the front hose reel operator's station.

The high-pressure water pump is equipped with a cold weather drain valve. The valve allows the operator to completely drain the high-pressure pump.

HOSE REEL ASSEMBLY

The hose reel assembly is mounted on the front of the vehicle. The hose reel shall have a minimum of 30" inside diameter with a capacity of 800' x 1" hose. The hose reel is equipped with a cage. The hose reel is hydraulically powered in both directions by means of a double chain and sprocket drive. The controls for operating the motor have a flow control device to regulate the rotational speed of the reel in both directions. All hydraulic hoses are

SPECIFICATIONS - COMBINATION SEWER CLEANER

behind a steel housing to protect operator from hydraulic oil if a hose fails. The hydraulic motor, chain, and sprockets have a protective cover or are mounted on the radiator side of the hose reel for operator safety. The hose reel articulates 180 degrees to the driver's side allowing operator to work in any position through this arc. This allows greater flexibility in truck placement for manholes located in tough areas and provides greater safety to the operator. Reel extends beyond the width of unit for greater flexibility for positioning reel over offset manholes, catch basins, etc. A hydraulically controlled outrigger leg is supplied that comes in contact with the ground at any one position. A warning light is located in the cab to warn the operator that the outrigger leg is not in its transported position prior to moving the unit. A manual bypass system for the hose reel assembly is provided to manually pull the reel assembly away from its transported position. This feature allows operators to check fluids without starting engines.

JET HOSE

800' x 1" jet rodder hose will be supplied rated for 2500 psi working pressure and 6250 psi burst pressure.

A heavy-duty hose guide with 25' of nylon rope will be provided.

Nozzles shall be hardened steel with replaceable ceramic orifices as follows: 1) Chisel head penetrator & 1) standard sanitary.

- 1 Grenade nozzle

MANHOLE CLEANING WATER SYSTEM (HANDGUN)

The high-pressure pump and independent water tank assembly supplied shall be used for manhole cleaning. A smooth continuous flow of 20 GPM and pressure of 600 PSI shall be provided for ease of operation. A handgun pressure relief valve set at 600 PSI shall be provided. One full functioning handgun with on/off hand control, replaceable nozzle tip, 12-inch extension, adjustable spray and 50' x 1/2" hose with retractable reel will be provided.

The handgun will attach to the system via a quick couple connection at the curbside of the unit. To avoid being coiled at the operator's station a handgun holder will be provided at the front bumper.

HYDRAULIC SYSTEM AND LUBRICATION

The hydraulic system has a 55-gallon capacity.

The hydraulic system shall incorporate a main shut off valve in case of hydraulic failure.

The hydraulic system shall incorporate hydraulic pressure relief valves and pressure gauges for ease of trouble shooting and maintenance.

The unit is equipped on the passenger side, mid-section of the module, a permanent weatherproof white vinyl lubrication chart that points out lubrication points on the module and specifies what type of lubrication and hydraulic fluids are required. The chart also specifies the frequency of each lubrication point.

Remote plumbed grease fittings are provided for the vacuum compressor, boom rotation, and water pump drive areas.

ACCESSORIES

A minimum twelve (12) month manufacturer's guarantee on the unit will be provided.

2) 35" x 14" x 24" side mounted toolboxes will be provided.

- 1 Debris body power flush out system
- 1 Rear mounted hydraulic pump off system, 350 gpm w/20' lay flat hose
 - Gravity drain system consisting of plumbing to the mid-passenger side of the unit. Includes a 3" knife valve
- 1 with cam-lock connection, 30' of lay flat hose with storage rack allowing return of liquids to the manhole without having to reposition vehicle.
- 1 Air purge system
- 1 1/4 turn ball valve water drain
- 1 Variable flow valve
- 1 Folding pipe rack holds 3 pieces of pipe, tank mounted, curbside

SPECIFICATIONS - COMBINATION SEWER CLEANER

- 1 Storage box behind cab, 16" x 42" x 96"
- 1 Lateral Cleaning Kit w/400' Hose w/Nozzle, Permanently Mtd, Hydraulically Controlled
- 1 Hose footage counter, curb side
- 1 Auxiliary engine remote oil drain
- 1 Remote boom grease zerk assembly, (accessible from ground level)
- 1 Remote debris tank grease zerk assembly (accessible from ground level)
- 1 Nozzle rack
- 1 10' leader hose
- 1 1" Bulldog with skid 400.600BS
- 1 Water pump remote oil drain
- 1 Built in Body Prop - Rear Boom Support Mounted
- 1 Traffic Camera with Color Monitor (Camera placement must be picked)
- 1 Rear traffic camera
- 1 Front hose reel camera - to view front of hose reel area
- 1 Stainless steel ball on debris body level indicator
- 1 Long handle storage/ (2) PVC
- 1 Long handle storage placement - mounted in storage box under shelf
- 1 Cone storage rack
- 1 Cone racks, between bogies on tandem units
- 1 Fill hose Assy and storage 1.5"/ 200', 100', 50'
- 1 Greenlee pump off with gate valve

LIGHTING

The entire module electrical system is vapor sealed to eliminate moisture damage.

All wiring is color-coded, labeled and run in sealed terminal enclosures.

All module circuits are protected by circuit breakers.

Clearance lights and reflectors are furnished in accordance with D.O.T. requirements.

- 1 4 LED strobes - (2) front bumper, (2) rear bumper - Whelen 50A03ZCR - Amber
- 1 LED Arrow stick - Whelen TAM85 Traffic Advisor
- 1 LED Boom Mounted Flood Light - Whelen NP6BB Worklight
- 1 LED Rear Mounted Flood Lights - Whelen NP6BB Worklight

PAINT

Unit paint surfaces are shot blasted, Ambershield zinc primed, sanded and sealed with epoxy primer. Hose reel spool, debris tank and sides of mainframe painted with PPG Delfleet single stage polyurethane paint. All other paintable surfaces coated in PPG Ambershield textured black paint.

Unit shall have reflective Blue Stripes. Chassis shall be painted manufacturers standard white.

White with DuPont Imron 5000 polyurethane paint. Unit shall have reflective blue side stripes and rear door chevrons. Chassis shall be painted manufacturer's standard white.

TRAINING AND MANUALS

Operator training will be conducted by a factory-trained representative for a minimum of one day at the time of delivery. 1 copy of the operating and maintenance manual, on USB flash drive, for the sewer cleaner module shall be provided upon unit delivery.

SPECIFICATIONS - COMBINATION SEWER CLEANER

MOUNTING AND DELIVERY

The unit described will be mounted on a truck chassis acceptable to the body manufacturer at the factory of the body manufacturer.

CHASSIS SPECIFICATIONS

General summary

114sd plus 4x2 auto, gvwr: 43000 lbs, front: 20000 lbs, rear: 23000 lbs, wb: 252" ca: 168.5" af: 75", engine, diesel: cum isl 370 hp @ 2000rpm, 2100 gov rpm, 1250 lb/ft @ 1400rpm, transmission, automatic: Allison 3000 rds with pto provision, axle, front non-driving: detroit da-f-20.0-5 20000 lbs fl1 71.0 kpi/3.74 drop single front axle, rear, single: rs-23-160 23000-lb capacity, ratio 5.63

Electronic parameters

Governor: pto governor ramp rate – 200 rpm per second

Engine equipment

Cummins isl 370 hp @ 2000rpm, 2100 gov rpm, 1250 lb/ft @ 1400rpm, air compressor: Cummins turbocharged 18.7 cfm with internal safety valve, exhaust system: single, vertical tailpipe & guard muffler/tailpipe: aftertreatment, under step mounted switch, exhaust: Cummins exhaust brake integral with variable geometry turbo with on/off dash switch jump start: positive and negative posts located on frame next to starter, alternator: dr 12v 160 amp 28-si quadramount pad with remote battery volt sense, battery system: (2) alliance model 1231, group 31, 12 volt maintenance free 2250 cca threaded stud batteries battery box with cover: non-polished, fuel filter: Cummins spin on type, fuel filter/ water separator: alliance with primer pump oil filter, engine: combination full flow/bypass, fan drives: horton 2-speed drivemaster polar extreme fan drive radiator: 1300 sq" aluminum, anti-freeze: antifreeze to -34f, noat extended life coolant hose clamps, radiator hoses: gates blue stripe or equivalent, constant tension hose clamps for coolant hoses air cleaner: donaldson, side of hood air intake with firewall starting motor: delco 38mt hd 12v with integrated magnetic switch

Transmission equipment

Allison 3000rds automatic transmission with pto provision transmission oil pan: magnetic transmission shift control: push button, electronic, dash mounted allison vocational package 223 – available on 3000/4000 product families with vocational models rds, hs, mh, and trv

Shift control parameters: primary and secondary – lowest gear 1, start gear 1, highest gear 6 pto effects, engine front: mounted rh side of main transmission wiring, chassis: vehicle interface wiring with body builder connector mounted back of cab

Front axle and equipment

Detroit da-f-20.0-5 20000 lbs fl1 71.0 kpi/3.74 drop single front axle brakes, front, air-cam: meritor 16.5x6 q+ cast spider cam slack adjusters, automatic: meritor, front dust shields: front brake steering gear: trw thp-60 with rch45 auxiliary gear power steering: 4-quart power steering reservoir

Front suspension

Suspension, front: 20000lbs capacity, with shock absorbers spring pins: graphite bronze bushings with seals

Rear axle and equipment

Axle, rear, single: rs-23-160 23000 lbs capacity, ratio 5.63 rear axle drain plug: magnetic for single rear axle dust shields: rear brake slack adjusters, automatic: meritor, rear brake chambers, rear axle: haldex goldseal longstroke 1-drive axle spring parking chambers brakes, rear, air-cam: meritor 16.5x7 q+ cast spider cam rear brakes, double anchor, fabricated shoes

SPECIFICATIONS - COMBINATION SEWER CLEANER

Rear suspension

Suspension, rr, spring-2.25" axle spacer suspension, rear, single: 30000 lbs capacity, standard u- bolt pad, fore/aft control rods

Brake system

Brake system: wabco 4s/4m abs without traction control brake lines: reinforced nylon, fabric braid, and wire braid chassis airlines drain valves: standard brake system valves parking brake valve: for truck, standard air brake, abs: {wabco antilock brake system} air dryer: bw ad-ip with heater air dryer location: mounted outboard on rh rail back of cab, maximum 20" back of cab protrusion

Fuel tanks

Fuel tank: 100-gallon, aluminum-lh, 25" diam., plain aluminum/painted steel fuel/hydraulic tank(s) with painted bands fuel filter/water separator: alliance, with primer pump

Tires

Tire, front: Michelin xzy-3 425/65r22.5 20 ply radial tire, rear: Michelin xde m/s 11r22.5 14 ply radial

Wheels

Wheels, front: alcoa lvl one 82462x22.5x12.25 10-hub pilot 4.68 inset 10-hand aluminum disc, with pre-set bearing iron front hubs wheels, rear: alcoa lvl one 88367x22.5x8.25 10-hub pilot aluminum disc, with pre-set bearing iron rear hubs

Cab exterior

Glass: all windows tinted grab handle: lh and rh sides grille: stationary, black finish front end: fiberglass hood headlights: integral headlight/marker assembly horn: single, electric parking light: integral with led stop/tail/turn/backup lights running light: daytime – low beam only stop, turn, tail & b/u lights: grote #54332, grommet mounted with separate grote #62401 led backup lights mirrors: dual west coast molded-in color, door mounted, lh and rh 8" molded-in color convex mirrors mounted under primary mirrors

Cab interior

Cab: conventional, opal gray vinyl, arm rests: lh and rh integral door panel clearance/marker lights: led aerodynamic marker lights, cup holders: (2) cup holders lh and rh dash, dome light: 3- way switch activated by lh and rh doors, cigar lighter: with ash tray, dash mounted seat, driver: basic high back air suspension seat with mechanical lumbar and integrated cushion extension seat belt: 3-point fixed d-ring retractor seat, passenger: basic high back non-suspension seat, seat belt: 3-point fixed d-ring retractor air conditioner: heater and defroster, clamps, heater: standard heater plumbing, hvac: standard hvac ducting console, overhead: forward roof mounted console with upper storage compartments without netting door trim panels: molded plastic driver and passenger door panels floor covering: black mats with single insulation, instrument panel: molded plastic, gray driver and center, storage pocket: in dash storage bin sun visor: driver and passenger interior sun visors, steering column: fixed, steering wheel: 4 spoke 18" diam, electrical system: 12 volt negative ground system

Instruments and controls

Instrument panel: gray driver and center hazard switch: integral electronic turn signal flasher with hazard lamps overriding stop lamps headlight dimmer: integral with self-cancelling turn signal handle starter switch: electric key operated turn signal switch: self-cancelling for trucks turn signals, front: integral electronic flasher with hazard lamps overriding stop lamps windshield wiper, switch: integral with turn signal handle windshield wiper: single electric motor with delay, radio: am/fm/wb radio with front auxiliary input, dash mounted speakers: (2) speakers in cab, antenna: am/fm mounted on forward lh roof, cruise

SPECIFICATIONS - COMBINATION SEWER CLEANER

control: electronic with switches in lh switch panel engine shutdown: ignition-controlled engine stop with control mounted at firewall gauge, air pressure: low air pressure light and buzzer gauge cluster: 2" electric fuel gauge, electric engine oil pressure gauge, electronic 3000 rpm tachometer, digital voltage display odometer display: trip/hour/diagnostic/voltage /26 warning lamps

Color and design

Paint schematic: I0006eb white elite, paint type: high solids polyurethane chassis paint

Other factory charges

Extended warranty: towing extended/roadside service warranty, 2 year/ unlimited miles/km, \$550 cap,
federal emissions: 2013 obd/2010 epa/carb/ghg14 escalator

↓
*INCLUDED
IN PRICE*

DATE: 5/08/2024
BID NO.: 50-00145263

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

PURCHASING SPECIALIST:
RTRAN@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 5/23/2024 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETN, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 and/or Resolution No. 141125 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 136353 or 141125 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instructions will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

DATE: 5/08/2024

Page: 6

BID NO.: 50-00145263

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ☒

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 9/23/2024

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

150-180 DAYS ARO

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: COVINGTON SALES & SERVICE, INC.

ADDRESS: 7868 FLORIDA BLVD.

CITY, STATE: DENHAM SPRINGS, LA ZIP: 70726

TELEPHONE: (225) 664-7427 FAX: (225) 665-1567

EMAIL ADDRESS: PAT@COVINGTONSALES.COM

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 1,177,974.00

AUTHORIZED SIGNATURE: Chris Kinchen

TITLE: PRESIDENT

CHRIS KINCHEN
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

DATE: 5/08/2024

Page 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00145263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	EA	<p>PURCHASE OF TWO (2) VAC-CON VACUUM TRUCKS FOR JEFFERSON PARISH DEPARTMENT OF SEWERAGE</p> <p>0010 - Vac-Con 9 Yard Combination Jet Truck; Model No. V PD4290H/1000 (827 at 18 Inch) L H A; vacuum sewer cleaner mounted on Freightliner 114SD 4x2 chassis; Blower: Hydrostatic Drive; Boom: 10 Foot Aluminum Telescoping Boom with Pendant Control Station; Hose Reel: Front Mounted, Articulating to Driver Side, 800 Foot (1 Inch) Capacity (Std. Pivot); Jet Rodder Hose: 800 Foot x 1 Inch Jet Rodder Hose - (non-continuous); Water System: 80/2000, GIANT 7000, JD 4 CYL Tier 4 Diesel 140 HP</p> <p>Note: For West Bank and East Bank Line Divisions</p>	<u>\$588,987.00</u>	<u>\$1,177,974.00</u>

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
Covington Sales & Service,
INCORPORATED.

AT THE MEETING OF DIRECTORS OF Covington Sales & Service,
INCORPORATED, DULY NOTICED AND HELD ON January 24, 2013,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Chris Kinchen, President, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

Karli Elrod

SECRETARY-TREASURER

5-20-24

DATE

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF Louisiana

PARISH/COUNTY OF Livingston

BEFORE ME, the undersigned authority, personally came and appeared: Chris
Kinchen, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized President of Covington Sales & Service, Inc. (Entity),
the party who submitted a bid in response to Bid Number 50-00145263 to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required
attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including
the date and amount of each contribution, made to current or
former elected officials of the Parish of Jefferson by Entity,
Affiant, and/or officers, directors and owners, including
employees, owning 25% or more of the Entity during the two-year
period immediately preceding the date of this affidavit or the
current term of the elected official, whichever is greater. Further,
Entity, Affiant, and/or Entity Owners have not made any
contributions to or in support of current or former members of the
Jefferson Parish Council or the Jefferson Parish President through
or in the name of another person or legal entity, either directly or
indirectly.

Choice B ☒ there are NO campaign contributions made which would require
disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ✓ There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Chris Kinchen

Signature of Affiant

Chris Kinchen

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 20th DAY OF May, 2024.

Patricia H. Sanchez

Notary Public

Patricia H. Sanchez

Printed Name of Notary

#51225

Notary/Bar Roll Number

My commission expires with death.

License No. SV-2022-00163
DPS Code: SDCF

2022-2024

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

Covington Sales & Service, Inc.
7868 Florida Boulevard
Denham Springs, LA 70726
Chris Kinchen, Dealer-Operators

is duly licensed as a
Specialty Vehicle Dealer
of the following

Conversion(s): ARM Leaf Collectors, CUES, Duraco, LeeBoy Brands, Palfinger Epsilon A-Frame
Palfinger Epsilon L-Boom, Palfinger Epsilon Z-Boom, NewWay, PB Loader, PipeHunter
Schwarze, VAC-CON
Utility Trailer(s): ARM

For the period ending May 31, 2024, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

LOUISIANA MOTOR VEHICLE COMMISSION

Issue Date: 05/08/2024

Dated May 1, 2024
Signed, Scaled and Attested


Executive Director

(To be prominently displayed in place of business)



COVISAL-01

DMICHEAU

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

5/21/2024

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Forth Insurance, LLC (2200) P.O. Box 2110 Monroe, LA 71207	CONTACT "Dee" Belinda Micheau	
	PHONE (A/C, No, Ext): (318) 388-1472	FAX (A/C, No): (318) 388-1290
	E-MAIL Address: dmicheau@forthisurance.com	
INSURED Covington Sales & Service, Inc P. O. Box 1144 Denham Springs, LA 70727-1144	INSURER(S) AFFORDING COVERAGE	
	INSURER A : Travelers Casualty & Surety Company	
	INSURER B : Travelers Casualty Company	
	INSURER C :	
	INSURER D :	
	INSURER E :	
	INSURER F :	

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Equipment Dealers GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			6308R658436	2/15/2024	2/15/2025	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY			8R660942	2/15/2024	2/15/2025	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$ \$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$ 10,000			CUP8R671864	2/15/2024	2/15/2025	EACH OCCURRENCE \$ 1,000,000 AGGREGATE \$ 1,000,000 \$
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/ MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N Y	N/A	UB1T396166	2/15/2024	2/15/2025	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
A	Garage Dealers & Non			8R660942	2/15/2024	2/15/2025	Garage 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
The Parish of Jefferson, its Districts, Departments and Agencies under the direction of
and the Parish President and Parish Council
Bid Number 50-00145263

CERTIFICATE HOLDER

CANCELLATION

Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

**POWERFULLY PRECISE,
SUPERIOR PERFORMANCE.
DUAL ENGINE COMBINATION MACHINE**



VAC-CON
MORE POWER TO YOU

969 Hall Park Road | Green Cove Springs, FL 32043 | USA
Phone: (904) 284-4200 | Fax: (904) 284-3305
www.vac-con.com | info@vac-con.com

A subsidiary of Holden Industries, Inc.
Vac-Con is a 100% employee-owned company.
©2016 Vac-Con, all rights reserved.



VAC-CON
MORE POWER TO YOU

TOUGH, INNOVATIVE, AND EFFICIENT
- DESIGN YOUR DUAL ENGINE
COMBINATION MACHINE TO MEET
ALL YOUR NEEDS.

**SOME COMPONENTS SHOWN ARE NON-STANDARD.*

AS SHOWN:

1. 180° Articulating Hose Reel, 600 ft. x 1 in.
2. Omnibus™ Precision Power
3. Manual Level Wind Guide
4. Cross-Linked Polyethylene Water Tanks
5. Diesel Auxiliary Engine
6. 3-Stage Fan with Centrifugal Separator
7. Hydraulic Reservoir
8. Aluminum Tool Boxes
9. Positive Seal Vacuum Breaker
10. 10 ft. Telescopic Boom with 270° Rotation
11. Hinged Boom Tie Down
12. Debris Body Dump Controls
13. Corten® Steel Debris Tank
14. External Load Level Indicator
15. Lateral Line Cleaning Kit
16. Water Pump with Suction Strainer

REAR DOOR:

17. 5 in. Butterfly Decant Valve
18. Full-Opening Rear Door with Hydraulic Locks
19. Splash Shield
20. Arrow Stick Lighting
21. Hydraulic Pump Off
22. Strobe Light

OPTIONS

- A. Omnibus™ Precision Power
- B. PD Blower
- C. Wireless Remote
- D. Mainframe Deck Coating
- E. Hydro-Excavation Package
- F. Safety Light Packages
- G. 5yd to 16yd Debris Tank
- H. 500 to 1500 gal. Water Capacity
- I. Hi-Dump

Consult Factory/Dealer for Additional Options



Rear Door

Operator friendly rear door features 5 in. Butterfly Decant Valve, Hydraulic Locks, and Splash Shield.



Omnibus™ Precision Power

The Omnibus Precision Power Control System provides complete control of machine functions from one centralized location, all with real-time diagnostics.



PD Blower

PD Blower with multiple ratings up to 27" Hg and 5,775 CFM.



Wireless Remote

An integrated, enhanced control system that vastly improves usability and efficiency.

PowerTech™ PWL 4045HFC04 Diesel Engine

Industrial Engine Specifications





4045HFC04 shown

Certifications

CARB
EPA Tier 4
EU Stage IV

Engine dimensions



*4045HFC09 shown

Dimensions may vary according to options selected. Call your distributor for more information.

General data

Model	4045HFC04	Length – mm (in) to rear of block	870 (34.3)
Number of cylinders	4	Width – mm (in)	650 (25.6)
Displacement – L (cu in)	4.5 (275)	Height – mm (in)	1050 (41.3)
Bore and stroke – mm (in)	106 x 127 (4.2 x 5.0)	Weight, dry – kg (lb)	~ 553 (1220)
Engine type	In-line, 4-cycle		
Aspiration	Turboscharged and air-to-air aftercooled		

Performance data range

Application ratings	Intermittent	Heavy Duty	Continuous
Rated power/Rated speed	100 – 104 kW (135 – 140 hp) @ 2200 – 2400 rpm	86 – 93 kW (115 – 125 hp) @ 2200 – 2400 rpm	63 – 84 kW (85 – 100 hp) @ 2200 – 2400 rpm
Peak power	104 kW (139 hp) @ 2200 rpm	86 – 94 kW (115 – 125 hp) @ 1900 – 2400 rpm	63 – 80 kW (84 – 107 hp) @ 1900 – 2400 rpm
Power bulge	0-4% @ 2200 rpm	0%	0 – 8% @ 2000 – 2200 rpm
Peak torque	540 N.m (398 ft-lb) @ 1600 rpm	461 – 536 N.m (340 – 395 ft-lb) @ 1600 rpm	333 – 427 N.m (246 – 315 ft-lb) @ 1600 rpm
Torque rise	20 – 36%	33 – 36%	30 – 33%

The Industrial Intermittent engine power rating is for applications that operate at varying loads and speeds, and do not fit the Industrial Heavy-Duty rating definition.

Some applications require Industrial Heavy-Duty engine power ratings. Please contact your John Deere Power Systems engine distributor for more information.

The Industrial Continuous engine power rating is for applications that operate with constant load and speed, except for short periods during startup or shutdown.

Power output is within + or – 5% at standard SAE J 1995 and ISO 3046.

Exhaust filter dimensions

Size	2
Diameter – mm (in)	260.71 (10.26)
Length – mm (in)	572.59 (22.54)
Weight – kg (lb)	19.96 (44)

SCR catalyst dimensions

Size	3
Diameter – mm (in)	322.58 (12.7)
Length – mm (in)	673.1 (26.5)
Weight – kg (lb)	34.02 (75)

See your John Deere Power Systems engine distributor for more information on available filter size options.

Features and benefits

Wastegated turbocharger

- Wastegated turbochargers are designed to develop more airflow at lower engine speeds to improve low-speed torque. The wastegate control device bleeds off a portion of the exhaust flow at higher engine speeds. Wastegated turbos deliver improved transient response and higher peak torque without compromising engine envelope size. They also provide the lowest installed cost across a given power range.

Cooled exhaust gas recirculation (EGR)

- EGR cools and mixes measured amounts of cooled exhaust gas with incoming fresh air to lower peak combustion temperatures, thereby reducing NOx.

Diesel oxidation catalyst (DOC)

- PowerTech PWL 4.5L engines for Final Tier 4/Stage IV produce near-zero levels of particulate matter (PM) without a filter, thanks to an optimized combustion system and engine calibration. Remaining PM and other hydrocarbons are oxidized passively in a flow-through DOC without the need for regeneration.

Selective catalytic reduction (SCR)

- John Deere engines feature an SCR system that utilizes a urea-based additive, sometimes referred to as diesel exhaust fluid (DEF). The ammonia in the urea mixes with engine exhaust gases in the SCR catalyst to reduce NOx — converting it to nitrogen and water vapor.

High-pressure common-rail (HPCR) and engine control unit (ECU)

- The HPCR fuel system provides variable common-rail pressure and higher injection pressures up to 1,975 bar (29,000 psi). It also controls fuel injection timing and provides precise control for the start, duration, and end of injection.

4-valve cylinder head

- The 4-valve cylinder head provides excellent airflow resulting in greater low-speed torque and better transient response time by utilizing a cross-flow design.

Air-to-air aftercooled

- This is the most efficient method of cooling intake air to help reduce engine emissions while maintaining low-speed torque, transient response time, and peak torque. It enables an engine to meet emissions regulations with better fuel economy and the lowest installed costs.

Compact size

- Simplifies installation
- Mounting points are the same as previous models

Engine performance

- Multiple rated speeds to further reduce noise and improve fuel economy
- Higher level of peak torque
- Optional power bulge equal to or better than Interim Tier 4/Stage III B

John Deere electronic engine controls

- Faster engine control unit (ECU) manages both the engine and the aftertreatment system
- Four times the memory, twice the RAM, and double the processing speed
- The input/output capability has increased 40%
- Premium software option integrates with equipment or vehicles to reduce engineering and installation costs

Additional features

- Gear-driven auxiliary drives; 500-hour oil change; self-adjusting poly-vee fan drive; optional factory installed variable-speed fan drive improves fuel economy and reduces noise levels; R.H. and L.H. engine-mounted final fuel filters; optional low-pressure fuel system with electrical transfer pump and “auto-prime” feature.

John Deere Power Systems
3801 W. Ridgeway Ave.
PO Box 5100
Waterloo, IA 50704-5100
Phone: 800.553.6446
Fax: 319.292.5075

John Deere Power Systems
Usine de Saran
La Foulonnerie - B.P. 11.13
45401 Fleury les Aubrais Cedex
France
Phone: 33.2.38.82.61.19
Fax: 33.2.38.82.60.00

*All values at rated speed and power with standard options unless otherwise noted.
Specifications and design subject to change without notice.*

Litho in U.S.A. (14-01) © 2014 JOHN DEERE









Roots


VACUUM PERFORMANCE
FRAME 827 RCS BLOWER
 MAX. VACUUM = 18" HG
 MAX. SPEED = 2470 RPM

PERFORMANCE BASED ON AIR,
 INLET AT 68°F, DISCH. AT 30" HGA
 Oct., 2009






DATE	3-8-99	10'-0"	TELESCOPIC BOOM	700004995
SCALE	1/8"=1'	LB	DIMENSIONS	
PROJECT	0.077-01			
VAC-CON				
GREEN ISLE SYSTEMS, FLORIDA, USA				
OFFICE: 1001 W. 100th Ave. Suite 1000				
TEL: 281-282-2822				



DRAWN	DATE	10'-0" TELESCOPIC BOOM DIMENSIONS	INC: [NEXT ASSEMBLY]	
POP	9-29-98		VAC-CON GREEN COVE SPRINGS, FLORIDA USA EFFECTIVE WITH VAC-CON SERIAL NUMBER	
SCALE	WEIGHT			
0.02=1	LB		700B0532S	REV

LET	REVISION	DATE
A	SUPERSEDES A SIZE DWG DATED 5-25-89	2-16-94
B	ADDED DIMENSIONS	5-14-97



DRAWN POP	DATE 2-16-94	MC:	NEXT ASSEMBLY
SCALE 0.03=1	WEIGHT LB	VAC-CON GREEN COVE SPRINGS, FLORIDA USA EFFECTIVE WITH VAC-CON SERIAL NUMBER	
		700B0120S	REV B

Freightliner SD Vocational Coverage



SD Vocational Coverage is not available for vehicles in these vocations: <i>Logging, Mining, Oil field</i>	
Category Determinants	
Road Surface- most severe in-transit between sites	<30% off-highway Rough, maintained concrete/asphalt; maintained gravel/crushed rock; maintained dirt or soft soil (Class C or D Roads)
GCW	92,000 lb/41 730 kg or less
Engines	Cummins ISB, ISC, or ISL engines only
Axles and Their Manufacturer's GVW Rating	
2-axle unit	46,000 lb/20 865kg or less
3-axle unit	66,000 lb/29 937kg or less
4-axle unit	N/A
5-axle unit	N/A

FTL SD Vocational Coverages		
Description	Time ^a	Distance ^a
Basic Vehicle	2 Years	Unlimited
Battery	1 Year	100,000 mi/161 000 km
Brightwork	6 Months	Unlimited
Cab Corrosion/Perforation	5 Years	Unlimited
Cab Structure	5 Years	Unlimited
Corrosion	6 Months	Unlimited
Crossmembers	5 Years	Unlimited
Diesel Emission 2010 ^b	5 Years	100,000 mi/161 000 km
Drivetrain	2 Years	Unlimited
Frame Rails	5 Years	Unlimited
Paint	1 Year	100,000 mi/161 000 km
Paint, Chassis	6 Months	Unlimited

a. Time or distance, whichever comes first

b. Applies to vehicles equipped with EPA 2010 compliant diesel engines



General Warranty

Specific written warranty statement provided with each new truck shall take precedence over this or any other warranty statement.

COVERAGE:

VAC-CON, as seller, warrants Combination Sewer Cleaning, Xcavators, and Hot Shot equipment manufactured by it, bearing its name shall be free from defects in material, and workmanship, under normal use and service as determined by us, for a period of (12) twelve months from the date of delivery to the first retail purchaser.

VAC-CON, as seller, warrants all Industrial Vacuum Machine equipment manufactured by it, shall be free from defects in material and workmanship, under normal use and service as determined by us, for a period of (6) six months from the date of delivery to the first retail purchaser.

Should any equipment or part of such equipment sold hereunder prove to be defective in material or workmanship within said period, and be returned to Seller's factory no later than 15 days after the expiration date of the warranty, transportation charges prepaid by the Buyer, and upon examination be found to be defective, such part will be replaced at the factory by the Seller free of charge, but the Seller shall be under no further liability in respect to such warranty. It is expressly understood that the Seller's liability is limited to furnishing of such replacement parts within a reasonable length of time and that the Seller will not be liable for any damages, losses or expenses arising in connection with the use of or inability to use the unit(s), including but not limited to, injuries to persons or damage to property, loss of profits or anticipated profits, or loss of vehicle use. Buyer shall be responsible for the payment of duties or taxes on warranty parts, if applicable. The Seller shall be under no liability because of normal wear and tear of operation or maintenance contrary to the manufacturer's official Operator's Manual. The Buyer accepts any liability for damage or injury resulting from the removal or alteration of safety guards and safety precautions provided on the unit at the time of delivery. This warranty shall not apply and VAC-CON shall have no liability under it or otherwise if accident, careless handling, or improper applications shall have injured the unit or if any repairs have been made to the unit by other than VAC-CON, its agents or employees.

Warranties covering major components not of VAC-CON manufacture (power plants, hydraulics, trucks, vacuum compressors, transmissions, electrical components, batteries, tires, etc.) are warranted by their respective manufacturers. Fabricated rectangle poly water tanks are warranted by their manufacturer.

We give no warranty express or implied, as to description, quality, productiveness or any other matter and the Buyer hereby waives the right of refusal and return of the goods which is usually connected with non-warranty.

It is the sole responsibility of the purchaser to use this equipment in an appropriate application and a safe manner. VAC-CON assumes no responsibility or liability for its misuse.

FIVE (5) YEAR WARRANTY:

VAC-CON warrants that the fan blades, auxiliary engine water pump drive components (excluding engine and pump) and debris tank shall be free from defects in material and workmanship, under normal use and service as determined by the manufacturer, for a period of sixty (60) months (not pro-rated) from the date the unit is first placed into service.

TEN (10) YEAR WARRANTY:

VAC-CON warrants that the freshwater tanks two hundred and eighty five (285) gallon capacity and less shall be free from defects in material and workmanship, under normal use and service as determined by the manufacturer, for a period of one hundred twenty (120) months (not pro-rated) from the date the unit is first placed into service.

HOT SHOT WATER TANKS:

One (1) YEAR WARRANTY: VAC-CON warrants that the fresh water tank shall be free from defects in material and workmanship, under normal use and service as determined by the manufacturer, for a period of twelve (12) months (not pro-rated) from the date the unit is first placed into service

FABRICATED RECTANGLE WATER TANKS:

These tanks are warranted by the original manufacturer of the tank to be free from defects in material and workmanship under a warranty administered by the original manufacturer of the tank.

This warranty is not transferable.

WARRANTY REGISTRATION:

Warranty must be registered with Vac Con upon delivery to the first retail purchaser in order to be in effect. Failure to do so will result in the original invoice date becoming the inception date of warranty coverage. Vac Con is not responsible or liable for loss of warranty coverage due to failure to register the warranty in a timely manner.

SPECIFIC EXCLUSIONS:

Normal and routine maintenance as specified in the specific manuals as indicated by the manufacturer's official Operator's Manual. Travel time, meals, lodging, transportation expenses, rental units, and work unrelated to a covered event. Certain parts are deemed consumable or expendable items. These parts are consumed with routine usage of the equipment and are not covered by equipment warranty. Excluded items include, but are not limited to: Nozzles, Nozzle skids, Sewer Cleaning Hoses, Ball Valves, Gate Valves, Knife Valves, Needle Valves, Hose Guides, Rotary Unions, Hand Guns, Unloader Valves, Water System Relief Valves, Hydrant Fill Hoses, Water Pump Packings, Water Pump Check Valves, all Belts, Vacuum Hoses, Boom Suction Elbows, Telescoping Boom Tubes, Suction Tubes, Catch Basin Tubes, Tube Clamps, Rear Door Wear Plate, Lay Flat drain hoses, All Bearings, All Seals and Gaskets, All Fluids, All Filters, Fuses, Electrical Switches, Electric bulbs and lenses.

LIMITATIONS:

Warranty claims must be filed within thirty (30) calendar days from date of repair. Claims submitted more than forty-five (45) days after date of repair, labor will not be considered. Claims submitted more than ninety (90) days after date of repair will not be considered.

JOHN DEERE NEW OFF-HIGHWAY ENGINE WARRANTY



JOHN DEERE

Warranty Duration

Unless otherwise provided in writing, John Deere* makes the following warranty to the first retail purchaser and each subsequent purchaser (if purchase is made prior to expiration of applicable warranty) of each John Deere new off-highway engine marketed as part of a product manufactured by a company other than John Deere or its affiliates and on each John Deere engine used in an off-highway repower application:

- 12 months, unlimited hours of use, or
- 24 months and prior to the accumulation of 2000 hours of use

Note: In the absence of a functional hourmeter, hours of use will be determined on the basis of 12 hours of use per calendar day.

Warranty Coverage

This warranty applies to the engine and to integral components and accessories sold by John Deere, and delivered to the first retail purchaser on or after 1 January 2007.

All John Deere-warranted parts and components of John Deere engines which, as delivered to the purchaser, are defective in materials and/or workmanship will be repaired or replaced, as John Deere elects, without charge for parts or engine repair labor, including reasonable costs of labor to remove and reinstall non-engine parts or components of the equipment in which the engine is installed, and, when required, reasonable costs of labor for engine removal and reinstallation, if such defect appears within the warranty period as measured from the date of delivery to the first retail purchaser.

Emissions Warranties

Emissions warranties appear in the operation and maintenance instructions furnished with the engine/machine.

Obtaining Warranty Service

Warranty service must be requested of the nearest authorized John Deere engine service outlet before the expiration of the warranty. An *authorized* service outlet is a John Deere engine distributor, a John Deere engine service dealer, or a John Deere equipment dealer selling and servicing equipment with an engine of the type covered by this warranty.

Authorized service outlets will use only new or remanufactured parts or components furnished or approved by John Deere.

Authorized service locations and the name of the John Deere division or subsidiary making this warranty are listed in the *Parts and Service Directory for John Deere Engines*.

At the time of requesting warranty service, the purchaser must be prepared to present evidence of the engine's delivery date.

John Deere reimburses authorized service outlets for limited travel expenses incurred in making warranty service repairs in non-John Deere applications when travel is actually performed. The limit, as of the date of publication of this statement, is US\$400.00 (US\$500.00 if engine is marine) or equivalent. If distances and travel times are greater than reimbursed by John Deere, the service outlet will charge the purchaser for the difference.

* "John Deere" means John Deere Power Systems with respect to users in the United States, John Deere Limited with respect to users in Canada, and Deere & Company or its subsidiary responsible for marketing John Deere equipment in other countries where the user is located.

Purchaser's Responsibilities

The cost of normal maintenance and depreciation.

Consequences of negligence, misuse, or accident involving the engine, or improper application, installation, or storage of the engine.

Consequences of service performed by someone other than a party authorized to perform warranty service, if such service, in John Deere's judgment, has adversely affected the performance or reliability of the engine.

Consequences of any modification or alteration of the engine not approved by John Deere, including, but not limited to, tampering with fuel and air delivery systems.

The effects of cooling system neglect as manifested in cylinder liner or block cavitation ("pitting", "erosion", "electrolysis").

Any premium for overtime labor requested by the purchaser.

Costs of transporting the engine or the equipment in which it is installed to and from the location at which the warranty service is performed, if such costs are in excess of the maximum amount payable to the service location where the warranty service is performed at the engine's location.

Costs incurred in gaining access to the engine; i.e., overcoming physical barriers such as walls, fences, floors, decks or similar structures impeding access to the engine, rental of cranes or similar, or construction of ramps or lifts or protective structures for engine removal and reinstallation.

Incidental travel costs including tolls, meals, lodging, and similar.

Service outlet costs incurred in solving or attempting to solve non-warrantable problems.

Services performed by a party other than an authorized John Deere engine service dealer, unless required by law.

Charges by dealers for initial engine start-up and inspection, deemed unnecessary by John Deere when operation and maintenance instructions supplied with the engine are followed.

Costs of interpretation or translation services.

No Representations or Implied Warranty

Where permitted by law, neither John Deere nor any company affiliated with it makes any guaranties, warranties, conditions, representations or promises, express or implied, oral or written, as to the nonoccurrence of any defect or the quality or performance of its engines other than those set forth herein, and DOES NOT MAKE ANY IMPLIED WARRANTY OR CONDITIONS OF MERCHANTABILITY OR FITNESS otherwise provided for in the Uniform Commercial Code or required by any Sale of Goods Act or any other statute. This exclusion includes fundamental terms. In no event will a John Deere engine distributor or engine service dealer, John Deere equipment dealer, John Deere or any company affiliated with John Deere be liable for incidental or consequential damages or injuries including, but not limited to, loss of profits, loss of crops, rental of substitute equipment or other commercial loss, damage to the equipment in which the engine is installed or for damage suffered by purchaser as a result of fundamental breaches of contract or breach of fundamental terms, unless such damages or injuries are caused by the gross negligence or intentional acts of the foregoing parties.

Remedy Limitation

The remedies set forth in this warranty are the purchaser's exclusive remedies in connection with the performance of, or any breach of guaranty, condition, or warranty in respect of new John Deere engines. In the event the above warranty fails to correct purchaser's performance problems caused by defects in workmanship and/or materials, purchaser's exclusive remedy shall be limited to payment by John Deere of actual damages in an amount not to exceed the cost of the engine.

No Seller's Warranty

No person or entity, other than John Deere, who sells the engine or product in which the engine has been installed makes any guaranty or warranty of its own on any engine warranted by John Deere unless it delivers to the purchaser a separate written guaranty certificate specifically guaranteeing the engine, in which case John Deere shall have no obligation to the purchaser. Neither original equipment manufacturers, engine or equipment distributors, engine or equipment dealers, nor any other person or entity, has any authority to make any representation or promise on behalf of John Deere or to modify the terms or limitations of this warranty in any way.

Additional Information

For additional information concerning the John Deere New Off-Highway Engine Warranty, see booklet *Engine Owner's Warranty – Worldwide*.