

**SPECIFICATIONS AND BID PROPOSAL FORM
KITCHEN EQUIPMENT BID #28-18**

Sealed bids will be received by the Lafayette Parish School System (LPSS) Purchasing Department, 113 Chaplin Drive, Lafayette, LA up to 10:00 a.m. C.S.T., on July 17, 2017 for Kitchen Equipment.

Sealed Bid Envelope: All bids shall be submitted sealed to the LPSS Purchasing Department on or before the above time and date, at 113 Chaplin Drive, Lafayette, LA 70508/ P.O. Drawer 2158, Lafayette, LA 70502 with a sealed envelope clearly marked **Attn: Lee Francis, Purchasing Department: Kitchen Equipment Sealed Bid #28-18, Opening July 17, 2017 at 10:00 a.m.** All mailed bids shall be sent by **Registered or Certified Mail** with a receipt requested. Bid envelopes may also be hand delivered. At the above time and date, bids will be publicly opened and read aloud in the Personnel Conference Room.

Online Electronic Bids: Bid information may also be viewed online. Electronic bids may be submitted online no later than 10:00 am on July 17, 2017 at: www.centralauctionhouse.com.

SPECIAL PROVISIONS

1. **SCOPE:**
 - 1.1 The intent of this solicitation is to obtain competitive bids for the estimated annual requirements for **KITCHEN EQUIPMENT** for the Lafayette Parish School System, in accordance with the terms, conditions and specifications contained herein.
 - 1.2 **Required Bid Submittals:** The section titled **BID PROPOSAL FORM** and the following supplemental information must be submitted within the time frames specified below.
 - a. **SPECIAL PROVISIONS**, Paragraph 5.2, requires descriptive literature to be provided with the bid if an item is offered as an equal to the brand name specified.
2. **PERIOD OF CONTRACT:**
 - 2.1 The period of this contract shall be from **date of award through June 30, 2018.**
3. **PRICES AND PRICE ADJUSTMENT:**
 - 3.1 All prices/discounts shall be F.O.B. Destination and shall include all charges that may be imposed in fulfilling the terms of this contract. Prices/discounts shall remain firm for the duration of the contract.

- 3.2 Whenever there is a reduction in price, which is lower than the contract price, offered to similarly situated customers contracting for the same period and under the same terms and conditions, said, reduction must be presented directly to the Purchasing Department of the Lafayette Parish School System.
- 3.3 Prices may not exceed the national advertised and available General Services Administration (GSA) governmental price list.
- 3.4 The Lafayette Parish School System does not intend to award or to maintain any item in any group that is offered at a price equal or above the manufacturer's list price.

4. **QUANTITIES:**

- 4.1 The quantities specified on the Pricing Schedule are estimated only, and are given for the information of bidders and for the purpose of bid evaluation. They do not indicate the actual quantity that will be ordered, since such volume will depend upon requirements that develop during the contract period. The Contractor will be required to fill all orders placed regardless of the original quantities shown.

5. **SPECIFICATIONS AND LITERATURE:**

- 5.1 Manufacturer name and specification or catalog number is design and size for purposes of identification and to denote the standard of quality desired. If there is any deviation in the description/specification, the alternate bid must be clearly indicated. Alternate bid items must be functionally equivalent to the item specified.
- 5.2 Each bidder is required to submit the following information with the BID PROPOSAL FORM:
 - 5.2.a. Catalog cut sheets and/or descriptive literature labeled with the Invitation for Bid number;
 - 5.2.b. Bid item number and bidder's name;
 - 5.2.c. Full illustrations and detailed specifications for each item offered **functionally equivalent** to the brand name specified;
 - 5.2.d. All differences in specifications from brand name must be so marked.
- 5.3 If an "alternate" item is bid, the bidder must indicate the brand and model that meets or exceeds the specified item, along with the unit price for that item.
- 5.4 **Descriptive Literature of the Alternate item must be submitted 10 days prior to the bid closing time and date.**

5.5 Descriptive literature is required for the purpose of bid evaluation and award, details of the product(s) the bidder proposes to furnish as to design, materials, method of manufacture, construction, assembly or operation, as appropriate. **Failure to submit the descriptive literature shall be cause for rejection of that item.**

6. **QUOTATION LIMITATION:**

6.1 **Bidders shall offer only ONE ITEM AND PRICE for each line item bid.**

6.2 A discount price offered for a quantity purchase of the same manufacturer and model would not be considered a limitation; however, only the unit price requested will be considered in the award.

7. **TIME OF PERFORMANCE:**

7.1 The awarded bidder(s) shall be required to deliver the respective items within 30 days of receipt of a purchase order from LPSS and at the location specified in accordance with Section 8.1 of this bid.

8. **DELIVERY & INSTALLATION:**

8.1 Prior to delivery of equipment, the Vendor must contact Child Nutrition Services at 337-521-7370 to set-up a delivery appointment with the Fixed Asset Coordinator. Deliveries that are not pre-scheduled through the Child Nutrition Services Office will not be accepted and returned at expense of vendor.

8.2 Disconnection (if applicable) and/ or removal of existing equipment will be the responsibility of Child Nutrition Services prior to delivery/ installation date.

8.3 Deliveries will be made to various locations in Lafayette Parish. Delivery location shall be stated on each purchase order issued.

8.4 Warehouse deliveries for the Lafayette Parish Public School System (LPSS), Child Nutrition Warehouse Department, 101 Evans Lane, Lafayette, Louisiana 70506, **will be received between the hours of 8:00 a.m. and 1:00 p.m., Monday through Friday, except on or during School System Holidays.**

8.5 Inside delivery direct to schools, centers, or LPSS agencies will include off-loading from the selected carrier and carrying inside the receiving school, center or LPSS agency. Receiving hours will be from 6:30 a.m. through 1:00 p.m., Monday through Friday, except School System Holidays, unless other arrangements have been made with the receiving school, center or LPSS agency.

8.6 Vendor must install new equipment at time of delivery.

- 8.7 **Installation** means uncrate, set in place, connection of all utilities, removal of debris, and test of operation.
- 8.8 No equipment purchases are accepted as drop shipped.
- 8.9 Plumbing & electrical are provided by Child Nutrition Services.
- 8.10 Vendor must provide demonstration/ in-service of new equipment by qualified personnel to entire kitchen staff at time of installation or other time scheduled with Child Nutrition Services Fixed Asset Coordinator.

9. **DELIVERY FAILURE:**

- 9.1 Bidders are cautioned to carefully consider the delivery time they indicate in Section 7.1, as they will be required to adhere to that delivery time.
- 9.2 Awarded bidder(s) that do not adhere to the specified delivery time will be penalized 5% of the total price for every 10 days late beyond the specified ARO date. The first day of the ARO is the date that the Purchase Order is faxed or emailed to the awarded bidder(s).

10. **SHIPPING AND MARKING:**

- 10.1 Awarded bidder(s) will be required to mark all shipments with the Lafayette Parish School System **purchase order number** clearly visible on the exterior of each container. A packing slip must be furnished with each **shipment and listing**, in addition to the awarded bidder's **stock number, item description, purchase order number, purchase order item number, quantity ordered, quantity shipped, and quantity back ordered**.
- 10.2 Invoices and all related written materials pertaining to each delivery must show the purchase order number, the purchase order item number, and the item number shown on the contract.

11. **SUBMISSION OF BIDS:**

- 11.1 Bidders must submit the completed bid package using the form provided.
- 11.2 Bidders must show unit price per item and total price for each item bid.
- 11.3 By completing the Bid Signature Form, the bidder acknowledges that the invitation was read, understood, and is in agreement to be bound by its terms and conditions.
- 11.4 Bids may be submitted by mail or delivered in person. All bids must be received by the LPSS Purchasing Department at the following location **prior** to the date and time specified:

Purchasing Department
113 Chaplin Drive
Lafayette, Louisiana 70508

- 11.5 Electronic bids may be submitted online at:
www.centralauctionhouse.com.
- 11.5 Bids received after the time or date prescribed shall not be considered for award and shall be returned to the Bidder.
- 11.6 Bidder's envelope must be labeled as follows:

[Bidder's Company Name]
Attn: Lee Francis, Purchasing Department
Kitchen Equipment
Sealed Bid#28-18
Opening: July 17, 2017 @ 10:00 am

12. **CONTRACT AWARD:**

- 12.1 All items listed in this solicitation will be awarded on the basis of a firm fixed price.
- 12.2 If awarded, the Lafayette Parish School System will award the contract to the lowest responsive and responsible bidder. LPSS reserves the right to award the contract in the aggregate or to make a split award to more than one bidder, whichever is in the best interest of the public.

13. **PURCHASE ORDER:**

- 13.1 Purchase order(s) for the items listed in this solicitation will be issued as required throughout the period of this contract and will become an integral part of the resulting contract. The purchase order indicates that sufficient funds have been obligated.
- 13.2 The purchase order does not supersede any provision of the resulting contract. Performance time and dates are determined solely by the contract and any modification thereto.
- 13.3 Shipment is not to begin until receipt of the purchase order or other notification by the Purchasing Agent to proceed.

14. **ORDER OF PRECEDENCE:**

- 14.1 In the event of conflict, the Special Provisions of this contract shall take precedence over the General Conditions and Instructions to Bidders, included herein.

15. **CONTACT FOR ADMINISTRATION:**

15.1 In the event a contract is executed with your firm as a result of this solicitation, indicate the person(s) we may contact for prompt contract administration in the space provided on the **BID PROPOSAL FORM**.

16. **EMERGENCY PURCHASES:**

16.1 The Parish reserves the right to make emergency purchases from other sources, should the Contractor be unable to furnish the required item within the required time frame.

17. **INTERPRETATION OF BID:**

17.1 Any questions pertaining to this solicitation shall be directed to:
Lee Francis, Purchasing Agent
Lafayette Parish School Board
P.O. Drawer 2158
Lafayette, Louisiana 70502-2158
Telephone Number: (337) 521-7329

18. **WARRANTY:**

18.1 The standard warranty shall be for 1 year for parts and labor and a 5-year compressor warranty.

18.2 Warranty information must be included with bid proposal.

19. **OPTIONS & ACCESSORIES:**

19.1 Unless otherwise noted, the specifications for the brand specified are the general specifications with no added options or accessories.

20. **ORDER OF PRECEDENCE:**

20.1 In the event of conflict, the Special Provisions of this contract shall take precedence over the General Conditions and Instructions to Bidders, included herein.

21. **CONTACT FOR ADMINISTRATION:**

15.1 In the event a contract is executed with your firm as a result of this solicitation, indicate the person(s) we may contact for prompt contract administration in the space provided on the Bid Proposal Form.

22. **EMERGENCY PURCHASES:**

16.1 The Parish reserves the right to make emergency purchases from other sources, should the awarded bidder be unable to furnish the required item within the required time frame.

23. **INTERPRETATION OF BID:**

17.1 Any questions pertaining to this solicitation shall be directed to:
Lee Francis, Purchasing Agent
Lafayette Parish School Board
Email: slfrancis@lpssonline.com
Telephone Number: (337) 521-7329

24. **CONTRACT CANCELLATION:**

24.1 LPSS has the right to cancel any contract for cause including, but not limited to, the following: (1) failure to deliver within the time specified; (2) failure of the product or service to meet specifications or to be delivered in good condition; (3) fraud, collusion, conspiracy or other unlawful means of obtaining any contract with LPSS; (4) misrepresentation by the selected bidder(s); (5) conflict of contract provisions with constitutional or statutory provisions of state or federal law; and/or (6) any other breach of contract.

24.2 LPSS reserves the right to cancel any contract within thirty (30) days written notice.

25. **APPLICABLE LAW:**

25.1 All contracts shall be construed in accordance with and governed by the laws of the State of Louisiana.

25.2 In the event of a dispute between the parties, the 15th Judicial District Court for the Parish of Lafayette shall serve as the sole and exclusive jurisdiction and venue to resolve said dispute.

26. **CIVIL RIGHTS:**

26.1 By submitting and signing this bid, bidder agrees to abide by the requirements of the following, as applicable: Title VI and VII of the Civil Rights Act of 1964, as amended by the Equal Opportunity Act of 1972, Federal Executive Order 11246, Federal Rehabilitation Act of 1973, as amended, the Veteran's Readjustment Assistance Act of 1974, Title IX of the Education Amendments of 1972, the Age Act of 1975; and bidder agrees to abide by the requirements of the Americans with Disabilities Act of 1990. Bidder agrees not to discriminate in its employment practices, and will render services under any contract entered into as a result of this solicitation without regard to race, color, religion, sexual orientation, national origin, veteran status, political affiliation, or

disabilities. Any act of discrimination committed by bidder, or failure to comply with these statutory obligations when applicable, shall be grounds for termination of any contract entered into as a result of this solicitation.

27. **INDEMNITY:**

27.1 The awarded bidder agrees, upon receipt of written notice of a claim or action, to defend the claim or action, or take other appropriate measure, to indemnify and hold harmless LPSS, its officers, its agents and its employees from and against all claims and actions for bodily injury, death or property damages caused by the fault of the bidder, its officers, its agents or its employees. The bidder is obligated to indemnify only to the extent of the fault of the bidder, its officers, its agents or its employees. However, the bidder shall have no obligation as set forth above with respect to any claim or action from bodily injury, death or property damages arising out of the fault of LPSS, its officers, its agents or its employees.

**BID PROPOSAL FORM
BID #28-18**

Sealed Bid Envelopes containing **BID #28-18** should be clearly marked on the outside
Attn: Lee Francis, Purchasing Department: Kitchen Equipment Sealed Bid #28-18, Opening July 17, 2017 at 10:00 a.m.

The bidder acknowledges receipt of addendum, if applicable:

No.1 DATED 7/12/17 No.2 DATED _____ No.3 DATED _____
No.4 DATED _____ No.5 DATED _____ No.6 DATED _____

In compliance with the provisions, conditions, and/ or penalties imposed in the SPECIFICATIONS AND BID PROPOSAL FORM for BID #28-18, the undersigned firm agrees to furnish any or all items at the prices set opposite each item for the bid period specified.

Daxko Equipment
Name of Firm


Signature of Authorized Representative

301 North St. Bluefield, WV 24701
Address

Karen R. Walden
Typed Name of Authorized Representative

304-327-0149
Telephone Number

Bid Supervisor
Title of Authorized Representative

304-325-3848
Fax Number

7/17/17
Date

Lafayette Parish School System
Child Nutrition Services
School System

Signature of Authorized Representative

101 Evans Lane
Lafayette, LA 70506
Address

Renee L. Sherville
Name of Authorized Representative

337-521-7373
Phone Number

337-521-7388
Fax Number

CERTIFICATE OF INDEPENDENT PRICE DETERMINATION

Both the school food authority and the Vendor (offeror) shall execute this Certificate of Independent Price Determination.

Douglas Equipment
Name of Vendor

Lafayette Parish School System – Child Nutrition Services
Name of School Food Authority

By submission of this offer, the offeror certifies and in the case of a joint offer, each party thereto certifies as to its own organization, that in connection with this procurement:

1. The prices in this offer have been arrived at independently, without consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other offeror with any competitor.
 2. Unless otherwise required by law, the prices which have been quoted in this offer have not been knowingly disclosed by the offeror and will not knowingly be disclosed by the offeror prior to opening in the case of an advertised procurement, or prior to award in the case of a negotiated procurement, directly or indirectly to any other offeror or to any competitor; and
 3. No attempt has been made or will be made by the offeror to induce any person or firm to submit, an offer for the purpose of restricting competition.
- A. Each person signing this offer on behalf of the Vendor certifies that:
1. He or she is the person in the offeror's organization responsible within the organization for the decision as to the prices being offered herein and has not participated, and will not participate, in any action contrary to (A) (1) through (A) (3) above; or
 2. He or she is not the person in the offeror's organization responsible within the organization for the decision as to the prices being offered herein, but that he or she has been authorized in writing to act as agent for the persons responsible for such a decision in certifying that such persons have not participated and will not participate, in any action contrary to (A) (1) through (A) (3) above, and as their agent does hereby so certify; and he or she has not participated, and will not participate, in any action contrary to (A) (1) through (A) (3) above.

To the best of my knowledge, this Vendor, its affiliates, subsidiaries, officers, directors and employees are not currently under investigation by any governmental agency and have not in the last three years been convicted or found liable for any act prohibited by State or Federal law in any jurisdiction, involving conspiracy or collusion with respect to bidding on any public contract, except as follows:



Signature of Vendor's Authorized Representative

Bid Supervisor

Title

7/17/17

Date

In accepting this offer, the SFA certifies that no representative of the SFA has taken any action which may have jeopardized the independence of the offer referred to above.

NOTE: Accepting a bidder's offer does not constitute award of the contract.

CERTIFICATION STATEMENT

**CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY, AND
VOLUNTARY EXCLUSION – LOWER TIER COVERED TRANACTIONS**

U. S. DEPARTMENT OF AGRICULTURE

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 7 CRF Part 3017, Section 3017.510, participant's responsibilities. The regulations were published as Part IV of the January 30, 1989, Federal Register (Pages 4722-4733). Copies of the regulations may be obtained by contacting the Department of Agriculture agency with which this transaction originated.

1. The Contractor certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.
2. Where the Contractor is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

Douglas Equipment

ORGANIZATION NAME

Karen R. Waldron, Bid Supervisor

NAME AND TITLE OF AUTHORIZED REPRESENTATIVE

KRWald

SIGNATURE

7/17/12

DATE

CERTIFICATION REGARDING LOBBYING

CERTIFICATION FOR CONTRACTS, GRANTS, LOANS, AND COOPERATIVE
AGREEMENTS EXCEEDING \$100,000 IN FEDERAL FUNDS

The undersigned certifies, to the best of his or her knowledge and belief, that:

- (1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan or cooperative agreement.
- (2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan or cooperative agreement, the undersigned shall complete and submit Standard Form - LLC, "Disclosure of Lobbying Activities," in accordance with its instructions.
- (3) The undersigned shall require that the language of this certification be included in the award documents for all subawards (exceeding \$100,000. in Federal funds) at all tiers (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all subrecipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by Section 1352, Title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000. and not more than \$100,000. for each such failure.

Douglas Equipment, 301 North St, Bluefield, WV 24701
NAME / ADDRESS OF VENDOR

Karen R. Waldron, Bid Supervisor
TITLE / TITLES OF SUBMITTING OFFICIAL


SIGNATURE

7/17/17
DATE

INSTRUCTIONS FOR COMPLETION OF SF-LLL, DISCLOSURE OF LOBBYING ACTIVITIES

This disclosure form shall be completed by the reporting entity, whether subawardee or prime Federal recipient, at the initiation of receipt of a covered Federal action, or a material change to a previous filing, pursuant to title 31 U.S.C. section 1352. The filing of a form is required for each payment or agreement to make payment to any lobbying entity for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with a covered Federal action. Complete all items that apply for both the filing and material change report. Refer to the implementing guidance published by the Office of Management and Budget for additional information.

- A. Identify the type of covered Federal action for which lobbying activity is and/or has been secured to influence the outcome of a covered Federal action.
- B. Identify the status of the covered Federal action.
- C. Identify the appropriate classification of this report. If this is a follow up report caused by a material change to the information previously reported, enter the year and quarter in which the change occurred. Enter the date of the last previously submitted report by this reporting entity for this covered Federal action.
- D. Enter the full name, address, city, state and zip code of the reporting entity. Include Congressional District, if known. Check the appropriate classification of the reporting entity that designates if it is, or expects to be, a prime or subaward recipient. Identify the tier of the subawardee, e.g., the first subawardee of the prime is the 1st tier. Subawards include but are not limited to subcontracts, subgrants and contract awards under grants.
- E. If the organization filing the report in item 4 checks "Subawardee," then enter the full name, address, city, state and zip code of the prime Federal recipient. Include Congressional District, if known.
- F. Enter the name of the federal agency making the award or loan commitment. Include at least one organizational level below agency name, if known. For example, Department of Transportation, United States Coast Guard.
- G. Enter the Federal program name or description for the covered Federal action (item 1). If know, enter the full Catalog of Federal Domestic Assistance (CFDA) number for grants, cooperative agreements, loans, and loan commitments.
- H. Enter the most appropriated Federal identifying number available for the Federal action identified in item 1 (e.g., Request for Proposal (RFP) number; Invitations for Bid (IFB) number; grant announcement number, the contract, grant, or loan award number, the application/proposal control number assigned by the Federal agency). Included prefixes, e.g., "RFP-DE-90-001."
- I. For a covered Federal action where there has been an award or loan commitment by the Federal agency, enter the Federal amount of the award / loan commitment for the prime entity identified in item 4 or 5.
 - (a) Enter the full name, address, city, state and zip code of the lobbying registrant under the Lobbying Disclosure Act of 1995 engaged by the reporting entity identified in item 4 to influence the covered Federal action.
 - (b) Enter the full names of the individual(s) performing services, and include full address if different from 10 (a). Enter Last Name, First Name, and Middle Initial (MI).
- J. The certifying official shall sign and date the form, print his/her name, title, and telephone number.

According to the Paperwork Reduction Act, as amended, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is OMB No. 0348-0046. Public reporting burden for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Office of Management and Budget, Paperwork Reduction Project (0348-0046), Washington, DC 20503.

Disclosure of Lobbying Activities
Complete this form to disclose lobbying activities pursuant to 31 U.S.C. 1352
(See reverse for public burden disclosure)

1. Type of Federal Action: (Enter letter of choice) <input type="checkbox"/> a. contract <input checked="" type="checkbox"/> b. grant <input type="checkbox"/> c. cooperative agreement <input type="checkbox"/> d. loan <input type="checkbox"/> e. loan guarantee <input type="checkbox"/> f. loan insurance	2. Status of Federal Action: (Enter letter of choice) <input type="checkbox"/> a. bid/offer/application <input type="checkbox"/> b. initial award <input type="checkbox"/> c. post-award	3. Report Type: <input type="checkbox"/> a. initial filing <input type="checkbox"/> b. material change For material change only: Year _____ Quarter _____ Date of last report _____
4. Name and Address of Reporting Entity: <input type="checkbox"/> Prime <input type="checkbox"/> Subawardee Tier _____, if known: Congressional District, if known:	5. If reporting entity in No. 4 is subawardee, Enter Name and Address of Prime: <p align="center">N/A</p> Congressional District, if known:	
6. Federal Department / Agency:	7. Federal Program Name / Description: CDFA number, if applicable: _____	
8. Federal Action number, if known:	9. Award Amount, if known: \$ _____	
10. a. Name and Address of Lobbying Registrant (if individual, last name, first name, MI):	10. b. Individuals Performing Services (including address if different from No. 10a) (Last name, first name, MI)	
11. Information requested through this form is authorized by Title 31 U.S.C. Section 1352. This Disclosure of Lobbying Activities is a material representation of fact upon which reliance was placed by the tier above when this transaction was made or entered into. This disclosure is required pursuant to 31 U.S.C. 1352. This information will be reported to the Congress semi-annually and will be available for public inspection. Any person who fails to file the required disclosure shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.	Signature: <u>[Handwritten Signature]</u> Print Name: <u>Karen R. Walden</u> Title: <u>Bid Sponsor</u> Telephone No: <u>301-327-0149</u> Date: <u>7/17/17</u>	
Federal Use Only	Authorized for Local Reproduction Standard Form - LLL (Rev. 7-97)	

BID PROPOSAL FORM, BID #28-18

Item Description

1. Food Chopper

Specified Manufacturer: Robot Coupe
Specified Model: CL50

Item Specifications/ Accessories:
No options/accessories

Quantity: 1 Unit Price: 1717.71 Total Price: 1717.71

Alternate Bid (must be pre-approved): Manufacturer: Robot Coupe
Model: CL50E

2. Food Warmer

Specified Manufacturer: Cres-Cor
Specified Model: H-138-S-1834C

Item Specifications/ Accessories:
Corner bumpers, Floor Lock

Quantity: 1 Unit Price: 4334.54 Total Price: 4334.54

Alternate Bid (must be pre-approved): Manufacturer: Cres-Cor
Model: H-138-S-1834D
** Quoting Replacement model for H-138-S-1834C*

3. Reach-In Cooler

Specified Manufacturer: Traulsen
Specified Model: RHT232WUT

Item Specifications/ Accessories:
Full length doors, heavy duty 6" high casters, stainless steel finished back with rear louvers, re-
hinging features, tray slides to accommodate either (2) 12" x 20", (1) 18" x 26" or (2) 14" x 18"
sheet pans

Quantity: 1 Unit Price: 12,783.48 Total Price: 12,783.48

Alternate Bid (must be pre-approved): Manufacturer: Traulsen
Model: RHT232WUT-FHS

BID PROPOSAL FORM, BID #28-18

Item Description

4. Reach-In Cooler

Specified Manufacturer: Traulsen
Specified Model: RHT332WUT

Item Specifications/ Accessories:

Full length doors, heavy duty 6" high casters, stainless steel finished back with rear louvers, re-hinging featuers, tray slides to accommodate either (2) 12" x 20", (1) 18" x 26" or (2) 14" x 18" sheet pans

Quantity: 1 Unit Price: 17905.88 Total Price: 17905.88

Alternate Bid (must be pre-approved):

Manufacturer: Traulsen
Model: RHT332WUT-FHS

5 Pass-Thru Cooler

Specified Manufacturer: Traulsen
Specified Model: RHT232WPUT-HHS

Item Specifications/ Accessories:

Half length doors, heavy duty 6" high casters, re-hinging featuers, tray slides to accommodate either (2) 12" x 20", (1) 18" x 26" or (2) 14" x 18" sheet pans

Quantity: 1 Unit Price: 15815.46 Total Price: 15815.46

Alternate Bid (must be pre-approved):

Manufacturer: Traulsen
Model: RHT232WPUT-HHS

6 Reach-In Freezer

Specified Manufacturer: Traulsen
Specified Model: RLT332WUT-FHS

Item Specifications/ Accessories:

Full length doors, heavy duty 6" high casters, stainless steel finished back with rear louvers, re-hinging featuers, tray slides to accommodate either (2) 12" x 20", (1) 18" x 26" or (2) 14" x 18" sheet pans

Quantity: 1 Unit Price: 20,069.75 Total Price: 20,069.75

Alternate Bid (must be pre-approved):

Manufacturer: Traulsen
Model: RLT332WUT-FHS

BID PROPOSAL FORM, BID #28-18

Item Description

7 Pass-Thru Warmer

Specified Manufacturer: Traulsen
Specified Model: RHF332WP-HHS

Item Specifications/ Accessories:

Half length door, heavy duty 6" high casters, re-hinging features, tray slide to accommodate either (2) 12" x 20", (1) 18" x 26" or (2) 14" x 18" sheet pans

Quantity: 1 Unit Price: 20,243.05 Total Price: 20,243.05

Alternate Bid (must be pre-approved):

Manufacturer: Traulsen
Model: RHF332WP-HHS

8 Heavy Duty Gas Range

Specified Manufacturer: Vulcan
Specified Model: V2BU12B

Item Specifications/ Accessories:

3/4" gas pressure regulator, flexible gas hose with quick disconnect and restraining device

Quantity: 1 Unit Price: 3012.37 Total Price: 3012.37

Alternate Bid (must be pre-approved):

Manufacturer: Vulcan
Model: V2B12B

* V2BU12B is not a valid number.

Quoting w/ stepped up burners with

9 Mixer the understanding that the U means stepped U.

Specified Manufacturer: Hobart
Specified Model: HL600-1STD

Item Specifications/ Accessories:

Bowl splash cover and bowl truck

Quantity: 1 Unit Price: 16,425.62 Total Price: 16,425.62

Alternate Bid (must be pre-approved):

Manufacturer: Hobart
Model: HL600-1STD

BID PROPOSAL FORM, BID #28-18

Item Description

10 Mixer

Specified Manufacturer: Hobart
Specified Model: HL400-1STD

Item Specifications/ Accessories:
Bowl splash cover and bowl truck

Quantity: 1 Unit Price: 11,646.34 Total Price: 11,646.34

Alternate Bid (must be pre-approved):
Manufacturer: Hobart
Model: HL 400-1STD

11 Food Cutter

Specified Manufacturer: Hobart
Specified Model: 84186

Item Specifications/ Accessories:
No options/accessories

Quantity: 1 Unit Price: 8262.80 Total Price: 8262.80

Alternate Bid (must be pre-approved):
Manufacturer: Hobart
Model: 84186-1

12 Gas Convection Steamer

Specified Manufacturer: Vulcan
Specified Model: C24GA10

Item Specifications/ Accessories:
Water treatment system

Quantity: 1 Unit Price: 14,999.19 Total Price: 14,999.19

Alternate Bid (must be pre-approved):
Manufacturer: Vulcan
Model: C24GA10

BID PROPOSAL FORM, BID #28-18

Item Description

13 Gas Convection Steamer

Specified Manufacturer: Cleveland
Specified Model: 24CGA10.2

Item Specifications/ Accessories:
Water treatment system, Kettle interconnecting kit

Quantity: 1 Unit Price: 21,810.²³ Total Price: 21,810.²³

Alternate Bid (must be pre-approved): Manufacturer: Cleveland
Model: 24CGP10

* Per Add #1

14 Tilting Kettle

Specified Manufacturer: Groen
Specified Model: DH

Item Specifications/ Accessories:
40 gallon stainless steel steam jacketed unit, hinged cover kit

Quantity: 1 Unit Price: 27,521.³⁸ Total Price: 27,521.³⁸

Alternate Bid (must be pre-approved): Manufacturer: Groen
Model: DH-40

15 Double Oven

Specified Manufacturer: Blodgett
Specified Model: DFG100

Item Specifications/ Accessories:
Stainless steel left, right and top, 120V, 1Ph, 60Hz, 7.4 amps, 6" grounded supply cord, set of (4) 5" wheel, 6" height casters, 4' x 3/4" flex connector kit

Quantity: 1 Unit Price: 14,479.⁵² Total Price: 14,479.⁵²

Alternate Bid (must be pre-approved): Manufacturer: Blodgett
Model: DFG-100 DBL

BID PROPOSAL FORM, BID #28-18

Item Description

19 Ice Machine With Bin

Specified Manufacturer: Manitowoc
Specified Model: UD-0240A

Item Specifications/ Accessories:

Neo undercounter ice make, cube style, air cooled, self contained, 26"W x 28"D x 38 1/2 H, up to 225LB.

Quantity: 1 Unit Price: 2391.41 Total Price: 2391.41

Alternate Bid (must be pre-approved): Manufacturer: Manitowoc
Model: UD-0240A

20 Stainless Steel Table

Specified Manufacturer: Advance Tabco
Specified Model: TSS-303

Item Specifications/ Accessories:
No options/accessories

Quantity: 1 Unit Price: 791.74 Total Price: 791.74

Alternate Bid (must be pre-approved): Manufacturer: Advance Tabco
Model: TSS-303

21 Stainless Steel Table

Specified Manufacturer: Advance Tabco
Specified Model: TSS-306

Item Specifications/ Accessories:
No options/accessories

Quantity: 1 Unit Price: 935.93 Total Price: 935.93

Alternate Bid (must be pre-approved): Manufacturer: Advance Tabco
Model: TSS-306

BID PROPOSAL FORM, BID #28-18

Item Description

22 **Stainless Steel Table**

Specified Manufacturer: Advance Tabco
Specified Model: TFMS-122

Item Specifications/ Accessories:
No options/accessories

Quantity: 1 Unit Price: 551.40 Total Price: 551.40

Alternate Bid (must be pre-approved):
Manufacturer: Advance Tabco
Model: TFMS-122-X

23 **Serving Counter, Cashier Station**

Specified Manufacturer: Duke
Specified Model: Thurmaduke TCS-30SS

Item Specifications/ Accessories:
Solid stainless steel tray slide 16ga s/s, 2 rubbing tracks, on 2 s/s hinged brackets, stainless steel drawer with lock and key, electric outlets, 10' cord and plug. Veneer plastic laminate on customer side, Veneer plastic laminate on ends.

Quantity: 1 Unit Price: 4853.71 Total Price: 4853.71

Alternate Bid (must be pre-approved):
Manufacturer: Duke
Model: TCS-30SS

24 **Buffet, Utility Unit**

Specified Manufacturer: Duke
Specified Model: Thurmaduke Solid Top TST-32SS

Item Specifications/ Accessories:

Model 836-1SN heat rod buffet shelf, with glass sneeze guard on customer side. Solid stainless steel tray slide 16ga s/s, 2 rubbing tracks on 2 s/s hinged brackets, electric outlet, and 10' cord and plug. Veneer plastic laminate on customer side, Veneer plastic laminate on ends.

Quantity: 4 Unit Price: 6249.30 Total Price: 24997.20

Alternate Bid (must be pre-approved):
Manufacturer: Duke
Model: TST-32SS

BID PROPOSAL FORM, BID #28-18

Item Description

25 Buffet, Utility Unit

Specified Manufacturer: Duke
Specified Model: Thurmaduke Solid Top TST-46SS

Item Specifications/ Accessories:

Model 837-1S heat rod buffet shelf, with glass sneeze guard on customer side. Solid stainless steel tray slide 16ga s/s, 2 rubbing tracks on 2 s/s hinged brackets, electric outlet, and 10' cord and plug. Veneer plastic laminate on customer side, Veneer plastic laminate on ends.

Quantity: 1 Unit Price: 6832.45 Total Price: 6832.45

Alternate Bid (must be pre-approved):

Manufacturer: Duke
Model: TST-46SS

26 Buffet, Utility Unit

Specified Manufacturer: Duke
Specified Model: Thurmaduke Solid Top TST-60SS

Item Specifications/ Accessories:

Model 837-1S heat rod buffet shelf, with glass sneeze guard on customer side. Solid stainless steel tray slide 16ga s/s, 2 rubbing tracks on 2 s/s hinged brackets, electric outlet, and 10' cord and plug. Veneer plastic laminate on customer side, Veneer plastic laminate on ends.

Quantity: 1 Unit Price: 7534.41 Total Price: 7534.41

Alternate Bid (must be pre-approved):

Manufacturer: Duke
Model: TST-60SS

BID PROPOSAL FORM, BID #28-18

Item Description

27 Buffet, Hot Food, Electric

Specified Manufacturer: Duke
Specified Model: Thurmaduke TEHF-60SS

Item Specifications/ Accessories:
TS530-1SN-60 Self service canopy without lights, flip-up breath guard on customer side, 1/4" clear acrylic guards, stainless steel shelf in lieu of standard painted steel, powder coat steel ends, Veneer plastic laminate on customer side, Veneer plastic laminate on ends, solid stainless steel tray slide 16ga s/s, 2 rubbing tracks on 2 s/s hinged brackets, electric outlets, 10' cord and plug. Voltage to be determined.

Quantity: 1 Unit Price: 11,713.47 Total Price: 11,713.47

Alternate Bid (must be pre-approved): Manufacturer: Duke
Model: TEHF-60SS

28 Buffet, Hot Food, Electric

Specified Manufacturer: Duke
Specified Model: Thurmaduke TEHF-74SS

Item Specifications/ Accessories:
TS530-1SN-60 Self service canopy without lights, flip-up breath guard on customer side, 1/4" clear acrylic guards, stainless steel shelf in lieu of standard painted steel, powder coat steel ends, Veneer plastic laminate on customer side, Veneer plastic laminate on ends, solid stainless steel tray slide 16ga s/s, 2 rubbing tracks on 2 s/s hinged brackets, electric outlets, 10' cord and plug. Voltage to be determined.

Quantity: 1 Unit Price: 13,740.87 Total Price: 13740.87

Alternate Bid (must be pre-approved): Manufacturer: Duke
Model: TEHF-74SS

BID PROPOSAL FORM, BID #28-18

Item Description

29 Counter, Cold Food

Specified Manufacturer: Duke
Specified Model: Thurmaduke Cold Food Unit TCM-46SS-N7

Item Specifications/ Accessories:
TS530-1SN-46 Solid stainless steel tray slide 16ga s/s, 2 rubbing tracks on 2 s/s hinged brackets, Self service canopy without lights, flip-up breath guard on customer side, 1/4" clear acrylic guards, stainless steel shelf in lieu of standard painted steel, powder coat steel ends. Veneer plastic laminate on customerside, Veneer plastic laminate on ends.

Quantity: 1 Unit Price: 10,400.⁰² Total Price: 10,400.⁰²

Alternate Bid (must be pre-approved):
Manufacturer: Duke
Model: TCM-46SS-N7

30 Counter, Cold Food

Specified Manufacturer: Duke
Specified Model: Thurmaduke Cold Food Unit TCM-60SS-N7

Item Specifications/ Accessories:
TS530-1SN-46 Solid stainless steel tray slide 16ga s/s, 2 rubbing tracks on 2 s/s hinged brackets, Self service canopy without lights, flip-up breath guard on customer side, 1/4" clear acrylic guards, stainless steel shelf in lieu of standard painted steel, powder coat steel ends. Veneer plastic laminate on customerside, Veneer plastic laminate on ends.

Quantity: 1 Unit Price: 11,083.⁴⁵ Total Price: 11,083.⁴⁵

Alternate Bid (must be pre-approved):
Manufacturer: Duke
Model: TCM-60SS-N7

31 Counter, Cold Food

Specified Manufacturer: Duke
Specified Model: Thurmaduke Cold Food Unit TCM-74SS-N7

Item Specifications/ Accessories:
TS530-1SN-46 Solid stainless steel tray slide 16ga s/s, 2 rubbing tracks on 2 s/s hinged brackets, Self service canopy without lights, flip-up breath guard on customer side, 1/4" clear acrylic guards, stainless steel shelf in lieu of standard painted steel, powder coat steel ends. Veneer plastic laminate on customerside, Veneer plastic laminate on ends.

Quantity: 1 Unit Price: 12,902.⁶⁶ Total Price: 12,902.⁶⁶

Alternate Bid (must be pre-approved):
Manufacturer: Duke
Model: TCM-74SS-N7

DOUGLAS EQUIPMENT

Restaurant & Food Store Equipment

Quote

07/17/2017


Project:
Lafayette Parish School System
Kitchen Equipment Sealed Bid 28-
18
113 Chaplin Drive
Lafayette, LA 70508


From:
Douglas Equipment
Karen Waldron
301 North St.
Bluefield, WV 24701-
304-327-0149
(304)327-0149 1200 (Contact)

Project Code: 18824

Job Reference Number: 28-18

Item	Qty	Description	Sell	Sell Total
1	1 ea	FOOD PROCESSOR Robot Coupe Model No. CL50E Commercial Food Processor, includes: vegetable prep attachment with kidney shaped & cylindrical hopper (no bowl), (1) 3mm grating disc (28058), (1) 3mm slicing disc (28064), 2-disc rack, polycarbonate base, single speed 425 RPM, 1-1/2 HP, 120v/60/1-ph, 12.0 amps, NEMA 5-15P, cETLus, ETL-Sanitation Dimensions 23.44(h) x 13.5(w) x 14.75(d) 1 ea 1 year parts & labor warranty Class 85 Weight: 47 lbs total	\$1,717.71	\$1,717.71
			ITEM TOTAL:	\$1,717.71
2	1 ea	MOBILE HEATED CABINET Cres Cor Model No. H-138-S-1834D Cabinet, Mobile Heated, insulated, top-mount heater assembly, recessed push/pull handle, magnetic latch, channel pan slides hold (32) 18" x 26" pans on 1-1/2" centers, anti-microbial latches, reversible dutch doors, (4) heavy duty 5" swivel casters (2) braked, stainless steel construction, NSF, cCSAus, ENERGY STAR® Dimensions 73(h) x 28.75(w) x 32.75(d) 1 ea Standard Warranty: 1 yr labor with 3 yr parts warranty 1 ea 120v/60/1-ph, 1500 w, 12.0 amp, 10 ft power cord, NEMA 5-15P, standard 1 ea Right-hand door swing, standard 1 ea 1056-002 Corner Bumpers, add 2" to O.A. dimensions, non-marking, gray 1 ea 1430 Floor Lock, for use with 5" casters Class 100 Weight: 326 lbs total	\$4,334.54	\$4,334.54
			ITEM TOTAL:	\$4,334.54
3	1 ea	REACH-IN REFRIGERATOR	\$12,783.48	\$12,783.48

Item	Qty	Description	Sell	Sell Total
		<p>Traulsen Model No. RHT232WUT-FHS Spec-Line Refrigerator, Reach-in, two-section, 51.6 cu. ft., self-contained refrigeration, stainless steel exterior and interior, standard depth, wide full-height door or doors with Santoprene® EZ-Clean Gaskets, (3) adjustable wire shelves per section, INTELA-TRAUL™ microprocessor controls, 6" adjustable stainless steel legs, 5/8 HP, cULus, NSF, ENERGY STAR® Dimensions 83.25(h) x 58(w) x 35(d)</p>		
	1 ea	115v/60/1ph, 8.2 amps, with cord & NEMA 5-15P, standard		
	1 ea	3 year service/labor, 5 year compressor warranty, standard		
	2 ea	Door field rehinging option, per door (MUST order for all doors)		
	28 ea	Universal tray slide - per pair		
	6 ea	Credit for standard plated shelf, deduct		
	1 ea	Stainless Steel back with rear louvers (not available on pass-thrus)		
	1 st	Casters, 6" high (set of 4)		
Class 150		Weight: 770 lbs total		
			ITEM TOTAL:	\$12,783.48
4	1 ea	REACH-IN REFRIGERATOR	\$17,905.88	\$17,905.88
		<p>Traulsen Model No. RHT332WUT-FHS Spec-Line Refrigerator, Reach-in, three-section, 79.0 cu. ft., self-contained refrigeration, stainless steel exterior and interior, standard depth, wide full-height door or doors with Santoprene® EZ-Clean Gaskets, (3) adjustable wire shelves per section, INTELA-TRAUL™ microprocessor controls, 6" adjustable stainless steel legs, 3/4 HP, cULus, NSF, ENERGY STAR® Dimensions 83.25(h) x 86.13(w) x 35(d)</p>		
	1 ea	115v/60/1ph, 11.8 amps, with cord & NEMA 5-15P, standard		
	1 ea	3 year service/labor, 5 year compressor warranty, standard		
	3 ea	Door field rehinging option, per door (MUST order for all doors)		
	42 ea	Universal tray slide - per pair		
	9 ea	Credit for standard plated shelf, deduct		
	1 ea	Stainless Steel back with rear louvers (not available on pass-thrus)		
	1 st	Casters, 6" high (set of 4)		
Class 150		Weight: 1060 lbs total		
			ITEM TOTAL:	\$17,905.88
5	1 ea	PASS-THRU REFRIGERATOR	\$15,815.46	\$15,815.46
		<p>Traulsen Model No. RHT232WPUT-HHS Spec-Line Refrigerator, Pass-thru, two-section, self-contained refrigeration, stainless steel exterior and interior, standard depth, wide half-height door or doors with Santoprene® EZ-Clean Gaskets, (3) adjustable wire shelves per section, INTELA-TRAUL™ microprocessor controls, 6" adjustable stainless steel legs, 5/8 HP, cULus, NSF Dimensions 83.25(h) x 58(w) x 37.94(d)</p>		
	1 ea	115v/60/1ph, 8.6 amps, with cord & NEMA 5-15P, standard		
	1 ea	3 year service/labor, 5 year compressor warranty, standard		
	4 ea	Door field rehinging option, per door (MUST order for all doors)		
	4 ea	Door field rehinging option, per door (MUST order for all doors)		
	28 ea	Universal tray slide - per pair		

Item	Qty	Description	Sell	Sell Total
	6 ea	Credit for standard plated shelf, deduct		
	1 st	Casters, 6" high (set of 4)		
	Class 150	Weight: 825 lbs total		
			ITEM TOTAL:	\$15,815.46
6	1 ea	REACH-IN FREEZER	\$20,069.75	\$20,069.75
		 Traulsen Model No. RLT332WUT-FHS Spec-Line Freezer, Reach-in, three-section, 79.0 cu. ft., self-contained refrigeration, stainless steel exterior and interior, standard depth, wide full-height door or doors with Santoprene® EZ-Clean Gaskets, (3) adjustable wire shelves per section, INTELA-TRAUL™ microprocessor controls, unit can be programmed to operate at -10 degrees fahrenheit Dimensions 83.25(h) x 86.13(w) x 35(d)		
	1 ea	0 degrees Fahrenheit holding temperature, standard		
	1 ea	208/115v/60/1ph, 16.0 amps, NEMA L14-20P, standard		
	1 ea	3 year service/labor, 5 year compressor warranty, standard		
	3 ea	Door field rehinging option, per door (MUST order for all doors)		
	42 ea	Universal tray slide - per pair		
	9 ea	Credit for standard plated shelf, deduct		
	1 ea	Stainless Steel back with rear louvers (not available on pass-thrus)		
	1 st	Casters, 6" high (set of 4)		
	Class 150	Weight: 1120 lbs total		
			ITEM TOTAL:	\$20,069.75
7	1 ea	PASS-THRU HEATED CABINET	\$20,243.05	\$20,243.05
		 Traulsen Model No. RHF332WP-HHS Spec-Line Heated Cabinet, Pass-thru, three-section, stainless steel exterior and interior, standard depth cabinet, half-height door or doors with Santoprene® EZ-Clean Gaskets, (3) chrome plated adjustable shelves per section, INTELA-TRAUL™ microprocessor controls, 6" adjustable stainless steel legs, NSF, UL rated Dimensions 83.25(h) x 86.13(w) x 37.94(d)		
	1 ea	208/115v/60/1ph, 15.5 amps, standard		
	1 ea	3 year service/labor warranty, standard		
	6 ea	Thermometer side door: Door field rehinging option, per door (MUST order for all doors)		
	6 ea	Rear: Door field rehinging option, per door (MUST order for all doors)		
	39 ea	Universal tray slide - per pair		
	9 ea	Credit for standard plated shelf, deduct		
	1 st	Casters, 6" high (set of 4)		
	Class 100	Weight: 965 lbs total		
			ITEM TOTAL:	\$20,243.05
8	1 ea	HD RANGE, 12", 2 OPEN BURNERS	\$3,012.37	\$3,012.37
		 Vulcan Model No. V2B12B V Series Heavy Duty Range, gas, 12", (2) 35,000 BTU open burners, cast iron grates, storage base with cabinet doors, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 70,000 BTU, CSA, NSF Dimensions 36(h) x 12(w) x 36.75(d)		
	1 ea	1 year limited parts & labor warranty, standard		

Item	Qty	Description	Sell	Sell Total
	1 ea	NOTE: Rear gas connection not available on this model. Unit must be gassed from the front and manifolded with another unit for rear gas connection.		
	1 ea	Natural gas (add -1 suffix) (specify elevation if over 2,000 ft.)		
	1 ea	PRREGN-3/4 3/4" NPT pressure regulator with reducer (Natural gas)		
	1 ea	1-1/4" front manifold connection, standard		
	1 ea	Front manifold location to be specified		
	1 ea	4" stepped-up rear burner, 12" section		
		(Model number spec'd does not exist. Quoting 2 burner range with stepped-up rear burners in case the "U" in model number means stepped-up burners.)		
	1 ea	Dormont 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
Class 85		Weight: 166.85 lbs total		
			ITEM TOTAL:	\$3,012.37
9	1 ea	PLANETARY MIXER Hobart Model No. HL600-1STD 200-240/50/60/3/1 Mixer; with bowl, beater, "D" whip, & spiral dough arm; US/EXP configuration Legacy Planetary Mixer, 2.7 HP, 60 quart, (4) fixed speeds, gear-driven transmission, 50-Minute SmartTimer™, #12 attach hub, power bowl lift, stainless steel bowl, stainless steel bowl guard, "B" beater, "D" wire whip, "ED" dough hook	\$16,425.62	\$16,425.62
	1 ea	Standard warranty: 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	SPLASH-LEX060 60 qt. Bowl Splash Cover, Lexan		
	1 ea	TRUCK-HL1486 Bowl Truck, for use with 60, 80 & 140 quart Legacy Mixers		
		Weight: 960 lbs total		
			ITEM TOTAL:	\$16,425.62
10	1 ea	PLANETARY MIXER Hobart Model No. HL400-1STD 200-240/50/60/3 Mixer; with bowl, beater, whip, & spiral dough arm; US/EXP configuration Legacy Planetary Mixer, 1.5 hp, 40 quart capacity, (3) fixed speeds, gear-driven transmission, 20 minute timer, #12 taper attachment hub, manual bowl lift, bowl guard, stainless steel bowl, "B" beater, "D" whip, "ED" dough hook	\$11,646.34	\$11,646.34
	1 ea	Standard warranty: 1-Year parts, labor & travel time during normal working hours within the USA		
	1 ea	SPLASH-HL40 40 qt. Splash Cover, Lexan		
	1 ea	TRUCK-HL4030 Bowl Truck, for 30 & 40 quart mixers		
		Weight: 472 lbs total		
			ITEM TOTAL:	\$11,646.34
11	1 ea	ELECTRIC FOOD CUTTER	\$8,262.80	\$8,262.80

Initial: _____

Item	Qty	Description	Sell	Sell Total
		Hobart Model No. 84186-1 Food Cutter with #12 attachment hub, 18" diameter stainless steel bowl 20 RPM, double stainless steel knives 1725 RPM, bowl cover with safety interlock, push/pull on/off switch, one-piece burnished aluminum housing, 3" legs, 115v/60/1-ph, 1 HP, 6' cord with plug		
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA Weight: 195 lbs total		
			ITEM TOTAL:	\$8,262.80
12	1 ea	CONVECTION STEAMER, GAS, BOILERLESS	\$14,999.19	\$14,999.19
		Vulcan Model No. C24GA10 Convection Steamer, Gas, 2 compartments on 24" cabinet base, (10)12" x 20" x 2-1/2" deep total pan capacity, high output stainless steel steam generator with staged water fill, manual control with 60-minute timer with buzzer each compartment, split water line, stainless steel interior, exterior, frame & flanged feet, electric ignition, 125,000 BTU Dimensions 72(h) x 24(w) x 35.4(d)		
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	BSC controls: Basic control package, manual control with 60-minute timer, manual drain with timed SmartDrain and PowerFlush System, standard		
	1 ea	Gas type to be specified		
	1 ea	120v/60/1-ph w/ground, 300w, 2.0 amps, with 6 foot power cord & 3-prong plug, standard		
	1 ea	SMF620 SYSTEM SCALEBLOCKER™ Water Treatment, field installed by others at job site		
	1 ea	2nd year limited water related parts only & labor warranty, standard		
	1 ea	Dormont 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
	Class 85	Weight: 703.85 lbs total		
			ITEM TOTAL:	\$14,999.19
13	1 ea	CONVECTION STEAMER, GAS, BOILERLESS	\$21,810.23	\$21,810.23
		Cleveland Range Model No. 24CGP10 Steamcraft® Power 10, Pressureless Steamer, Gas, 2 compartments, (5) 12 x 20 x 2 1/2 pans/compartment capacity, manual controls, 60-minute mechanical timer, steam shut-off switch, left-hand hinged door, controls on right, stainless steel construction, split water connection, 6" stainless steel legs, steam generator, boiler, 240,000 BTU Dimensions 65.5(h) x 24(w) x 33(d)		
	1 ea	1-year limited warranty, standard		
	1 ea	CWT-06 Claris Water Treatment System, includes (1) pre-filter, (1) Claris X-large steam system, (1) Claris flow meter and (1) water test kit (see water quality requirements in price list)		
	1 ea	Gas type to be specified		

Item	Qty	Description	Sell	Sell Total
	1 ea	(VOS115) 120v/60/1-ph, 2.0 amp, 2-wire (DO NOT connect to GFI outlet)		
	1 ea	GPTO10 Gas Power Take-Off Valve Kit, for operating kettles		
	1 ea	IMK6 Kettle Interconnecting Kit, 6 ft.		
Class 85		Weight: 838 lbs total		
			ITEM TOTAL:	\$21,810.23
14	1 ea	KETTLE, GAS, TILTING	\$27,521.38	\$27,521.38
		 <p>Groen Model No. DH-40 Tilting Kettle, gas, 40-gallon capacity, crank tilt, 2/3 jacket, 316 stainless steel liner, floor mounted control console supports, stainless steel construction, bullet feet, electronic ignition, 50 PSI, 0 - 2000' elevation, 100,000 BTU Dimensions 43.13(h) x 47(w) x 34.63(d)</p>		
	1 ea	(1) year parts & labor, (10) year kettle & body warranty, standard		
	1 ea	Gas type to be specified		
	1 ea	ELEVO-2000 For elevation between 0 and 2000 (When order is placed, all equipment with elevation specified will be assigned a different Part# by the factory)		
	1 ea	115v/60/1-ph, 5.0 amps, std.		
	1 ea	159143 Hinged Cover Kit (no. 41), for 40 gallon tilting kettle, factory installed		
Class 85		Weight: 640 lbs total		
			ITEM TOTAL:	\$27,521.38
15	1 ea	CONVECTION OVEN, GAS	\$14,479.52	\$14,479.52
		 <p>Blodgett Oven Model No. DFG-100 DBL Convection Oven, gas, double-deck, standard depth, capacity (5) 18" x 26" pans per compartment, (SSD) solid state digital controls, 2-speed fans, , interior light, simultaneous operated doors with glass, porcelain crumb tray, stainless steel front, sides & top, 6" stainless steel legs, flue connector, (2) 1/2 HP, 55,000 BTU each, cETL, NSF, CE Dimensions 70.63(h) x 38.25(w) x 36.88(d)</p>		
	1 ea	3 year parts, 2 year labor and 2 additional year door warranty (parts only), standard		
	1 ea	Natural gas		
	2 ea	115v/60/1-ph, 6.0 amps, 3-wire with ground, 6' cord, NEMA 5-15P, 1/2 hp (per deck), standard		
	1 ea	SSD Top Oven: Solid State digital with Pulse Plus® and Cook & Hold, standard		
	1 ea	SSD Bottom Oven: Solid State digital with Pulse Plus® and Cook & Hold, standard		
	1 ea	Draft diverter		
	1 st	6" plate casters (set), in lieu of legs		
	1 ea	NOTE: DO NOT deduct cost of standard legs		
	2 ea	Dormont 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		

Item	Qty	Description	Sell	Sell Total
Class 77.5		Weight: 1106.7 lbs total		
			ITEM TOTAL:	\$14,479.52
16	4 ea	MILK COOLER Continental Refrigerator Model No. MC4-SS-S Milk Cooler, 49" long, single access, forced air cooling, (12) 13" x 13" x 11" or (8) 19" x 13" x 11" crate capacity, external dial thermometer, door cylinder security lock, stainless steel interior & exterior, floor drain, (4) 5" swivel casters with front locking brakes, 1/3 hp, cETLus, NSF, Made in USA Dimensions 47(h) x 49(w) x 33(d)	\$3,670.04	\$14,680.16
	4 ea	Standard warranty (for the United States & Canada Only): 3 year parts and labor; 5 year compressor		
	4 ea	115v/60/1-ph, 7.4 amps, cord, NEMA 5-15P, standard		
Class 150		Weight: 1940 lbs total		
			ITEM TOTAL:	\$14,680.16
17	2 ea	MILK COOLER Continental Refrigerator Model No. MC3-SS-S Milk Cooler, 34" long, single access, forced air cooling, (8) 13" x 13" x 11" or (4) 19" x 13" x 11" crate capacity, external dial thermometer, door cylinder security lock, stainless steel interior & exterior, floor drain, (4) 5" swivel casters with front locking brakes, 1/4 hp, cETLus, NSF, Made in USA Dimensions 47(h) x 34(w) x 33(d)	\$3,361.52	\$6,723.04
	2 ea	Standard warranty (for the United States & Canada Only): 3 year parts and labor; 5 year compressor		
	2 ea	115v/60/1-ph, 5.3 amps, cord, NEMA 5-15P, standard		
Class 150		Weight: 690 lbs total		
			ITEM TOTAL:	\$6,723.04
18	1 ea	MEAT SLICER Hobart Model No. HS6-1 Heavy Duty Meat Slicer, manual, 13" CleanCut™ removable knife with removal tool, burnished finish, removable meat grip assembly, removable ring guard cover, single action top mounted sharpener with Borazon™ stones, cleaning kickstand, 1/2 hp motor, 5.4amps, 120v/60hz/1-ph, NSF cETLus Dimensions 25.5(h) x 24.63(w) x 30.31(d)	\$4,360.08	\$4,360.08
	1 ea	Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA NOTE: PRODUCT TRAY HAS BEEN DISCONTINUED. Weight: 128 lbs total		
			ITEM TOTAL:	\$4,360.08
19	1 ea	ICE CUBER WITH BIN Manitowoc Model No. UD-0240A NEO™ Undercounter Ice Maker, cube-style, air-cooled, self contained, 26"W x 28"D x 38-1/2"H, production capacity up to 225 lb/24 hours at 70°/50° (160 lb AHRI certified at 90°/70°) 80 lbs ice storage capacity, electronic controls, dice size cubes, NSF, cETLus, ENERGY STAR® Dimensions 38.5(h) x 26(w) x 28(d)	\$2,391.41	\$2,391.41

Item	Qty	Description	Sell	Sell Total
	1 ea	3 year parts & labor Commercial warranty		
	1 ea	5 year parts & labor Commercial warranty on evaporator		
	1 ea	5- year parts & 3 year labor Commercial warranty on compressor		
	1 ea	(-161) 115v/60/1-ph, 7.0 amps, 6 ft cord with NEMA 5-15P		
Class 92.5		Weight: 157 lbs total		
			ITEM TOTAL:	\$2,391.41
20	1 ea	WORK TABLE, STAINLESS STEEL TOP Advance Tabco Model No. TSS-303 Work Table, 36"W x 30"D, 14 gauge 304 stainless steel top, stainless steel legs with side & rear crossrails, adjustable stainless steel bullet feet, NSF Dimensions 35.5(h) x 36(w) x 30(d) Class 70 Weight: 59 lbs total	\$791.74	\$791.74
			ITEM TOTAL:	\$791.74
21	1 ea	WORK TABLE, STAINLESS STEEL TOP Advance Tabco Model No. TSS-306 Work Table, 72"W x 30"D, 14 gauge 304 stainless steel top, stainless steel legs with side & rear crossrails, adjustable stainless steel bullet feet, NSF Dimensions 35.5(h) x 72(w) x 30(d) Class 70 Weight: 93 lbs total	\$935.93	\$935.93
			ITEM TOTAL:	\$935.93
22	1 ea	WORK TABLE, STAINLESS STEEL TOP Advance Tabco Model No. TFMS-122-X Equipment Filler Table, 12"W x 24"D, 16 gauge 304 series stainless steel top with 1-1/2" rear upturn, stainless steel legs & adjustable bullet feet, NSF (filler table needs to be placed between (2) other tables for stability) Dimensions 35.5(h) x 24(w) x 12(d) Weight: 21 lbs total	\$551.40	\$551.40
			ITEM TOTAL:	\$551.40
23	1 ea	CASH REGISTER STAND Duke Manufacturing Model No. TCS-30SS Thurmaduke™ Cashier Stand, mobile, 30"L, 32"W, 36"H, 16ga stainless top, 20ga stainless steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters (2 with brakes), NSF Dimensions 36(h) x 30(w) x 32(d) 1 ea with drawer, stainless steel face & frame, 24.375" x 20" x 3-1/2" deep stainless steel liner, roller slides, & black pull handle (TCS-DR) 1 ea Cylinder lock & keys (TCS-LK) 1 ea Veneer plastic laminate on body (NOTE: manufacturer's standard colors only, metallics, color-core & raised textures may incur additional cost) 1 ea Veneer on customer's side (TSS-2P) 2 ea Veneer on end, each (TSS-9P) **VERIFY MOUNTING LOCATION OF TRAY SLIDE** 1 ea Solid stainless steel trayslide, 16ga stainless steel, (2) rubbing tracks, on (2) stainless steel fixed brackets	\$4,853.71	\$4,853.71

Item	Qty	Description	Sell	Sell Total
	2 ea	For stainless steel hinged bracket in lieu of standard bracket, each bracket		
	1 ea	Fabrication & electrical modifications		
	1 ea	10 ft. cord & plug, specify NEMA number - 5-15P		
	1 ea	Round cutout with raw edge - 2-3/4" DIA. W/plastic grommet		
	1 ea	Electric outlet in base, J-box, receptacle & cover mounted & wired to a single point connection, specify NEMA number - *GFCI 5-15R DUPLEX*		
Class 150		Weight: 284 lbs total		
			ITEM TOTAL:	\$4,853.71

24	4 ea	SERVING COUNTER, UTILITY	\$6,249.30	\$24,997.20
		Duke Manufacturing Model No. TST-32SS Thurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"D x 36"H, 16ga stainless steel top, 20ga stainless steel body & undershelves, 5" dia. gray poly swivel casters (2 with brakes), NSF Dimensions 36(h) x 32(w) x 32(d)		
	4 ea	Veneer plastic laminate on body (NOTE: manufacturer's standard colors only, metallics, color-core & raised textures may incur additional cost)		
	4 ea	Veneer on customer's side (TSS-2P)		
	8 ea	Veneer on end, each (TSS-9P)		
	4 ea	Solid stainless steel trayslide, 16ga stainless steel, (2) rubbing tracks, on (2) stainless steel fixed brackets		
	4 ea	Located on customer's side		
	8 ea	For stainless steel hinged bracket in lieu of standard bracket, each bracket		
	4 ea	Fabrication & electrical modifications		
	4 ea	10 ft. cord & plug in lieu of standard cord set, specify NEMA number		
	4 ea	Electric outlet in base, J-box, receptacle & cover mounted & wired to a single point connection, specify NEMA number		
	4 ea	836-1SN Buffet Shelf, stainless steel construction, with glass sneeze guard on (1) side only, without lights, heat rod or lamps, 30-3/8" l x 10-1/2" w x 20" h & 1/4" acrylic end guards, NSF		
	4 ea	Radiant heat rod under canopy & wired to base, verify voltage & phase (this may require cord & plug option)		
Class 150		Weight: 1148 lbs total		
			ITEM TOTAL:	\$24,997.20

25	1 ea	SERVING COUNTER, UTILITY	\$6,832.45	\$6,832.45
		Duke Manufacturing Model No. TST-46SS Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga stainless steel body & undershelves, 5" dia. gray poly swivel casters (2 with brakes), NSF Dimensions 36(h) x 46(w) x 32(d)		
	1 ea	Veneer plastic laminate on body (NOTE: manufacturer's standard colors only, metallics, color-core & raised textures may incur additional cost)		
	1 ea	Veneer on customer's side (TSS-3P)		
	2 ea	Veneer on end, each (TSS-9P)		
	1 ea	Solid stainless steel trayslide, 16ga stainless steel, (2) rubbing tracks,		

Initial: _____

Item	Qty	Description	Sell	Sell Total
		on (2) stainless steel fixed brackets		
	1 ea	Located on customer's side		
	2 ea	For stainless steel hinged bracket in lieu of standard bracket, each bracket		
	1 ea	Fabrication & electrical modifications		
	1 ea	10 ft. cord & plug in lieu of standard cord set, specify NEMA number		
	1 ea	Electric outlet in base, J-box, receptacle & cover mounted & wired to a single point connection, specify NEMA number		
	1 ea	837-1SN Buffet Shelf, stainless steel construction, with glass sneeze guard on (1) side only, without lights, heat rod or lamps, 44-3/8" l x 10-1/2" w x 20" h & 1/4" acrylic end guards, NSF		
	1 ea	Radiant heat rod under shelf & wired to base, verify voltage & phase (this may require cord & plug option)		
Class 150		Weight: 408 lbs total		
			ITEM TOTAL:	\$6,832.45
26	1 ea	SERVING COUNTER, UTILITY	\$7,534.41	\$7,534.41
		Duke Manufacturing Model No. TST-60SS Thurmaduke™ Solid Top Unit, mobile utility counter, 60"W x 32"D x 36"H, 16ga stainless steel top, 20ga stainless steel body & undershelves, 5" dia. gray poly swivel casters (2 with brakes), NSF Dimensions 36(h) x 60(w) x 32(d)		
	1 ea	Veneer plastic laminate on body (NOTE: manufacturer's standard colors only, metallics, color-core & raised textures may incur additional cost)		
	1 ea	Veneer on customer's side (TSS-4P)		
	2 ea	Veneer on end, each (TSS-9P)		
	1 ea	Solid stainless steel trayslide, 16ga stainless steel, (2) rubbing tracks, on (2) stainless steel fixed brackets		
	1 ea	Located on customer's side		
	2 ea	For stainless steel hinged bracket in lieu of standard bracket, each bracket		
	1 ea	Fabrication & electrical modifications		
	1 ea	10 ft. cord & plug in lieu of standard cord set, specify NEMA number		
	1 ea	Electric outlet in base, J-box, receptacle & cover mounted & wired to a single point connection, specify NEMA number		
		*NOTE: Specified food guard is shorter than base unit *Quoted model to match length of base*		
	1 ea	838-1SN Buffet Shelf, stainless steel construction, with glass sneeze guard on (1) side only, without lights, heat rod or lamps, 58-3/8" l x 10-1/2" w x 20" h & 1/4" acrylic end guards, NSF		
	1 ea	Radiant heat rod under shelf & wired to base, verify voltage & phase (this may require cord & plug option)		
Class 150		Weight: 508 lbs total		
			ITEM TOTAL:	\$7,534.41
27	1 ea	SERVING COUNTER, HOT FOOD, ELECTRIC	\$11,713.47	\$11,713.47



Item	Qty	Description	Sell	Sell Total
		Duke Manufacturing Model No. TEHF-60SS Thurmaduke™ Hot Food Unit, mobile, electric, 60"W x 32"D x 36"H, 16ga stainless steel top, (4) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga stainless steel body & undershelf, 5" swivel casters (2 with brakes), 6 ft cord with plug, cULus, UL EPH CLASSIFIED Dimensions 36(h) x 60(w) x 32(d)		
	1 ea	Voltage to be determined		
	1 ea	Veneer plastic laminate on body (NOTE: manufacturer's standard colors only, metallics, color-core & raised textures may incur additional cost)		
	1 ea	Veneer on customer's side (TSS-4P)		
	2 ea	Veneer on end, each (TSS-9P)		
	1 ea	Solid stainless steel trayslide, 16ga stainless steel, (2) rubbing tracks, on (2) stainless steel fixed brackets		
	1 ea	Located on customer's side		
	2 ea	For stainless steel hinged bracket in lieu of standard bracket, each bracket		
	1 ea	Electrical ICB inter-connect box with outlet(s) and 10' cord and plug		
	1 ea	#TS530-1SN-60" Self-service canopy without lights, flip-up breath guard on (1) side only, 1/4" clear acrylic guard, powder coat steel buffet shelf, 13"W, 18"H, 59.625"L, powder coat steel ends & 1/4" acrylic end guards		
	1 ea	Stainless steel shelf in lieu of standard painted steel		
	1 ea	Standard color powder coated ends		
	1 ea	Powder coat color to be determined		
Class 100		Weight: 533 lbs total		
			ITEM TOTAL:	\$11,713.47

28	1 ea	SERVING COUNTER, HOT FOOD, ELECTRIC	\$13,740.87	\$13,740.87
		Duke Manufacturing Model No. TEHF-74SS Thurmaduke™ Hot Food Unit, mobile, electric, 74"W x 32"D x 36"H, 16ga stainless steel top, (5) stainless steel heat wells, drains, copper manifolds, (1) valve, thermostats, dish shelf, 20ga stainless steel body & undershelf, 5" swivel casters (2 with brakes), 6 ft cord with plug, cULus, UL EPH CLASSIFIED Dimensions 36(h) x 74(w) x 32(d)		
	1 ea	Voltage to be determined		
	1 ea	Veneer plastic laminate on body (NOTE: manufacturer's standard colors only, metallics, color-core & raised textures may incur additional cost)		
	1 ea	Veneer on customer's side (TSS-5P)		
	2 ea	Veneer on end, each (TSS-9P)		
	1 ea	Solid stainless steel trayslide, 16ga stainless steel, (2) rubbing tracks, on (3) stainless steel fixed brackets		
	1 ea	Located on customer's side		
	3 ea	For stainless steel hinged bracket in lieu of standard bracket, each bracket		
	1 ea	Electrical ICB inter-connect box with outlet(s) and 10' cord and plug		

Item	Qty	Description	Sell	Sell Total
	1 ea	#TS530-1SN-74" Self-service canopy without lights, flip-up breath guard on (1) side only, 1/4" clear acrylic guard, powder coat steel buffet shelf, 13"W, 18"H, 73.625"L, powder coat steel ends & 1/4" acrylic end guards		
	1 ea	Stainless steel shelf in lieu of standard painted steel		
	1 ea	Standard color powder coated ends		
	1 ea	Powder coat color to be determined		
Class 100		Weight: 654 lbs total		
			ITEM TOTAL:	\$13,740.87
29	1 ea	SERVING COUNTER, COLD FOOD	\$10,400.02	\$10,400.02
		Duke Manufacturing Model No. TCM-46SS-N7 Thurmaduke™ Cold Food Unit, mobile, 46"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mech. cold pan, 8" deep, 42-1/2" x 21-3/4" liner, 1" drain line & valve, 20ga stainless steel body & undershelf, 5" dia. swivel casters (2 with brakes), 6' cord & plug, cULus, UL EPH CLASSIFIED Dimensions 36(h) x 46(w) x 32(d)		
	1 ea	120v/60/1-ph, 5.2 amps, NEMA 5-15P, 1/4 HP compressor		
	1 ea	Veneer plastic laminate on body (NOTE: manufacturer's standard colors only, metallics, color-core & raised textures may incur additional cost)		
	1 ea	Veneer on customer's side (TSS-3P)		
	2 ea	Veneer on end, each (TSS-9P)		
	1 ea	Solid stainless steel trayslide, 16ga stainless steel, (2) rubbing tracks, on (2) stainless steel fixed brackets		
	1 ea	Located on customer's side		
	2 ea	For stainless steel hinged bracket in lieu of standard bracket, each bracket		
	1 ea	#TS530-1SN-46" Self-service canopy without lights, flip-up breath guard on (1) side only, 1/4" clear acrylic guard, powder coat steel buffet shelf, 13"W, 18"H, 45.625"L, powder coat steel ends & 1/4" acrylic end guards		
	1 ea	Stainless steel shelf in lieu of standard painted steel		
	1 ea	Standard color powder coated ends		
	1 ea	Powder coat color to be determined		
Class 150		Weight: 453 lbs total		
			ITEM TOTAL:	\$10,400.02
30	1 ea	SERVING COUNTER, COLD FOOD	\$11,083.45	\$11,083.45
		Duke Manufacturing Model No. TCM-60SS-N7 Thurmaduke™ Cold Food Unit, mobile, 60"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mech. cold pan, 8" deep, 56-1/2" x 21-3/4" liner, 1" drain line & valve, 20ga stainless steel body & undershelf, 5" dia. swivel casters (2 with brakes), 6' cord & plug, cULus, UL EPH CLASSIFIED Dimensions 36(h) x 60(w) x 32(d)		
	1 ea	120v/60/1-ph, 5.2 amps, NEMA 5-15P, 1/4 HP compressor		
	1 ea	Veneer plastic laminate on body (NOTE: manufacturer's standard colors only, metallics, color-core & raised textures may incur additional cost)		

Item	Qty	Description	Sell	Sell Total
		additional cost)		
	1 ea	Veneer on customer's side (TSS-4P)		
	2 ea	Veneer on end, each (TSS-9P)		
	1 ea	Solid stainless steel trayslide, 16ga stainless steel, (2) rubbing tracks, on (2) stainless steel fixed brackets		
	1 ea	Located on customer's side		
	2 ea	For stainless steel hinged bracket in lieu of standard bracket, each bracket		
		*NOTE: Specified food guard is shorter than base unit *Quoted model to match length of base*		
	1 ea	#TS530-1SN-60" Self-service canopy without lights, flip-up breath guard on (1) side only, 1/4" clear acrylic guard, powder coat steel buffet shelf, 13"W, 18"H, 59.625"L, powder coat steel ends & 1/4" acrylic end guards		
	1 ea	Stainless steel shelf in lieu of standard painted steel		
	1 ea	Standard color powder coated ends		
	1 ea	Powder coat color to be determined		
Class 150		Weight: 578 lbs total		
			ITEM TOTAL:	\$11,083.45

31	1 ea	SERVING COUNTER, COLD FOOD	\$12,902.66	\$12,902.66
----	------	-----------------------------------	-------------	-------------



Duke Manufacturing Model No. TCM-74SS-N7
 Thurmaduke™ Cold Food Unit, mobile, 74"W x 32"D x 36"H, 16ga stainless steel top, NSF 7 stainless steel mech. cold pan, 8" deep, 70-1/2" x 21-3/4" liner, 1" drain line & valve, 20ga stainless steel body & undershelf, 5" dia. swivel casters (2 with brakes), 6' cord & plug, cULus, UL EPH CLASSIFIED
 Dimensions 36(h) x 74(w) x 32(d)

1 ea 120v/60/1-ph, 6.0 amps, 6' cord with NEMA 5-15P, 1/3 HP compressor

1 ea Veneer plastic laminate on body (NOTE: manufacturer's standard colors only, metallics, color-core & raised textures may incur additional cost)

1 ea Veneer on customer's side (TSS-5P)

2 ea Veneer on end, each (TSS-9P)

1 ea Solid stainless steel trayslide, 16ga stainless steel, (2) rubbing tracks, on (3) stainless steel fixed brackets

1 ea Located on customer's side

3 ea For stainless steel hinged bracket in lieu of standard bracket, each bracket

NOTE: Specified food guard is shorter than base unit *Quoted model to match length of base

1 ea #TS530-1SN-74" Self-service canopy without lights, flip-up breath guard on (1) side only, 1/4" clear acrylic guard, powder coat steel buffet shelf, 13"W, 18"H, 73.625"L, powder coat steel ends & 1/4" acrylic end guards

1 ea Stainless steel shelf in lieu of standard painted steel

1 ea Standard color powder coated ends

1 ea Powder coat color to be determined

Class 150 Weight: 714 lbs total

Item	Qty	Description	Sell	Sell Total
			ITEM TOTAL:	\$12,902.66
32	1 ea	TILTING SKILLET BRAISING PAN, GAS Vulcan Model No. VG40 Braising Pan, Gas, 40-gallon capacity, 46" wide open base, manual tilt, 9" deep stainless steel pan with gallon markings, pouring lip & removable strainer, spring assist cover with drip edge, pan holder, thermostatic control, includes L faucet bracket, electric ignition, 12" stainless steel legs with adjustable flanged feet, 120,000 BTU Dimensions 40.5(h) x 46(w) x 35.5(d)	\$15,782.41	\$15,782.41
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Gas type to be specified		
	1 ea	120v/60/1-ph, 9.0 amps, standard		
	1 ea	DBLTS 18NZLJ DOUBLE Pantry Deck-Mount Faucet, 18" double jointed swivel spout, includes 4" and 12" riser, NSF and Lead Reduction Compliant		
	1 ea	FCTBRKT BP Enclosed box faucet bracket, add 3"		
	1 ea	Dormont 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
Class 85		Weight: 825.85 lbs total		
			ITEM TOTAL:	\$15,782.41
33	1 ea	KETTLE, DIRECT STEAM, TILTING Cleveland Range Model No. KDM40T Kettle, direct steam, tilting, 40-gallon capacity, 2/3 steam jacket design, cabinet-type housing, stainless steel kettle & cabinet, power tilt, steam control kit, double pantry faucet, drain strainer, swing drain funnel, 2" tangent draw-off, spring assist cover	\$17,985.50	\$17,985.50
	1 ea	1-year limited warranty, standard		
	1 ea	120v/60/1-ph, 5.0 amp, power tilt, standard		
	1 ea	Dormont 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
Class 85		Weight: 390.85 lbs total		
			ITEM TOTAL:	\$17,985.50
34	1 ea	KETTLE, GAS, TILTING Vulcan Model No. K40GLT Tilting Kettle, Gas, 40-gallon true working capacity, 2/3 jacketed, Ellipsoidal bottom design, manual tilt, faucet bracket on tilting console, stainless steel construction, tri-leg base, 100,000 BTU Dimensions 39.9(h) x 46.8(w) x 46.9(d)	\$23,512.64	\$23,512.64
	1 ea	1 year limited parts & labor warranty, standard		
	1 ea	Gas type to be specified		
	1 ea	110-120v/50/60/1-ph, 5.0amps, 6' cord, standard		
	1 ea	Motorized Power Tilt		

Item	Qty	Description	Sell	Sell Total
	1 ea	NOTE: This unit includes: embossed gallon/liter markings, 316 stainless steel liner and heavy bar rim standard		
	1 ea	KTDOV COMP2 K Series Compression draw-off valve, 2" with perforated strainer		
	1 ea	SACOVER K40GLT Spring assist cover with condensate ring, field installed		
	1 ea	DBLTS 18NZLJ DOUBLE Pantry Deck-Mount Faucet, 18" double jointed swivel spout, includes 4" and 12" riser, NSF and Lead Reduction Compliant		
	1 ea	Dormont 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
Class 150		Weight: 1020.85 lbs total		
			ITEM TOTAL:	\$23,512.64


35	2 ea	COMBI OVEN, GAS Vulcan Model No. ABC7G-NAT Combi Oven/Steamer, natural gas, boilerless, (7) 18" x 26" full size sheet or (14) 12" x 20" full size hotel pan capacity, LED temperature display, multiple cooking modes, timer, auto-reversing fan with electronic braking system, glass door, halogen lights, audible alarm system, (3) knobs, (4) Grab n Go wire racks, stainless steel interior & exterior, 80,000 BTU, 120v/60/1-ph, NSF/ANSI 4, cULus Dimensions 35(h) x 42.2(w) x 42.4(d)	\$18,314.82	\$36,629.64
	2 ea	1 year limited parts & labor warranty, standard		
	2 ea	Filtration System		
	2 ea	NOTE: Water is a customer supplied utility just like Gas and Electric to the equipment. Proper Water Filtration based on customer water quality is essential to meet the equipment water spec requirements. Verify type of filtration needed based on performing a cold water analysis from the customer site. A suitable Water Treatment System and regular filter replacements coupled with routine cleaning/deliming is required.		
	1 ea	CB30K SYSTEM Single Hollow Carbon Filter System, with 30,000 gallon capacity, for chlorine and chloramine reduction, sediment, bad tastes & odors, total organic compounds, tannins & trihalomethanes, ANSI/NSF 42 & 53		
	2 ea	Opted out of Reverse Osmosis System		
	1 ea	STACK-ABC/G Stacking Kit, gas, for (2) ABC7G Combi, includes: vent kit, spray hose, drip tray & casters		
	2 ea	Dormont 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, 1 SnapFast® QD, 1 full port valve (2) 90° elbows, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty		
Class 85		Weight: 1211.7 lbs total		
			ITEM TOTAL:	\$36,629.64

Total \$439,429.51

Initial: _____

Acceptance: _____ Date: _____

Printed Name: _____



Recd 7/17/17

Bid# 28-18 Kitchen Equipment
Addendum #1 - Page 1 of 2
Date: 7/12/17

Lee Francis

Purchasing Agent

Business Services
Division

P.O. Drawer 2158

Lafayette, LA 70502

PH: 337.521.7329

EMAIL:
slfrancis@lpssonline.com

Addendum #1

The following responses are being provided to inquiries made by potential proposers in regards to Bid# 28-18:

- 1. For each of the Traulsen pieces how many tray slides sets do you want? It is usually easier to say XX per section. For example 10 sets per section. The pairs run about 150 each, so the quantity can result in a wide price shift. This is for items 3, 4, 5, 6, and 7.**

LPSS Response:

For each of the Traulsen pieces (3, 4, 5, 6 and 7) we have never specified per section. In the specs we specify that the tray slide need to accommodate either (2) 12" x 20", (1) 18" x 26" or (2) 14" x 18" sheet pans. Max is 14 slides per side.

- 2. Item 13 – It does not appear this model of steamer allows a kettle interconnection kit. How should we proceed?**

LPSS Response:

Item 13, the model should be 24CGP10 which has a kettle interconnecting kit.

- 3. Item 17 - I believe the model should be a MC3-SS-S otherwise it would be identical to item 16. Please confirm.**

LPSS Response:

Item 17, the model should be MC3-SS-S for 8 crate milk cooler

- 4. Item 18 – This appears to be an old model number, provide a current model.**

LPSS Response:

Item 18, the model should be HS6-1.

- 4. Please provide some guidance as to the purchasing schedule. IE do we need to estimate installing these at one at a time, or will one PO be issued so we can plan on installing everything at or around the same time?**

LPSS Response:

Item 18, the model should be HS6-1.