

LOUISIANA UNIFORM PUBLIC WORK BID FORM

50-00133108

Page: 6

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
 (Owner to provide name and address of owner)

REVISED PER ADDENDUM 1
 BID FOR: CONCRETE (STREET) MAINTENANCE F
JEFFERSON PARISH DEPARTMENT OF
WORKS, STREETS AND ALL JEFFERSON
AGENCIES AND MUNICIPALITIES (EX
 (Owner to provide name of project and other identifying information)

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: JEFFERSON PARISH

(Owner to provide name of entity preparing bidding documents.) and dated: 2-25-2021

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following ADDENDA: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) ADD. 1 (02-19-21)

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of:
 Nine million one hundred fifty six thousand seven hundred 9,156,770.50 Dollars (\$) seventy dollars and fifty cents

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$) N/A

Alternate No. 2 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$) N/A

Alternate No. 3 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$) N/A

FLEMING CONSTRUCTION COMPANY, L.L.C.

NAME OF BIDDER:

ADDRESS OF BIDDER: 23 EAST AIRLINE DRIVE, KENNER, LA 70062

LOUISIANA CONTRACTOR'S LICENSE NUMBER: 935

NAME OF AUTHORIZED SIGNATORY OF BIDDER: JANA FLEMING KATZ

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: MEMBER

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **: Jana Fleming Katz

DATE: 2-25-2021

JANA FLEMING KATZ, MEMBER

THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** A CORPORATE RESOLUTION OR WRITTEN EVIDENCE of the authority of the person signing the bid for the public work as prescribed by LA-R.S. 38:2218 (B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA-R.S. 38:2218.(A) is attached to and made a part of this bid.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0010 PCC 4 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH			
	<input type="checkbox"/> Alt. #	4000 PSI - 72 HOURS, IN PLACE FOR SIDEWALK			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0010	1,760.00	SQYD	80.00	140,800.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0020 PCC 5 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH			
	<input type="checkbox"/> Alt. #	4000 PSI - 72 HOURS, FOR INCIDENTAL CONCRETE, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0020	100.00	SQYD	68.00	6,800.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0030 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH			
	<input type="checkbox"/> Alt. #	4000 PSI - 72 HOURS IN PLACE FOR DRIVE- WAY APRON (W/O STEEL MESH REINFORCEMENT)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0030	4,200.00	SQYD	70.00	294,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0040 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH			
	<input type="checkbox"/> Alt. #	4000 PSI - 72 HOURS IN PLACE FOR HANDICAPPED RAMP WITH 6X6 - W2.9 STEEL			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0040	1,000.00	SQYD	180.00	180,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0050 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),			
	<input type="checkbox"/> Alt. #	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0050	200.00	SQYD	108.00	21,600.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0060 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),			
	<input type="checkbox"/> Alt. #	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQ YD OR GREATER PER JOB)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0060	65,000.00	SQYD	104.50	6,792,500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0070 PCC 8 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),			
	<input type="checkbox"/> Alt. #	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0070	100.00	SQYD	96.00	9,600.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0080 PCC 8 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH			
	<input type="checkbox"/> Alt. #	4000 PSI - 72 HOURS IN PLACE FOR HANDICAPPED RAMPS WITH 6X6 - W2.9 STEEL			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0080	250.00	SQYD	109.00	27,250.00	

Wordings for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0090 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0090	275.00	SQYD	108.50	29,837.50

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0100 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0100	8,800.00	SQYD	105.50	928,400.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0110 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (LESS THAN 50 SQ YDS PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0110	100.00	SQYD	107.00	10,700.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0120 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0120	1,500.00	SQYD	107.00	160,500.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0130 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW), HIGH EARLY STRENGT 4000 PSI - 24 HOURS, IN PLACE FOR DRIVEWAY APRON (WITHOUT STEEL MESH)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0130	100.00	SQYD	85.00	8,500.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0140 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0140	200.00	SQYD	110.00	22,000.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0150 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0150	200.00	SQYD	107.00	21,400.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0160 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0160	50.00	SQYD	110.00	5,500.00

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0170 PCC 9 INCH INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0170	100.00	SQYD	109.00	10,900.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0180 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0180	50.00	SQYD	111.00	5,550.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0190 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0190	100.00	SQYD	111.00	11,100.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0192 PCC REMOVAL (ONLY), 6.5 INCH OR LESS		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0192	150.00	SQYD	10.00	1,500.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0194 PCC REMOVAL (ONLY), GREATER THAN 6.5 INCH TO 10 INCH		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0194	500.00	SQYD	10.00	5,000.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0200 WASHED GRAVEL (PAVEMENT SURFACE)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0200	20.00	SQYD	6.00	120.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0210 SLATE (PAVEMENT SURFACE)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0210	20.00	SQYD	20.00	400.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0220 STONE PAVERS (PAVEMENT SURFACE)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0220	20.00	SQYD	20.00	400.00

Wordings for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0230 BRICK PAVERS (PAVEMENT SURFACE)			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0230	20.00	SQYD	20.00	400.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0240 STAMPED CONCRETE (PAVEMENT SURFACE)			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0240	20.00	SQYD	20.00	400.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0242 PERVIOUS CONCRETE PAVEMENT (6 INCH OR LESS)			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0242	50.00	SQYD	90.00	4,500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0244 PERVIOUS CONCRETE PAVEMENT (GREATER THAN 6 INCH UP TO 9 INCH)			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0244	125.00	SQYD	75.00	9,375.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0250 PCC CURB (ONLY), EXTRUDED 8 IN HGT HIGH EARLY STRENGTH 4000 PSI - 72 HRS BARRIER TYPE (INCLUDES NO. 4 (U) SHAPED CURB DOWEL SPACED 2 FT-0 IN OC ANCHORED			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0250	100.00	LF	15.00	1,500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0260 PCC CURB (ONLY), EXTRUDED 6 IN HGT HIGH EARLY STRENGTH 4000 PSI - 72 HRS BARRIER TYPE (INCLUDES NO. 4 (U) SHAPED CURB DOWEL SPACED 2 FT-0 IN OC ANCHORED			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0260	200.00	LF	20.00	4,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0270 PCC CURB (ONLY), EXTRUDED 5 IN ROLLOVER TYPE HIGH EARLY STRENGTH 4000 PSI - 72 HRS (INCLUDES NO. 4 (U) SHAPED DOWELS SPACED 2 FT-0 INCH O.C. ANCHORED			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0270	400.00	LF	20.00	8,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0280 PCC (7 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL/REPLACE- MENT OR NEW)			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0280	800.00	SQYD	68.00	54,400.00	

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER APPENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES ()
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0290 PCC (9 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL REPLACE-			
	<input type="checkbox"/> Alt. #	MENT OR NEW)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0290	75.00	SQYD	100.00	7,500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0300 PCC (10 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL/REPLACE-			
	<input type="checkbox"/> Alt. #	MENT OR NEW)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0300	25.00	SQYD	100.00	2,500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0310 EARTHWORK EXCAVATION BY TRUCK MEASURE			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0310	100.00	CUYD	15.00	1,500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0320 EARTHWORK EXCAVATION BY THEORETICAL VOLUME			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0320	200.00	CUYD	8.00	1,600.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0330 RIVER (BATTURE) SAND			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0330	100.00	CUYD	15.00	1,500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0340 PUMP (SUGAR) SAND			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0340	3,700.00	CUYD	12.00	44,400.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0350 LIMESTONE			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0350	300.00	TN	34.00	10,200.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0360 CRUSHED CONCRETE CLASS I OR II			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0360	50.00	TN	25.00	1,250.00	

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0370 REINFORCED CONCRETE 15 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0370	8.00	LF	23.00	184.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0380 REINFORCED CONCRETE 18 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0380	8.00	LF	10.00	80.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0390 REINFORCED CONCRETE 24 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0390	8.00	LF	12.00	96.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0400 REINFORCED CONCRETE 30 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0400	8.00	LF	16.00	128.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0410 6 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0410	70.00	LF	10.00	700.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0420 6 INCH DIAMETER, P.V.C. PIPE, SDR 35, PERFORATED, 1/2 INCH DIAMETER HOLE, 12 INCH CENTER TO CENTER, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0420	14.00	LF	4.00	56.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0430 8 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0430	14.00	LF	9.00	126.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0440 10 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0440	28.00	LF	6.00	168.00	

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES

(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0450 12 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0450	56.00	LF	6.50	364.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0460 15 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0460	14.00	LF	7.50	105.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0470 18 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0470	14.00	LF	8.00	112.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0480 24 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0480	14.00	LF	12.00	168.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0490 30 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0490	14.00	LF	16.00	224.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0500 12 INCH DIAMETER, A-2000 PIPE IN PLACE, (AS APPROVED BY LADOTD-QPL66)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0500	264.00	LF	50.00	13,200.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0510 15 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0510	110.00	LF	20.00	2,200.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0520 18 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0520	22.00	LF	21.00	462.00	

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0530 21 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0530	22.00	LF	22.00	484.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0540 24 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0540	22.00	LF	22.50	495.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0550 24 INCH DIAMETER, CMP, RIBBED POLYMER COATED, 12 GA, INSTALLED			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0550	20.00	LF	23.00	460.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0560 27 DIAMETER, CMP, RIBBED POLYMER COATED, 12 GA, INSTALLED			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0560	20.00	LF	23.50	470.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0570 30 INCH DIAMETER, CMP, RIBBED POLYMER COATED, 12 GA, INSTALLED			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0570	20.00	LF	80.00	1,600.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0580 CONVERT TYPE I CATCH BASIN (VERTICAL FACE) TO TYPE III (STANDARD ROLLOVER GRATE WITH FRAME)			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0580	5.00	EA	2,000.00	10,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0590 CONVERT TYPE I CATCH BASIN TO 24 INCH X 36 INCH DROP INLET WITH FRAME AND GRATE			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0590	1.00	EA	600.00	600.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0600 CONVERT EXISTING DRAIN INLET/CATCH BASIN TO MANHOLE (INCLUDES CASTINGS, COVER AND ALL RELATED WORK)			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0600	1.00	EA	600.00	600.00	

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0610 CONVERT TYPE I CATCH BASIN TO 24 INCH X 36 INCH OR ROLLOVER INCLUDING MANHOLE COVER AND GRATE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0610	1.00	EA	600.00	600.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0620 YARD DRAIN, 12 INCH X 12 INCH OPEN GRATE WITH FRAME, 4 INCH BRICK WALL, 6 INCH CONCRETE SLAB FOUNDATION			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0620	5.00	EA	490.00	2,450.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0630 DROP INLET, 18 INCH X 18 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0630	10.00	EA	600.00	6,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0640 DROP INLET, 24 INCH X 24 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0640	10.00	EA	1,500.00	15,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0650 DROP INLET, 24 INCH X 36 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0650	5.00	EA	600.00	3,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0660 CATCH BASIN, STANDARD ROLLOVER TYPE II, 8 INCH BRICK WALL, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0660	10.00	EA	600.00	6,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0670 CATCH BASIN, STANDARD, TYPE I VERTICAL FACE, 8 INCH BRICK WALL, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0670	5.00	EA	600.00	3,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0680 DRAINAGE MANHOLE, STANDARD, 8 INCH BRICK WALL, AVERAGE 48 INCH BOTTOM DIAMETER, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0680	5.00	EA	1,000.00	5,000.00	

wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0690 CONFLICT BOX FOR CONFLICTING UNDERGROUND UTILITIES (INCLUDES CASTINGS, COVER AND ALL RELATED WORK)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0690	5.00	EA	1.00	5.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0700 CATCH BASIN, NO. 5-8 INCH BRICK WALL,, TYPE I, VERTICAL FACE WITH FLAT GRATE IN THE GUTTER		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0700	5.00	EA	1.00	5.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0710 CATCH BASIN, STANDARD, TYPE III, 8 INCH BRICK WALL, 8 INCH CONCRETE SLAB FOUNDATION		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0710	5.00	EA	1.00	5.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0720 CATCH BASIN, STANDARD, TYPE IV, 8 INCH BRICK WALL, 8 INCH CONCRETE SLAB FOUNDATION		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0720	5.00	EA	1.00	5.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0730 JUNCTION BOX, STANDARD 8 INCH BRICK WALL, 24 IN X 36 IN OPEN GRATE COVER WITH FRAME, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0730	5.00	EA	1.00	5.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0740 STRUCTURAL GRADE ADJUSTMENTS (ELEV.) TO EXISTING CATCH BASIN/MANHOLE (NON-REINFORCED)		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0740	400.00	EA	150.00	60,000.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0750 STRUCTURAL GRADE ADJUSTMENTS EXISTING REINFORCED CONCRETE CATCH BASIN - SINGLE OR MANHOLE		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0750	5.00	EA	1.00	5.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0760 STRUCTURAL GRADE ADJUSTMENTS EXISTING REINFORCED CONCRETE CATCH BASINS - DOUBLED NO. 1 CATCH BASINS		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0760	5.00	EA	1.00	5.00

Wordings for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0770 RING ADJUSTMENTS, PER INCH TO EXISTING MANHOLE			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0770	5.00	EA	10.00	50.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0780 MISCELLANEOUS TIE-INS, BLIND TIE, INCLUDES TEE IF NEEDED (YARD DRAINS, FILTER BEDS, ETC.)			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0780	10.00	EA	100.00	1,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0790 JUNCTION BOX (SPECIAL) 6 FT TO 8 FT DEPTH, BRICK WALL, 12 INCH THICK REINFORCED CONCRETE BASE SLAB 12 INCH THICK AREA 64 SQ. FT +/-			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0790	1.00	EA	1.00	1.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0800 JUNCTION BOX (SPECIAL) 8 FT TO 10 FT. DEPTH, BRICK WALL, 12 INCH THICK REINFORCED CONCRETE BASE SLAB 12 INCH THICK AREA 100 SQ. FT. +/-			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0800	1.00	EA	1.00	1.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0810 ASPHALT OR PCC SAW CUT, PER INCH DEPTH			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0810	20,000.00	LF	2.00	40,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0820 LIQUID POURED ASPHALT TYPE SEALANT APPLIED PER GALLON			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0820	20.00	GL	2.00	40.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0830 DETECTABLE WARNING PAD (24IN X 48IN) W/RAISED TRUNCATED DOMES PER ADA GUIDES VISUALLY CONTRASTING W/ADJOINING SURFACE TERRA COTTA IN PLACE FOR CURB RAMPS/LOAD			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0830	100.00	EA	100.00	10,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0840 FURNISH AND INSTALL WIRE MESH REINFORCEMENT - 6X6-W2.9XW2.9 FOR PAVEMENT & WALKWAYS AS NEEDED (NOT USED IF WIRE MESH IS INCIDENTAL TO OTHER			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0840	2,500.00	SQYD	5.00	12,500.00	

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0850 SHEETING IN PLACE SHEETING MATERIAL SHOULD BE OAK DUNNAGE (2 INCH X 12 INCH, ACTUAL DIMENSIONS)			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0850	250.00	FT	1.00	250.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0860 ST. AUGUSTINE GRASS SOD/CENTIPED GRASS SOD			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0860	4,500.00	SQYD	18.00	81,000.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0870 BERMUDA GRASS SEED			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0870	30.00	LB	5.00	150.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0880 RYE GRASS SEED			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0880	5.00	LB	5.00	25.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0890 8-8-8 GRANULAR FERTILIZER			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0890	30.00	LB	25.00	750.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0900 HYDRO-SEEDING			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0900	100.00	SQYD	3.00	300.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0910 GEOTEXTILE FABRIC (CLASS D)			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0910	500.00	SQYD	2.50	1,250.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0920 GEOGRID BASE REINFORCEMENT AND GEO SUB-GRADE IMPROVEMENT TYPE I, BOX 1100			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0920	5.00	SQYD	3.00	15.00	

wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1

CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES

(Owner to provide name of project
and other identifying information)

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
METairie, LA 70053
(Owner to provide name and
address of owner)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0930 GEOGRID BASE REINFORCEMENT AND GEO SUB-GRADE IMPROVEMENT TYPE II, BOX 1200			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0930	5.00	SQYD	5.00	25.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0940 FIBROUS MATERIAL: PAVE PREP TYPE S			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0940	5.00	SQFT	15.00	75.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0950 FIBROUS MATERIAL: PAVE PREP TYPE SA			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0950	5.00	SQFT	15.00	75.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0960 REINFORCING STEEL BARS, IN PLACE			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0960	7,000.00	LB	0.50	3,500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0970 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 200 SQ. IN. CROSS SECTION MAX, 4000 PSI			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0970	500.00	LF	25.00	12,500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0980 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 250 SQ. IN. CROSS SECTION MAX, 4000 PSI			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0980	100.00	LF	21.00	2,100.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0990 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 300 SQ. IN. CROSS SECTION MAX, 4000 PSI			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0990	100.00	LF	23.00	2,300.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1000 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 400 SQ. IN. CROSS SECTION MAX, 4000 PSI			
	<input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1000	50.00	LF	24.00	1,200.00	

Wordings for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1010 COLD MILLING EXISTING ASPHALT (PER INCH DEPTH) <input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1010	5.00	SQYD	20.00	100.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1020 BITUMINOUS HOT MIX ASPHALT PATCHING AND LEVELING <input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1020	1.00	TN	500.00	500.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1030 VEHICLE DETECTOR INDUCTIVE LOOP INSTALLATION OR REPLACEMENT <input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1030	5.00	LF	10.00	50.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1040 1 INCH, 2 INCH, OR 3 INCH P.V.C. CONDUIT IN EARTH <input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1040	5.00	LF	10.00	50.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1050 ROAD GRADER AND OPERATOR (VENDOR TO INDICATE TYPE OF GRADER TO BE FURNISHED) <input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1050	8.00	HR	93.00	744.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1060 PAVEMENT BREAKER, SELF-CONTAINED MOBILE WITH OPERATOR <input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1060	8.00	HR	64.00	512.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1070 GRADE-ALL WITH OPERATOR <input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1070	8.00	HR	69.00	552.00	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1080 DUMP TRUCK, TANDEM, 12 CU. YD. MINIMUM CAPACITY WITH DRIVE <input type="checkbox"/> Alt. #				
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
1080	8.00	HR	69.00	552.00	

Wordings for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST., SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1090 DUMP TRUCK, TRAILER, 24 CU. YD. MINIMUM CAPACITY WITH DRIVER		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1090	8.00	HR	78.00	624.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1100 STREET SWEEPER 10 FT. SWEEP PATTERN 8 FT. MAIN BROOM, TWO (2) FT. SIDE BROOMS 3.5 CU YD (MIN.) FRONT LOADING HOPPER WITH OPERATOR		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1100	8.00	HR	67.00	536.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1110 DOZER/D3 OR EQUAL WITH OPERATOR		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1110	8.00	HR	93.00	744.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1120 NORTH AMERICAN GREEN S75 STRAW EROSION CONTROL BLANKET OR EQUIVALENT		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1120	5.00	SQYD	15.00	75.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1130 NORTH AMERICAN GREEN S150 STRAW EROSION CONTROL BLANKET OR EQUIVALENT		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1130	5.00	SQYD	15.00	75.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1140 NIGHT WORK		
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1140	1.00	JOB	1,000.00	1,000.00

DESCRIPTION:	<input type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #			
REF. NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

Wordings for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

Saw cutting and sealant required to complete this task shall be included in the per foot cost of this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1040:**

Conduit in earth installation or replacement. The Jefferson Parish Traffic Engineering Division (736-6530), shall determine the size and placement of conduit as needed.

All schedule No. 40 polyvinyl chloride conduit (P.V.C.) and fittings as noted in Section 1 for underground installation.

All joints shall be solvent welded and watertight.

Conduit to be installed a minimum of three feet (3') below grade, unless otherwise specified by the Traffic Engineering Division. When boring operations are employed, the contractor shall bore from one side of the roadway to the other. All excavations on side of roadway are to be restored to their original condition.

Any excavation and backfill required to perform this task shall be included in the per foot cost of this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1050:**

Make: Fiat Allis Grader
Model: 65C
H.P. 65

Bid prices shall include all costs for hourly rental of conventional heavy duty road grader, with scarifier and operator. Rental of the equipment will be for specific projects under control of the Department of Streets and will be assigned project job numbers. The use of road graders by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1060:**

Bid prices shall include all costs for hourly rental of a self-contained, mobile, heavy-duty pavement breaker with operator. Rental of this will be for work under control of the Department of Streets. The use of pavement breakers by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1070:**

Bids should include all costs for hourly rental of a grade-all class 5100, or equal, with operator. Rental of this equipment will be for work under control of the Department of Streets. The use of a grade-all by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1080 AND 1090:**

Bid prices should include all costs for hourly rental of a dump truck, tandem/trailer, 12/24 cubic yard minimum capacity with driver. Rental of this vehicle will be for work under control of the Department of Streets. The use of tandem/trailer dump trucks by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1100:**

Bid price should include all costs for hourly rental of a street sweeper 10' sweep pattern, 8' main broom, (2) two 2' side brooms and 3.5 cubic yard minimum front loading hopper with operator. Rental of this equipment will be for work under control of Department of Streets. Use of street sweeper in the performance of items of work listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1110:**

Bid prices should include all costs for hourly rental of a dozer model D-3, or equivalent, with operator. Rental of this equipment will be for work under control of Department of Streets. Use of dozer in the performance of items of work listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 1140:**

This item represents the additional fee (expressed in %) owed to the contractor for night work.

Night work is defined as work performed between the hours of 7:00PM and 7:00AM.

While performing night work, only those items used will be payable under the night work Line Item 1140.

Additional fee for night work is to be expressed in percentage and dollar amount as follows:

- A. Sum of "Totals" for Items 0010 through 1130.
\$ 9,155,770.50
- B. Indicate percentage (%) that will be charged for Items 0010 through 1130 that are used while performing night work.
0.003641 %
- C. For bidding purposes, the Parish anticipates that 3% of all work performed under this contract will be night work. That anticipated percentage (3%) may be more or may be less. Multiply that percentage (3%) by your percentage (%) (From B, above) that will be charged for night work to be used in the calculation below.
- D. Multiply the dollar amount of (A) by the percentage (%) derived from (C) to get a dollar value. This total is to be entered as "Unit Price Quoted" for Item 1140.

For Bidding Purposes:

The "Unit Price Quoted" above (D) will only be used in determining the low bid.

For Invoicing Purposes:

The percentage (%) indicated above in (B) will be used for invoicing of night work.

The contractor will be required to submit separate invoices for night work.

CURBS:

The Portland cement concrete mixture for curb construction shall be a minimum of 4000 PSI/72 hour, high early strength and also will provide proper workability, curb strength, and minimum contraction cracking. The concrete mix shall conform to Louisiana Department of Transportation and Development Standard Specifications for Roads and Bridges, Latest Edition. PCC curbing may be placed by extruding machine or by forming and hand placement at contractor's option and will be bonded to holding surface in a manner approved by the Department of Streets, which may include doweling and/or approved bonding agent. Curbing may also be poured monolithically with the panel.

The accepted quantities of curbs will be paid for at the contract unit price per linear foot on existing panels (incidental to square yard cost of new pavement), including all labor, equipment and materials incidental to the work.

No additional payment will be made for the removal of any type of existing curb and/or curb dowels.

RECYCLED PORTLAND CEMENT CONCRETE:

Recycled Portland cement concrete shall be used from approved stockpiles. Stockpiles of crushed concrete shall be uniform and free from soils, reinforcing steel, debris, excessive amount of asphaltic materials and other foreign matter. Material sampling shall be in accordance with the requirements for stone by the Louisiana Department of Transportation and



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

TEK

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

February 19, 2021

ADDENDUM #1

Bid Number: 50-00133108

Receipt Date: February 25, 2021

Description of Bid: Two (2) year contract for concrete street maintenance for the Jefferson Parish
Department of Public Works, Streets and all Jefferson Parish agencies and municipalities

CLARIFICATION:

Question 1:

For items such as 0010-0080, does the term "removal/disposal/replacement or new) mean that for this pay item, the unit price should include the removal, disposal, and the repouring of new concrete in its place?

- Example:

We need to know if that line item will be as such:

Removal - \$60/sqyd

Disposal - \$60/sqyd

Replace concrete - \$60/sqyd

Total would be \$180/yard

In this case, a project 100sqyd project would be \$18000 on that pay item Or, would it be \$60/sqyd for all three combined resulting in \$6000 for a 100sqyd project on that pay item?

Answer:

Correct. There will be no separate pay for removal or disposal when replacing concrete under these items. The unit cost for these items are to cover the expense of removal and disposal. And it goes without saying that there will be no different pay for pouring new panels where none existing before.

GENERAL GOVERNMENT BLDG. - 200 DERBIGNY ST., SUITE 4400, GRETN, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. - 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET



Bond Number: SLA21236722

Contractor Information

Principal: Fleming Construction Company, L.L.C.

Address: 23 E Airline Drive Kenner Louisiana 70062 United States

Owner/Obligee Information

Bond Form: Bid Bond in accordance with Contract Specifications

Owner/Obligee: Jefferson Parish

Address: 200 Derbigny Street Gretna Louisiana 70053 United States

Bond Information

Surety: Liberty Mutual Insurance Company

Bid Date: 2/25/2021

Estimated Contract Price:

Time For Completion:

Liquidated Damages:

Estimated Work On Hand:

Amount of Bid Security: 5%

Contract # or IFB #: 50-00133108

Description of Job: TWO (2) YEAR CONTRACT FOR CONCRETE (STREET) MAINTENANCE FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - STREETS AND ALL JEFFERSON PARISH AGENCIES AND MUNICIPALITIES (EXCLUDING GRAND ISLE)

Job Breakdown:

Electronic Bidding Information

Bid Security Percentage: 5

Bid Security Maximum:

Owner Assigned Contractor Number: 26479

Primary Agency:

BXS Insurance, Inc.

Power of Attorney Limited to: Unlimited

Executed

Entered By: Charles E. Reagin, III - 2/19/2021 12:54:00 PM ET

Approved & Executed By:

Charles E. Reagin, III

Charles E. Reagin, III (Signed: 19-Feb-2021 12:54 PM EST (UTC-05:00))

Signature Information

Know all men by these presents that Liberty Mutual Insurance Company, a Corporation duly organized under the laws of the State of Massachusetts, are held and firmly bound unto the above owner/obligee by this transmission. The surety agrees to waive the Statute of Fraud defense and further agrees that the owner/obligee is a third party beneficiary of the waiver for the purposes of enforcing this bid bond.

© S2000, Inc.

Document ID: S2000-1001089324

Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF JEFFERSON

BEFORE ME, the undersigned authority, personally came and appeared: _____
JANA FLEMING KATZ, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized MEMBER of FLEMING CONSTRUCTION COMPANY, L.L.C. (Entity),
the party who submitted a bid in response to Bid Number 50-00133108, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A X Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B _____ there are NO campaign contributions made which would require disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the parish to the Affiant.

Choice B X There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Affiant personally has not been convicted of, nor has he/she entered into a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. No individual partner, incorporator, director, manager, officer, organizer, or member, who has a minimum of a ten percent ownership in the Bidding Entity, has been convicted of, or has entered a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall permanently bar any person or the bidding entity from bidding on public projects:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall bar any person or the bidding entity from bidding on public projects for a period of five years from the date of conviction or from the date of the entrance of the plea of guilty or nolo contendere:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67, 16)
- (c) Theft of a business record (R.S. 14:67.20)
- (d) False accounting (R.S. 14:70)
- (e) Issuing worthless checks (R.S. 14:71)
- (f) Bank fraud (R.S. 14:71.1)
- (g) Forgery (R.S. 14:72)
- (h) Contractors; misapplication of payments (R.S. 14:202)
- (i) Malfeasance in office (R.S. 14:134)

The five-year prohibition provided for in this section shall apply only if the crime was committed during the solicitation or execution of a contract or bid awarded pursuant to these provisions. If evidence is submitted substantiating that a false attestation has been made and the project must be readvertised or the contract cancelled, the awarded entity making the false attestation shall be responsible to the public entity for the costs of rebidding, additional costs due to increased costs of bids and any and all delay costs due to the rebid or cancellation of this project.

[The remainder of this page is intentionally left blank.]

Affiant further said:

- (1) Entity is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens.
- (2) Entity shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana.
- (3) Entity shall require all subcontractors to submit to the Entity a sworn affidavit verifying compliance with statements (1) and (2).




Signature of Affiant

JANA F. KATZ

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 25th DAY OF February, 2021.



Notary Public

LYDIA I. DELMAS

Printed Name of Notary

129546

Notary/Bar Roll Number

LYDIA I. DELMAS
Notary ID #129546
Notary Public
Jefferson Parish, LA
My Commission is For Life

My commission expires at death.

FLEMING CONSTRUCTION CO., L.L.C.
CAMPAIGN CONTRIBUTIONS TO JEFFERSON PARISH OFFICIALS

PAID TO:	AMOUNT	DATE
TIM BAUDIER CAMPAIGN	\$1,000.00	1/26/2021
DEANO BONANO CAMPAIGN	\$1,000.00	10/28/2019
CAMPAIGN-DOMINICK IMPASTATO	\$500.00	7/13/2017
CAMPAIGN-DOMINICK IMPASTATO	\$250.00	10/23/2018
CAMPAIGN-DOMINICK IMPASTATO	\$500.00	9/5/2019
CAMPAIGN-DOMINICK IMPASTATO	\$500.00	10/2/2019
COMM. TO ELECT CHICK FORET JUDGE	\$500.00	10/22/2020
CYNTHIA LEE SHENG CAMPAIGN FUND	\$1,000.00	6/27/2019
MARK SPEARS CAMPAIGN FUND	\$1,000.00	10/20/2016
COMM. TO ELECT RICKY TEMPLET	\$500.00	10/2/2019
MICHAEL S. YENNI CAMPAIGN FUND	\$500.00	3/25/2015
MICHAEL S. YENNI CAMPAIGN FUND	\$500.00	7/13/2015
MICHAEL S. YENNI CAMPAIGN FUND	\$1,000.00	5/5/2017
MICHAEL S. YENNI CAMPAIGN FUND	\$500.00	11/1/2017
JOHN YOUNG CAMPAIGN FUND	\$1,000.00	6/27/2019

\$10,250.00

Request for Taxpayer Identification Number and Certification

Give Form to the
requester. Do not
send to the IRS.

► Go to www.irs.gov/FormW9 for instructions and the latest information.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.

FLEMING CONSTRUCTION COMPANY, L.L.C.

2 Business name/disregarded entity name, if different from above

3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only one of the following seven boxes.

☐ Individual/sole proprietor or single-member LLC ☐ C Corporation ☐ S Corporation ☐ Partnership ☐ Trust/estate

☒ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ► **C**

Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is not disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner.

☐ Other (see instructions) ►

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):

Exempt payee code (if any) _____

Exemption from FATCA reporting code (if any) _____

(Applies to accounts maintained outside the U.S.)

5 Address (number, street, and apt. or suite no.) See instructions.

23 EAST AIRLINE DRIVE

6 City, state, and ZIP code

KENNER, LA 70062

7 List account number(s) here (optional)

Requester's name and address (optional)

Print or type.
See Specific Instructions on page 3.

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number

____ - ____ - ____

or

Employer identification number

7 2 - 0 4 6 1 9 7 8

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign
Here

Signature of
U.S. person ►

Stephen Delmonico

Date ►

8-6-2020

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-INT (interest earned or paid)

- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See *What is backup withholding*, later.

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
FLEMING CONSTRUCTION COMPANY, L.L.C.
INCORPORATED.

AT THE MEETING OF DIRECTORS OF FLEMING CONSTRUCTION COMPANY, L.L.C.
INCORPORATED, DULY NOTICED AND HELD ON 04-09-2020,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED, THAT JANA FLEMING KATZ, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE AND RECEIPT THEREFOR ALL
PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF
ANY SUCH BID OR CONTRACT, THIS CORPORATION HEREBY RATIFYING,
APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT
PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE
ABOVE DATED MEETING OF THE BOARD
OF DIRECTORS OF SAID CORPORATION,
AND THE SAME HAS NOT BEEN
REVOKED OR RESCINDED.



SECRETARY-TREASURER
JACK D. FLEMING, II MANAGER/MEMBER

2-25-2021

DATE

April 9, 2020

CERTIFICATION
FLEMING CONSTRUCTION CO., L.L.C.

It is hereby certified that a special meeting of the Members of Fleming Construction Co., L.L.C. was held at its registered offices on April 9, 2020. All members were present. All members waived notice of the meeting in writing.

It was resolved:

1. That Jack D. Fleming, II, Manager and Member of Fleming Construction Co., L.L.C. be authorized to sign any and all contracts, agreements and bid bonds in the name of Fleming Construction Co., L.L.C.
2. That Jana Fleming Katz, Member of Fleming Construction Co., L.L.C. be authorized to sign any and all contracts, agreements and bid bonds in the name of Fleming Construction Co., L.L.C.

Being no further business, the meeting was adjourned.


FLEMING CONSTRUCTION CO., L.L.C.

By: _____

Jack D. Fleming, II
Manager and Member

SWORN TO AND SUBSCRIBED BEFORE ME,
THIS 18 DAY OF May, 2020

NOTARY PUBLIC



Jack D. Fleming, II, Manager and Member
222 Atherton Drive
Metairie, LA 70005

Jana Fleming Katz, Member
5 Shady Oaks Lane
River Ridge, LA 70123



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

8/6/2020

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER BXS Insurance 4041 Essen Lane, Suite 400 Baton Rouge LA 70809	CONTACT NAME: Cheryl Boudreaux
	PHONE (A/C, No, Ext): 225-336-3200 FAX (A/C, No): 225-336-4536
	E-MAIL ADDRESS: cheryl.boudreaux@bxsi.com
	INSURER(S) AFFORDING COVERAGE
	INSURER A: Gray Insurance Company NAIC # 36307
	INSURER B: Allied World Assurance Co (U.S.) Inc. 19489
	INSURER C: XL Specialty Insurance Company 37885
	INSURER D: Evanston Insurance Company 35378
	INSURER E:
	INSURER F:

INSURED
Fleming Construction Co., LLC
23 East Airline Drive
Kenner LA 70063-6853

FLEMCON-01

COVERAGES**CERTIFICATE NUMBER:** 989602563**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATION MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:		XSSL074502	8/1/2020	8/1/2021	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 1,000,000 MED EXP (Any one person) \$ 100,000 PERSONAL & ADV INJURY \$ 5,000 GENERAL AGGREGATE \$ 1,000,000 PRODUCTS - COMP/OP AGG \$ 3,000,000 SIR \$ 3,000,000 SIR \$ \$75,000
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY		XSAL075507	8/1/2020	8/1/2021	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ SIR \$ \$75,000
A	<input type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$		GXS043615	8/1/2020	8/1/2021	EACH OCCURRENCE \$ 4,000,000 AGGREGATE \$ 4,000,000 \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N <input checked="" type="checkbox"/> N	XSWC071238	8/1/2020	8/1/2021	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000
B C D	Professional/Pollution Contractor's Equipment Excess \$1ML X \$4ML		03102670 UM00058437MA20A MKLV7EUE100289	8/1/2020 8/1/2020 8/1/2020	8/1/2021 8/1/2021 8/1/2021	Limits Leased/Rented/Borrow \$1,000,000 Occ \$2,000,000 \$325,000 Per Item \$1,000,000 Agg

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Subject to policy terms, conditions and exclusions; the certificate holder shall be considered a Blanket Additional Insured on a Primary and Non-Contributory basis on General Liability, Automobile Liability and Excess policies with a Blanket Waiver of Subrogation granted in their favor when required by written contract in respects to General Liability, Automobile Liability, Contractor's Equipment, Workers' Compensation and Excess policies, but only to the extent of the Named Insured's obligation to indemnify, defend and/or hold harmless the certificate holder when required by written contract.

Workers Compensation Policy includes Alternate Employer on a Blanket Basis when required by written contract.

Excess Policy MKLV7EUE100289 is a follow form excess policy.
See Attached...

CERTIFICATE HOLDER**CANCELLATION**

MASTER CERTIFICATE

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

**ADDITIONAL REMARKS SCHEDULE**Page 1 of 1

AGENCY BXS Insurance		NAMED INSURED Fleming Construction Co., LLC 23 East Airline Drive Kenner LA 70063-6853	
POLICY NUMBER		EFFECTIVE DATE:	
CARRIER	NAIC CODE		

ADDITIONAL REMARKS**THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,****FORM NUMBER:** 25 **FORM TITLE:** CERTIFICATE OF LIABILITY INSURANCE

30 Day Notice of Cancellation applies to General Liability, Automobile Liability, Workers' Compensation, and Excess policies to any person, organization or company when required by written contract unless deemed otherwise by relevant state law.

Leased/Rented Equipment:

Certificate Holder shown is Additional Insured and Loss Payee with respect to leased/rented equipment when required by written contract. Subject to policy terms and conditions, Loss Payee shall receive the amount the Insured is obligated to pay for direct physical loss or damage to Contractor's equipment by reason of their assumption of liability in a written contract or written agreement executed prior to the loss or damage for Contractor's equipment that you lease or rent, but no more than the replacement cost of the damaged item.

No Boom Overload Exclusion applies.

THE GRAY INSURANCE COMPANY

The below coverages apply if the corresponding policy number is indicated on the previous page.

A. Commercial General Liability

General Liability Policy Includes:

Blanket Waiver of Subrogation when required by written contract.

Blanket Additional Insured (CGL Form# CG 20 10 11 85) when required by written contract.

Primary Insurance Wording Included when required by written contract.

Broad Form Property Damage Liability including Explosion, Collapse and Underground (XCU).

Premises/Operations

Products/Completed Operations

Contractual Liability

Sudden and Accidental Pollution Liability

Occurrence Form

Personal Injury

"In Rem" Endorsement

Cross Liability

Severability of Interests Provision

"Action Over" Claims

Independent Contractors coverage for work sublet

Vessel Liability - Watercraft exclusion has been modified by the vessels endorsement on scheduled equipment.

General Aggregate applies per project or equivalent.

B. Automobile Liability Policy Includes:

Blanket Waiver of Subrogation when required by written contract.

Blanket Additional Insured when required by written contract.

C. Workers Compensation Policy Includes:

Blanket Waiver of Subrogation when required by written contract.

U.S. Longshoremen's and Harbor Workers Compensation Act Coverage

Outer Continental Shelf Land Act

Jones Act (including Transportation, Wages, Maintenance, and Cure),

Death on the High Seas Act & General Maritime Law.

Maritime Employers Liability Limit: \$1,000,000

Voluntary Compensation Endorsement

Other States Insurance

Alternate Employer/Borrowed Servant Endorsement

"In Rem" Endorsement

Gulf of Mexico Territorial Extension

D. Excess Liability Policy Includes:

Coverage is excess of the Auto Liability, General Liability, Employers Liability, & Maritime Employers Liability policies

Blanket Waiver of Subrogation when required by written contract.

Blanket Additional Insured when required by written contract.



Fleming Construction Company, L.L.C. has and is presently performing numerous projects throughout the Great New Orleans area.

The following is a list of the same:

City of Kenner – Two Year Agreement for Concrete Streets Maintenance

City of Kenner – Two Year Agreement for Drainage Maintenance

City of New Orleans – Pontilly Drainage Upgrades & Green Infrastructure

City of New Orleans – Lower Ninth Ward Northeast Group B

City of New Orleans – Westbank Group B

City of Slidell – Dellwood Drainage Basin Improvements

Jefferson Parish – David & York Lift Station

Jefferson Parish – Two Year Contract for Waterline Point Repairs

Jefferson Parish – Two Year Contract for Restoration or Replacement of Sewer Mains (Gravity or Force) by Point Repair

Jefferson Parish – Trudeau Drive at Canal No. 5 Drainage Improvements

Sewerage & Water Board of New Orleans – Contract No. 30206

Sewerage & Water Board of New Orleans – Contract No. 30208

Sewerage & Water Board of New Orleans – Contract No. 2106


Sewerage & Water Board of New Orleans – Contract No. 2131

St. Charles Parish – LA 18 Water Main Replacement

State of Louisiana DOTD – LA 3127 Right Turn Lane

Tulane University – Primate Center

University of New Orleans – Performing Arts Center Parking Lot



State Licensing Board for Contractors

This is to Certify that

FLEMING CONSTRUCTION COMPANY, L.L.C.
23 East Airline Drive
Kenner, LA 70062

is duly licensed and entitled to practice the following classifications

BUILDING CONSTRUCTION; HEAVY CONSTRUCTION; HIGHWAY, STREET AND BRIDGE CONSTRUCTION;
MUNICIPAL AND PUBLIC WORKS CONSTRUCTION



Expiration Date: October 25, 2022

License No: 935

This License Is Not Transferable

Witness our hand and seal of the Board dated,
Baton Rouge, LA 26th day of October 2019

M. S. MacP
Director

Joe M. Dett
Chairman

André M. M. M.
Treasurer



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

September 2020

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes:

Total Bid Price Must Include the Cost of Naming Jefferson Parish as Additional Insured:

Bidder acknowledges that Bidder recovered the cost of any required insurance in the contract price as required by La.R.S. 9:2780.1 and that Bidder recovered any such cost for the purposes of insuring an obligation to indemnify Jefferson Parish, defend Jefferson Parish, or hold Jefferson Parish harmless and that Bidder's indemnity liability is limited to the amount of the proceeds that are payable under the insurance policy or policies that Bidder has obtained.

Electronic Procurement: Beginning November 1, 2020, Jefferson Parish will no longer accept manual bid submissions; and will only accept bid submissions electronically via our e-Procurement system, Central Bidding. Central Bidding can be accessed by visiting either www.centralbidding.com or www.jeffparishbids.net. All bidders will be required to register with Central Bidding. Jefferson Parish vendors are able to register for free by accessing the following link:
<https://www.centrauctionhouse.com/registration.php>.

Probable Construction Cost: Per Jefferson Parish Administrative Policy, the probable construction cost is not revealed in the Jefferson Parish Bidding Documents. Jefferson Parish Administrative Policy has changed and a range of the probable construction cost will be stated in the Jefferson Parish bidding document, entitled Important Notice to All Bidders – Bid Requirements. Per Louisiana Public Bid Law, the probable construction cost will be read at the bid opening.

Insurance Requirement: All bidders must provide proof of valid insurance in the required amounts as stated in the Standard Insurance Requirements for bidding purposes. Failure to provide the proof of valid insurance in all of the required coverage amounts will result in bid rejection.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETN, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET

IMPORTANT NOTICE TO ALL BIDDERS – BID REQUIREMENTS

A. LOUISIANA CONTRACTOR'S LICENSE FOR THIS PROJECT

Must be in the following category:

Highway, Street, and Bridge Construction

B. PROBABLE CONSTRUCTION RANGES

Range of The Probable Construction Cost for Base Bid:

Range of The Probable Construction Cost for Alternate No. 1:

Range of The Probable Construction Cost for Alternate No. 2:

Range of The Probable Construction Cost for Alternate No. 3:

Range of The Previous Contract Cap
(Public Work Maintenance Contract):

\$10,000,000 - \$15,000,000

C. TIMELINES

Except as where provided by law, Bidder agrees that this bid shall be legally binding and may not be withdrawn for a period of forty-five (45) calendar days after the scheduled closing time for receiving bids. In the event the Owner issues the Letter of Award (copy of adopted resolution awarding bid by Jefferson Parish Council) during this period, the bid accepted shall continue to remain binding pending execution of the Contract.

Bidder agrees to execute the ensuing Contract and will deliver applicable Bonds to secure the faithful performance thereof.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-913 of the Jefferson Parish Code of Ordinances.)

Upon full execution of the Contract and receiving a written notice to proceed, the Bidder agrees that all work shall be completed as follows:

This is a maintenance contract.

D. SALES TAX EXEMPTION

For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

E. LIQUIDATED DAMAGES

In accordance with Resolutions 136352 and 136353, Bidder agrees to pay, as liquidated damages, the sum of \$250.00 for: (1) each consecutive calendar day after the agreed date of completion that the work remains substantially incomplete, or (2) each consecutive calendar day after substantial completion that the work has not been finally completed.

In addition to, but not in lieu of the per diem liquidated damages, Owner shall also be entitled to recover from Contractor or Contractor's Surety additional liquidated damages as detailed in Resolutions 113646 and 113647. These additional liquidated damages may include, but are not limited to the following, in the amounts and for each of the items identified in the Supplementary Conditions:

- (1) Extended architectural and/or engineering fees \$ _____ ;
- (2) Extended Resident Project Representative fees \$ _____ ;
- (3) Extended construction management fees \$ _____ ;
- (4) Extended Owner's overhead and personnel expenses \$ _____ ; and
- (5) Owner's other costs directly related to the delay in completion beyond the Contract Times.

Also, in accordance with Section 6.02, "Labor; Working Hours," whenever Contractor's work requires inspections in excess of the budgeted amount for inspection, Contractor shall reimburse Owner for the additional costs incurred by the Owner attributable to inspection of the contracted project in excess of the budgeted amount for inspections.

In accordance with the terms of the Engineer's agreement with the Owner, the average hourly rate to be charged for resident inspection for this construction project is \$ _____ and the reasonable budget for such inspections is \$ _____ (the overtime rates shall be \$ _____ per hour). The cost of inspection in excess of this budgeted amount shall be assessed against Contractor's progress payments, all in accordance with LSA R.S. 38:2216(L)(2).

F. METHODS OF BID SUBMISSION

Online at no charge via Jefferson Parish's electronic procurement page by visiting www.iefpparishbids.net. Registration and use of this site is free to Jefferson Parish vendors.

G. ETHICAL STANDARDS AND COOPERATION WITH THE OFFICE OF THE INSPECTOR GENERAL, INCLUDING CONFLICTS OF INTEREST

Vendor agrees by bid submission to comply with all provisions of Louisiana Law as well as compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, as published on <http://ethics.la.gov> and applicable Jefferson Parish ethical standards and Jefferson Parish Terms and Condition.

Inspector General: It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the inspector general in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). Every parish contract and every bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program shall contain a statement that the corporation, partnership, or person understands and will abide by all provisions of JPCO 2-155.10.

Conflicts of Interest: Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

H. REQUIRED AFFIDAVITS

For convenience, all legally mandated affidavits have been combined into one form, entitled THE PUBLIC WORKS BID AFFIDAVIT. All bidders must submit with their bid submission, a completed, signed and properly notarized affidavit in its original format and without alteration in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration prior to, or at contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

I. BID REQUIREMENTS (BID DOCUMENTS, SPECIFICATIONS, BONDS, W-9 AND PAYMENT INFO)

Bidders must review the bid specifications and include any required documentation including but not limited to the LA Public Works Uniform Bid Form, Bid Security, Corporate Resolution or written evidence of signature authority, and the Public Works Affidavit. Pursuant to LA R.S. 38:2212(B)(3)(b), bidders shall also be responsible for providing any other documentation as required, i.e. federal grant documentation, etc. Please note that the payment and performance bonds must be supplied by the successful bidder at contract signing.

All vendors submitting bids should register as a Jefferson Parish vendor, if not already registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and click on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

Bidders must comply with all provisions of the General Terms and Conditions as approved by Resolution No. 136352 and/or 136353. A copy of these terms and resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, Louisiana 70053. Bidders may also obtain a copy by visiting the Purchasing Department's webpage at www.purchasing.jeffparish.net and clicking on online forms.

Bid Security: Bidders shall provide bid security in the form of an electronic bid bond in the amount of five percent (5%) of the total bid price (Base Bid and any Alternates) (as per R.S. 38:2218). Such security will become the property of the Owner in the event the successful bidder fails or refuses to execute the Contract or fails to produce performance and payment bonds upon contract signing.

When submitting online, bidders must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.

Performance Bond: A performance bond is required in 100% of the contract amount and is due at the signing of the formal contract.

Payment Bond: A payment bond is required in 100% of the contract amount and is due at the signing of the formal contract.

J. INSURANCE REQUIREMENTS

All Bidders must submit with bid submission a current (valid) insurance certificate evidencing required coverages. Failure to comply will cause the bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☒ WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

☒ COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence. Property Damage Liability \$1,000,000.00 each occurrence.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected. Such insurance is due upon contract execution.

☐ OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

☐ BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

INSURANCE DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.



**Designation of Construction Contractor
as Agent of a Governmental Entity
Sales Tax Exemption Certificate**

_____, an agency of the United States government, or an agency, board, commission, or instrumentality of the State of Louisiana or its political subdivisions, including parishes, municipalities and school boards, does hereby designate the following contractor as its agent for the purpose of making sales tax exempt purchases on behalf of the governmental body:

Name of Contractor		
Address		
City	State	ZIP

This designation of agency shall be effective for purchases of component construction materials, taxable services and leases and rentals of tangible personal property for the following named construction project:

Construction Project	Contract Number
----------------------	-----------------

This designation and acceptance of agency is effective for the period

Beginning Date (mm/dd/yyyy)	End Date (mm/dd/yyyy)
-----------------------------	-----------------------

Purchases for the named project during this period by the designated contractor shall be considered as the legal equivalent of purchases directly by the governmental body. Any materials purchased by this agent shall immediately, upon the vendor's delivery to the agent, become the property of this government entity. This government entity, as principal, assumes direct liability to the vendor for the payment of any property, services, leases, or rentals made by this designated agent. This agreement does not void or supersede the obligations of any party created under any construction contract related to this project, including specifically any contractual obligation of the construction contractor to submit payment to the vendors of materials or services for the project.

This contractor-agent is not authorized to delegate this purchasing agency to others; separate designations of agency by this governmental entity are required for each contractor or sub-contractor who is to purchase on behalf of this governmental entity. The undersigned hereby certify that this designation is the entirety of the agency designation agreement between them. In order for a purchase for an eligible governmental entity through a designated agent to be eligible for sales tax exemption, the designation of agency must be made, accepted, and disclosed to the vendor before or at the time of the purchase transaction.

Designation of Agency			Acceptance of Agency		
Signature of Authorized Designator		Date (mm/dd/yyyy)	Signature of Contractor or Subcontractor Authorized Acceptor		Date (mm/dd/yyyy)
Name of Authorized Designator			Name of Contractor's or Subcontractor's Acceptor		
Name of Governmental Entity			Name of Contractor		
Address			Address		
City	State	ZIP	City	State	ZIP

This designation of agency form, when properly executed by both the contractor and the governmental entity, shall serve as evidence of the sales tax exempt status that has been conferred onto the contractor. No other exemption certificate form is necessary to claim exemption from sales taxes. The agency agreement evidenced by this sales tax exemption certificate must be implemented at the time of contract execution with the governmental entity. The contract between the governmental entity and his agent must contain provisions to authenticate the conferment of agency.

Bid Bond

An Electronic Bid Bond must be submitted with this bid, through one of the respective clearing houses at www.jeffparish.net or www.centralbidding.com. To access the bonding companies on Central Bidding, hover over the "Central Bidding" link at the top of the page and select the "Bid Bonds" link.

The electronic bid bond number is to be placed in the required section listed on the standard envelope. Scanned copies of bid bonds will not be accepted with your submission.



\$41.6 Billion

38,136 Bid

Opportunities

18,123 Vendors

568 Agencies

Browse Thousands of Public Bids today!

Central Bidding from Auction.com is one of the largest providers of electronic bidding services to public and private sector entities. Vendors have trusted Central Bidding to provide bid services that exceed \$400 million in bid volume. In 2010, Central Bidding was named one of the top 100 bidding services to watch. Central Bidding is a leading provider of bid services to public and private sector entities. Central Bidding is a leading provider of bid services to public and private sector entities. Central Bidding is a leading provider of bid services to public and private sector entities.

[Learn More >](#)

©2011 Auction.com. All rights reserved. Central Bidding is a service mark of Auction.com.

CONCRETE (STREET) MAINTENANCE

Two (2) year contract for Concrete (Street) Maintenance for the Jefferson Parish Department of Public Works – Streets and all Jefferson Parish agencies and municipalities (excluding Grand Isle).

PRE-BID CONFERENCE:

All prospective bidders are invited to attend this non-mandatory pre-bid conference, which will be held at 10:00 a.m., on February 9, 2021 in the Jefferson Parish Purchasing Department located at 200 Derbigny Street, Suite 4400, Gretna, LA 70053. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.

BONDS:

Surety Bond: A bid bond in the amount of 5% of the bidders total is required with bid submission.

Performance Bond: A performance bond in the amount of 50% of the contract total is required at the signing of the formal Contract.

Payment Bond: A payment bond in the amount of 50% of the contract total is required at the signing of the formal contract.

LOUISIANA STATE CONTRACTOR'S LICENSE: Vendor must have a Louisiana State Contractor's License in the Category of Highway, Street, and Bridge Construction.

GENERAL SPECIFICATIONS:

All work shall be performed in accordance with Jefferson Parish Standard Details for Roadways, Sidewalks and Curbs, as well as applicable utilities. Copies are available at the Department of Engineering, Suite 802, Yenni Building.

The terms and conditions of Resolution 113646, as amended, will be considered a part of the bid whether attached or not. A copy may be obtained from the Office of the Parish Clerk, 6th Floor, General Government Building, 200 Derbigny Street, Gretna, LA 70053.

Service Engineer

A person with license as a professional engineer in accordance with State of Louisiana Law, who is employed by the contractor to provide technical direction of the maintenance service.

Initials (Abbreviations)

AASHTO – American Association of State Highway and Transportation Officials
ACI – American Concrete Institute
ANS – American National Standards
ASA – American Standards Association
ASTM – American Society for Testing Materials
ATSSA – American Traffic Safety Services Association
AWWA – American Water Works Association
JPDPW – Jefferson Parish Department of Public Works
LADOTD – Louisiana Department of Transportation and Development

This is a "Concrete (Street) Maintenance Contract". It is intended to supplement work performed by regular maintenance forces of the Department of Public Works – Streets. Types of work under this contract include, but are not limited to concrete maintenance projects such as: concrete slab removal and replacement, concrete curb repairs, roadway revisions such as the addition of concrete turning lanes and median crossings, sidewalk/handicap ramp and drive apron replacement and new installations (typically when in conjunction with a work order that includes panel replacement, but may be without panel replacement), additions or revisions to subsurface drainage systems and structures.

The contract will be for a period of two (2) years. Contract prices are firm during the entire two (2) year contract period.

The quantities in the proposal form are approximate for the comparison of bids only. The parish reserves the right to purchase only such items and in such quantities as needed for the duration of this contract after acceptance of the lowest responsible bid by the parish governing authority.

The definition of "JOB" shall be the work described on any one issued work order. Each "JOB" shall be estimated as to time required to complete the amount of work proposed. Many "JOB" sizes will be relatively small: that is, the paving of several street panels having a normal width of 13 feet and each being from 15 to 20 feet in length. However, some "JOBS" may require the paving of several adjoining panels resulting in hundreds of square yards of paving. Most of the work areas are residential streets. Occasionally contracts may involve replacing slabs on major streets (minimum thicknesses of 9"/10" for slabs are required on these streets). Contractor may also be required to replace slabs as soon as possible in the event of blowouts.

Contractor shall supply a minimum of (3) complete crews for the duration of this contract. A complete crew shall be comprised of all qualified persons and equipment required to remove / dispose of existing concrete, form-up, and pour / finish new concrete pavement (i.e. 1 complete crew = breakout crew + form-up crew + pour / finishing crew). Having one breakout crew that proceeds from one work order location to the next work order location in advance of the subsequent form-up crews will not be allowed.

Each work order will be issued in writing with appropriate drawings if required, or other attachments and will designate a job number (WO#XX-XXX). All correspondence, billing, etc., pertaining to the work should reference the job number. Payment will be made upon receipt of detailed and itemized invoices and verification by parish inspectors regarding quantity and quality of work performed. Partial payment will be made only when completion is unduly delayed through no fault of the contractor in which case requests for partial payment may be submitted monthly.

All of the work within the limits of each job shall be shown to the contractor by a representative of the Department of Public Works prior to commencing work. If required, appropriate sketches and/or drawings may be furnished to the contractor with each work order. Work sites may be scattered for an individual work order; however, every effort will be made to consolidate the work to minimize scattered work sites. The contractor shall begin the work within 10 calendar days after issuance date of a work order. All street layouts/surveying for each work order shall be incidental to the bid items with no additional payment.

Each work order must be completed in a timely manner based on the area of concrete panels being replaced. If the work order is not completed in the specified time from the first day on site, then liquidated damages will be assessed. See the table below for time allowed:

Job Size (s.y. of PCCP)	Allotted Construction Time (calendar days)*
100 or less	21
101-300	50
Greater than 300	100

* Only the Director (of Streets Dept.) can approve the work to go beyond the days stipulated in the table above depending on the size / scope of the project.

If any work order does not begin in the allotted commencement time period (10 calendar days from issuance) or work remains incomplete past the allotted construction time (based on the table above), then the contractor will be assessed a liquidated damage cost of **\$250 per day** past the required start date and/or required completion date. The liquidated damage cost will be deducted from the final individual work order invoice.

Time extension will be granted for excusable days that are not the contractor's fault (like water or sewer leaks) and for inclement weather days. Excusable days must be documented in writing (email) by the contractor and are subject to approval by the Director (of Streets Dept.). Inclement weather days shall be defined as any day on which construction operations were unable to proceed for at least five (5) continuous hours of the day or 65% of the regular working hours, whichever is greater. Should the contractor prepare to begin work on any given day in which inclement weather or the site conditions resulting from previous inclement weather prevent work from starting at the usual time (and the crew is dismissed as a result thereof), then the day will be declared an inclement weather day, regardless if conditions improve, resulting in the rest of the day becoming suitable for work. Inclement weather days must be documented by the contractor and are subject to the approval by the Director (of Streets).

If contractor leaves the job incomplete for over a 30 day period, the parish has the right to use other Parish contracts as a means to complete outstanding work and the ability to bill the current contractor with those charges incurred. However, if the contractor has a valid reason to hold off on a job, he has to obtain written permission from the Director of Streets for the stipulated delay.

Also, the owner has the right to put a hold on a job at the beginning or when job is in progress without designating a reason. If the job is discontinued, the contractor will be compensated only for the items of work actually done and not for any down time.

Contractor shall not work during the holidays observed by Jefferson Parish unless otherwise authorized in writing by the director.

Contractor shall not schedule any contract work on major roads and thoroughfares between Thanksgiving and New Year holidays, or during Mardi Gras season.

If any sworn statements of claims are filed during the term of this contract, the parish shall withhold the next accruing payment and shall have the authority to satisfy the claim and deduct the amount from payments due.

If any liens arising out of this contract should be discovered to exist after all payments are made, the contractor shall refund the parish all monies that the latter may be compelled to pay in discharging such liens, including litigation costs and attorney's fees.

Adequate safety precautions will be taken for all work performed under this contract. Necessary barricades, signs, lights and warning devices including arrowboard if required will be installed and maintained by the contractor in accordance with Parish Traffic Engineering and Safety Standards.

All traffic control devices shall be defined as all signs, signals, markings and other devices used to regulate, warn, or guide traffic, placed on, over, or adjacent to a street, highway, pedestrian facility, or bikeway under the jurisdiction of Jefferson Parish.

All traffic control devices utilized under the terms of this contract shall be in accordance with the "Manual of Uniform Traffic Control Devices" (Latest Edition) as published by the American Traffic Safety Services Association (ATSSA).

The contractor shall be responsible for, at their own expense, providing safe and expeditious movement of traffic through construction zones, i.e., the immediate area of actual construction and all abutting areas used by the contractor and which interferes with the driving or walking public. Contractor responsibility includes, but is not limited to such items as proper construction warning signs, signals, lighting devices, (including electrical/electronic flashing arrow board), markings, barricades, channelization, hand signaling devices, (flagging operations), construction warning signs, detour routing, and any/all additional signage required for proper traffic control shall be provided by the contractor at no additional expense to Jefferson Parish. The Principal and Prescribed Standards are set forth in Part VI of the Manual on Uniform Traffic Devices, Latest Edition. Part VI shall be strictly followed.

All of the signing and traffic control devices shall be approved by the Office of Traffic Engineering, Jefferson Parish Department of Public Works prior to starting the job. All expenses incurred by the contractor to maintain traffic flow is incidental to the job, there shall be no added or additional payment.

Contractor shall inspect all overhead, surface and sub-surface utility lines prior to start of the project. During the performance of all work outlined in these specifications, the contractor will exercise due caution regarding underground utilities and will cooperate with representatives of the utility companies and/or parish departments to avoid damage to their installations. However, contractor is ultimately responsible for all damages by his actions.

Contractor must locate, protect, support and maintain all subsurface, surface and aerial utilities. In the event of any damage to existing utilities, contractor shall restore service, as soon as possible at contractor's expense. Contractor shall have the sole responsibility of resolving any lawsuit and liabilities arising from defective workmanship, improper maintenance of utilities and/or work site.

If there are any conflicting utilities that need relocation or adjustments, the contractor will allow reasonable time to accomplish this task. There is no added compensation for delays and cost caused by the conflict.

Contractor should consult with the Department of Public Works Traffic Engineering Division immediately upon any vehicular or pedestrian safety or efficiency problem incurred as a result of construction of a project.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0010 THRU 0190 and ITEMS 0250 THRU 300:**

- **REMOVAL / DISPOSAL (when applicable)**

Bid prices should include all costs for labor, equipment and material necessary to remove and dispose of existing pavement for the thickness as shown. Curbing removed with the slab will be at no additional cost. Should the parish desire, the contractor shall dump broken pavement at a disposal site designated by the parish at no added cost, provided that the disposal (dumping) site is within a 21-mile radius of the work site and may involve crossing the Mississippi River. Additionally, should the parish desire, the contractor will load broken pavement onto parish trucks at the work site at no added cost, provided that the parish trucks are present at the work site for loading as the pavement is being removed and do not unduly delay the contractor's work.

Care must be exercised so that jointing materials and devices adjacent to the concrete to be removed shall not be damaged. Any pavement damaged by the contractor as a result of negligence, either willfull or accidental, will be replaced at the contractor's expense.

- **REPLACEMENT / NEW PAVEMENT**

4000 PSI – 24 Hours – High early strength with superplasticizer and other additives, if applicable.

4000 PSI – 72 Hours – High early strength with superplasticizer and other additives, if applicable.

This item covers the furnishing of all materials and installation of PCC pavements for thickness as shown. Concrete shall be Class A, 4000 PSI 24/72 hours high early strength.

Bid prices shall also include adequate curing of the concrete placed and the proper sealing of contraction and expansion joints.

Bid prices shall include all costs for labor, equipment and materials described under this item of the bid proposal. All required jointing materials (including joint sealant) shall be included in price bid under each item. Method of jointing shall be the same as the existing joints in the area of work.

Damaged, missing, and/or new dowel bars (longitudinal/transverse) and starlugs shall be replaced at no additional cost to the parish – 1" x 18" smooth dowel bars for 7" thick pavement (1-1/4" x 18" smooth dowel bars for 9" or thicker pavement) shall be used. The bars shall be placed in the existing pavement by drilling holes to a depth of 9" and filling with an approved epoxy grout before insertion of the dowel bars. Contractor is responsible for any deformed bars for

longitudinal joints. If toeing under the slab is approved as an option by the parish representative in lieu of doweling, there is no additional compensation for concrete used for toeing. All costs incurred for this task will be the contractor's responsibility. Bid prices shall also include adequate curing of the newly placed concrete and the proper sealing of contraction and expansion joints of the newly placed concrete.

Bid prices shall also include cost of providing engineering/surveying for alignment, grade, profile, survey stakes, topography when necessary and as required to improve the roadway alignment, curb and gutter layout, drain line installation, etc. Compensation for this shall be incidental to corresponding bid items in the maintenance contract. There is no other compensation. This includes new road, extension of existing road and turning lanes, parking lots, bike and walking trails, etc. All layouts shall be the responsibility of the contractor.

***To be clear: Bid prices for these items include removal, disposal (when applicable) of existing pavement (with or without curbing) and replacement/new pavement including curb (when applicable).

***Average thickness of pavement being removed may vary a few inches (± 2 inches) from the actual new pavement thickness being replaced. Average thickness will be based on 4 spot measurements.

Mixes shall conform to Louisiana Department of Transportation and Development Standard Specifications for Roads and Bridges, Latest Edition.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0192 AND 0194:**

These items will be used when the Parish has a desire to remove concrete pavement, without any intent to restore it.

For instance, remove an existing u-turn/turn lane and fill void with dirt/soil.

For clarity, the contractor will NOT be paid for removal under this item when replacing a damaged street panel.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0040 AND 0080:**

HANDICAPPED RAMPS:

Six (6) inch and eight (8) inch 4000 PSI/72 hour high early strength concrete for handicapped ramps, with welded wire mesh.

Where necessary or as directed by the engineer, existing sidewalk and curbing at intersections and medians shall be broken out/or saw cut, removed and replaced with a new Portland cement concrete curb ramp for the handicapped. Curb ramps shall conform to ADAAG (Americans with Disabilities Acts Accessibility) guidelines 4.7.

The detectable warning provided shall be paid at bid unit price (**ITEM 0830**). Bid unit price should include cost for labor, equipment and materials necessary to install masonry units as per Jefferson

Parish Standard Plans. Detectable warning shall contrast visually with adjoining surface (reddish like "terra cotta). 24" x 48" cast-in-place detectable warning system must have raised truncated domes per ADAA specifications. Contractor must use one-piece truncated dome mats/pads made of a homogenous glass and carbon reinforced composite which is colorfast and UV stable. Panel color shall be uniform throughout. Backside of panel should have ribs that embed within the curing concrete.

Batture sand for dress, breaking out and removal of existing sidewalk will be paid for in other items.

Any other materials or labor needed to accomplish curb ramps for the handicapped must be incidental to the above items.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0200 THRU 0240:**

Additional charge for replacing special/decorative pavement surfaces with in-kind material.

Contractor must get approval from Jefferson Parish Department of Streets (Inspectors) prior to selecting/finalizing replacement material.

Payment will be per square yard of pavement surface that is reinstalled.

All labor and material incidental to the installation of the pavement surface shall be included in this price.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0242 AND 0244:**

PERVIOUS CONCRETE PAVEMENT:

This work consists of furnishing all material, equipment and labor required for the construction of patterned, colored, pervious ornamental concrete pavement (sidewalks, driveway aprons, etc.) and pervious concrete parking areas in accordance with the lines and grades established in the field by the Parish Inspector / Engineer. Work shall conform to all requirements of ACI 522.1-13, 'Specification for Pervious Concrete Pavement,' published by the American Concrete Institute, except as modified herein. When applicable, work shall be performed in accordance with the provisions of Section 706 of the Louisiana Standard of the Specifications for Roads and Bridges, 2006 Edition (Blue Book), and latest revisions, except as otherwise noted in these specifications.

MATERIALS:

The pervious concrete used for pavements shall comply with the mixture proportions specified herein.

Mixture Proportioning:

- The total cement content shall be a minimum of 630 lbs. /CY.

- Fly Ash shall not exceed 20% and Slag shall not exceed a 50% maximum.
- The maximum water-cement ratio for shall be 0.35.

The bulk volume of aggregate per cubic yard shall be equal to 27 cubic feet when calculated from dry rodded density (unit weight) determined in accordance with ASTM C29. Fine aggregate, if used, should not exceed three (3) cubic feet and shall be included in the total aggregate volume.

Admixtures shall be used in accordance with manufacturer's recommendations.

The quantity of water used in the pervious concrete mixture shall facilitate placing, compaction, and finishing to the desired surface characteristics. The appropriate water content will give the mix a wet metallic sheen without causing the cement to flow from the aggregate and be sufficient for adequate hydration. If the water content is too low, the mix may be inconsistent and produce poor bond strength. A high water content may cause the cement to migrate toward the bottom and fill the voids as well as create a poor surface bond.

Testing shall be in accordance with ACI 522.1-13 Section 1.5.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0280 THRU 0300:**

4000 PSI high early strength (24 or 72 hours), (No. 4 deformed reinforcing bars are to be included in price of this item. If a detail does not exist for a specific case, then contractor shall place bars on top and bottom level of box-out, around the entire perimeter and then across both directions @ 6 inches on center).

Bid prices to include material, labor and equipment necessary to remove and replace a box-out on an existing pavement, or to install on new pavement.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEM 0350**

Specifications shall be in accordance with Louisiana Standard Specifications for Roads and Bridges under "STONE". In addition, material shall be calcitic or dolimitic with calcium carbonate not less than 85% and the silica content (impurities) not to exceed 5%.

Limestone used on asphalt pavement shoulders shall be comparable to Mexican limestone in color and gradation.

Shoulder Aggregate:

This material shall conform to the following gradation:

Limestone

U.S. Sieve	Percent Passing
1.5"	100

0.75"	50-100
No. 4	35-65
No. 40	10-32
No. 200	3-15

Aggregate shall conform to LADOTD Standard Specifications for Roads and Bridges, Subsection 1003.01, Latest Edition.

The fraction of stone passing the No. 40 sieve shall be non-plastic.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0310 THRU 0360:**

These items cover work and material generally associated with base, shoulder, drainage and dress-up work. Excavation will be paid by cubic yard truck measure loaded at the job sites or by computing theoretical volume at the approval of the parish representative. Fill materials will be paid by cubic yard truck measure delivered to the work site. Bid prices shall include costs for compaction and grading of materials when used for base construction. Should the parish desire, the contractor will dump excavated materials at a disposal site designated by the parish at no added cost, provided that the disposal (dumping) site is within a 21-mile radius of the work site and may involve crossing the Mississippi River. Additionally, should the parish desire, the contractor will load excavated material onto parish trucks at the work site at no added cost provided that the parish trucks are present at the work site at the time of excavation and do not unduly delay the contractor's work. However, ultimate responsibility for disposal of all the excavated material rests with the contractor. Haul and/or loading tickets will be issued for each truck load of material delivered and placed on the job and/or truck load of excavated material haul from the job site.

All the original haul tickets must be furnished by the contractor for payment.

The contractor will exercise due caution regarding underground utilities during excavation operations and will notify and coordinate with representatives of utility companies and parish departments to avoid damage to their installations. However, contractor is ultimately responsible for all damages caused by his actions. Also, if any conflicting utility needs "relocation or adjusting", the contractor will allow reasonable time to accomplish the task. There will be no additional compensation for the time delay caused by the conflicts.

No trucks with greater load capacity than 18 cubic yards shall be allowed on residential streets for excavation, concrete/asphalt removal or fill material delivery without authorization from the engineer. Should the contractor fail to meet this condition, all damage resulting will be repaired at the contractor's expense.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0370 THRU 0570:**

Bid prices should include all cost of labor, materials (pipe, excavation, bedding, boards, fill, etc.) and equipment necessary to install new drain pipe and/or remove and replace existing drain pipe as described under this item of the proposal. All workmanship and material shall be in accordance with Jefferson Parish Department of Engineering Standard Plans. (Boards shall be used during

the installation of concrete pipe.) Each joint will be wrapped with filter cloth 36" wide, and overlapped, a minimum of 36".

SDR 35 P.V.C. pipe shall not be used for any new crossings below the roadway.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0580 THRU 0800:**

Specific depths for drain structures will vary with each project. However, it is anticipated that most subsurface drainage systems installed under this contract will be generally shallow. For bidding purposes, drain structure depths should be assumed in the 3 to 5 ft. range as an average.

Reinforcing for base slab shall be No. 5 bars at 6" O.C. minimum each way (3" above bedding material), and shall be included in the price of the structure.

Frames, grates and covers for manholes, catch basins and drop inlet should be the heavy duty type. The only acceptable frames, grates and covers are those which are domestically manufactured. All castings shall be clearly stamped or engraved with the manufacturer's name and part number on the casting.

Foundation for all drainage structures should follow Jefferson Parish Standard Details.

Oversized junction boxes (special) shall be compensated at bid unit prices. The cost shall include all necessary material including reinforcing steel and labor. The height and base area are used as guidance for bidding purposes only. Minimum reinforcing for the base slab shall be 2 layers of No. 6 bars on 6" O.C. each way, 3" cover for bottom steel and 2" cover for top steel. Concrete for the box shall be Class A. The design for the drainage structures at each location shall be submitted by the contractor for approval by the department director.

Occasionally this contractor may be required to install drainage inlets (and drain pipes) to remove ponding water and bird baths. All drainage box (and drain pipe) installations will follow Jefferson Parish Department of Public Works procedures. Bid prices for the drainage structure (box/inlet) shall include the bricks/mortar to construct the box, bedding material, foundation, (and reinforcing bars), excavation, backfill materials, etc. as required. (See spec for Items 0370 thru 0570 regarding bid price for pipe.)

Typical details for construction of drain structures are available from the Department of Public Works upon request.

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 0810:**

Machine saw cuts in concrete/asphalt shall be paid for by linear foot of cut and the depths shall be pre-approved by parish representatives and measured in the field

THE BELOW SPECIFICATIONS APPLY TO

ITEM 0830:

Detectable Warning Pad (24" x 48") with Raised Truncated Domes (Per ADA Guidelines), Visually Contrasting with Adjoining Surfaces (Reddish Like "Terra Cotta" In-Place for Curb Ramps and Loading Zones)

Bid unit price should include the cost for labor, equipment and materials necessary to install detectable warning pads with raised truncated domes as per Jefferson Parish Standard Plans. Detectable warning shall contrast visually with adjoining surface (reddish like "TERRA COTTA"). Detectable warning pad should be set into concrete as it is curing/wet.

Descriptions:

This cast in place detectable warning system is to be used for the construction of new handicap ramps. The cast in place detectable warning systems must have a minimum 0.20 inch nominal thickness and feature embedment ribs through entire length of the panel (maximum rib spacing of 3 inch on center). This product must be in accordance with ADA regulations for detectable warning on curb ramps.

Material:

This product is made of a homogenous glass and carbon reinforced composite which is colorfast and UV stable. Truncated domes are fiberglass reinforced for enhanced durability. The panel color is uniform throughout and does not rely on any type of paint coating to achieve color stability.

Physical Characteristics:

The cast in place detectable warning systems must have a slip resistance coefficient of 1.18-Dry/1.05-Wet or better.

The detectable warning system must resist chemical staining, freezing and heating.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0900:**

This work consists of preparing seed beds and sowing grass seed utilizing hydro-seeding equipment and methods in order to establish a turf grass cover to areas designated in the plans or as directed in accordance with Section 739 of the Louisiana Standard Specifications for Roads and Bridges, Latest Edition. This item will be paid at the contract unit price per square yard of hydro-seeding installed. Including all necessary labor, equipment, materials and incidentals required for completion of work.

THE BELOW SPECIFICATIONS APPLY TO

ITEM 0910:

This work consists of furnishing and installing geotextile fabric (Class D) on/under road bed surface, in conformity with the requirements of Section 1019 of the LADOTD Standard Specifications for Roads and Bridges, Latest Edition.

Bid prices for this item are to include all costs for labor, materials and equipment necessary to install geotextile fabric approved by Department of Streets representative. Installation shall be in accordance with the manufacturer's specifications, instruction and procedure.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0920 AND 0930:**

Geogrid

This work consists of furnishing and installing geogrid in locations designated and/or directed by the engineer.

Installation must be in strict accordance with manufacturer's instructions and requirements.

Geogrid will be paid for per square yard, which includes furnishing all equipment, labor, materials and incidentals necessary to complete the work.

The geogrid shall conform in all respects to the physical property values listed in the manufacturing specifications. The listed property values are certifiable minimum average roll values unless otherwise noted and are equal to the mean value less one standard deviation which reflects the desired 95% confidence level. These values are subject to verification by an independent laboratory.

Alternate Material

Alternate geogrid materials will be considered. Such materials should be pre-approved in writing by the engineer prior to bid date. Alternate material packages should be submitted to the engineer a minimum of 15 days prior to bid date. Submittal packages should include the following as a minimum:

1. Full-scale laboratory testing and in-ground testing of pavement structures reinforced with the specific geogrid which illustrates significant structural contribution of the geogrid to the pavement structure.
2. Certified test results stating that the alternative geogrid has a secant aperture stability modulus at 20 cm-kg. when tested in accordance with the "Grid Aperture Stability by Inplate Rotation" Test of 3.2 or greater for Type 1 and 6.50 or greater for Type 2.
3. A design guideline illustrating flexible pavement design methods implementing the alternate geogrid.
4. A list of 10 comparable projects, in terms of size and application, in the United States, where the results of the specific alternate geogrid's use can be verified after a minimum of 3 years of service life.

5. A sample of the geogrid and certified material property data sheets.
6. Recommended installation instructions.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0940 AND 0950:**

Fibrous Material

The mat in different widths shall be applied over longitudinal PCC joints, traverse joints and cracks and random cracks according to specifications prior to resurfacing concrete or asphalt pavements.

The mat material shall be a heavy-duty crack reduction/stress relief interlayer material consisting of a flexible high density asphaltic membrane laminated between 6oz/sy woven polyester geotextile. The mat shall be pave-prep type (S) standard and type (SA) self adhesive or equal. The alternatives shall meet or exceed the physical properties stipulated by pave-prep. Any alternatives have to be approved by this department prior to its usage on the job.

Application and installation of the material shall strictly follow manufacturer's specifications. Contractor shall submit manufacturer's technical data on the fibrous material properties for approval a minimum of 15 days prior to its use in the field. Submittal shall also include documentation supporting the successful use of the product for a minimum of 5 years. The bid unit price for the fibrous material shall include the cost of the material, equipment, labor and all other incidentals. There will be no other compensation.

**THE BELOW SPECIFICATIONS APPLY TO ITEMS
0970 THRU 1000:**

Bid prices for this item shall include all costs for labor, material and equipment necessary to install conventional Portland cement concrete curb and gutter (barrier or roll-over) with a maximum cross section area of (200, 250, 300 or 400) square inches as specified in the item description. Payment shall be per linear foot of curb installed.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1030:**

For this item the contractor shall saw cut a groove in a roadway (asphalt/concrete), install loop wire, seal the saw cut with sealant and make connections of loop wire to lead in cable. Details of saw cut and loop wire installations are available at Jefferson Parish Traffic Division (736-6530). The Jefferson Parish Traffic Engineering Division shall determine the size and placement of the loop(s) as per transmittal. Inductance loop is typically 6' x 6'.

Ruscoe No. 983 traffic detector loop sealant, Preco gold label flex 1P loop sealant, 3M brand loop sealant, safety coatings loop guard for loop detector sealant or approved equal shall be used to seal loop wires in roadway.

Saw cutting and sealant required to complete this task shall be included in the per foot cost of this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1040:**

Conduit in earth installation or replacement. The Jefferson Parish Traffic Engineering Division (736-6530), shall determine the size and placement of conduit as needed.

All schedule No. 40 polyvinyl chloride conduit (P.V.C.) and fittings as noted in Section 1 for underground installation.

All joints shall be solvent welded and watertight.

Conduit to be installed a minimum of three feet (3') below grade, unless otherwise specified by the Traffic Engineering Division. When boring operations are employed, the contractor shall bore from one side of the roadway to the other. All excavations on side of roadway are to be restored to their original condition.

Any excavation and backfill required to perform this task shall be included in the per foot cost of this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1050:**

Make: _____
Model: _____
H.P. _____

Bid prices shall include all costs for hourly rental of conventional heavy duty road grader, with scarifier and operator. Rental of the equipment will be for specific projects under control of the Department of Streets and will be assigned project job numbers. The use of road graders by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1060:**

Bid prices shall include all costs for hourly rental of a self-contained, mobile, heavy-duty pavement breaker with operator. Rental of this will be for work under control of the Department of Streets. The use of pavement breakers by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1070:**

Bids should include all costs for hourly rental of a grade-all class 5100, or equal, with operator. Rental of this equipment will be for work under control of the Department of Streets. The use of a grade-all by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1080 AND 1090:**

Bid prices should include all costs for hourly rental of a dump truck, tandem/trailer, 12/24 cubic yard minimum capacity with driver. Rental of this vehicle will be for work under control of the Department of Streets. The use of tandem/trailer dump trucks by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1100:**

Bid price should include all costs for hourly rental of a street sweeper 10' sweep pattern, 8' main broom, (2) two 2' side brooms and 3.5 cubic yard minimum front loading hopper with operator. Rental of this equipment will be for work under control of Department of Streets. Use of street sweeper in the performance of items of work listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1110:**

Bid prices should include all costs for hourly rental of a dozer model D-3, or equivalent, with operator. Rental of this equipment will be for work under control of Department of Streets. Use of dozer in the performance of items of work listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 1140:**

This item represents the additional fee (expressed in %) owed to the contractor for night work.

Night work is defined as work performed between the hours of 7:00PM and 7:00AM.

While performing night work, only those items used will be payable under the night work Line Item 1140.

Additional fee for night work is to be expressed in percentage and dollar amount as follows:

- A. Sum of "Totals" for Items 0010 through 1130.

\$ _____

- B. Indicate percentage (%) that will be charged for Items 0010 through 1130 that are used while performing night work.
_____ %
- C. For bidding purposes, the Parish anticipates that 3% of all work performed under this contract will be night work. That anticipated percentage (3%) may be more or may be less. Multiply that percentage (3%) by your percentage (%) (From B, above) that will be charged for night work to be used in the calculation below.
- D. Multiply the dollar amount of (A) by the percentage (%) derived from (C) to get a dollar value. This total is to be entered as "Unit Price Quoted" for Item 1140.

For Bidding Purposes:

The "Unit Price Quoted" above (D) will only be used in determining the low bid.

For Invoicing Purposes:

The percentage (%) indicated above in (B) will be used for invoicing of night work.

The contractor will be required to submit separate invoices for night work.

CURBS:

The Portland cement concrete mixture for curb construction shall be a minimum of 4000 PSI/72 hour, high early strength and also will provide proper workability, curb strength, and minimum contraction cracking. The concrete mix shall conform to Louisiana Department of Transportation and Development Standard Specifications for Roads and Bridges, Latest Edition. PCC curbing may be placed by extruding machine or by forming and hand placement at contractor's option and will be bonded to holding surface in a manner approved by the Department of Streets, which may include doweling and/or approved bonding agent. Curbing may also be poured monolithically with the panel.

The accepted quantities of curbs will be paid for at the contract unit price per linear foot on existing panels (incidental to square yard cost of new pavement), including all labor, equipment and materials incidental to the work.

No additional payment will be made for the removal of any type of existing curb and/or curb dowels.

RECYCLED PORTLAND CEMENT CONCRETE:

Recycled Portland cement concrete shall be used from approved stockpiles. Stockpiles of crushed concrete shall be uniform and free from soils, reinforcing steel, debris, excessive amount of asphaltic materials and other foreign matter. Material sampling shall be in accordance with the requirements for stone by the Louisiana Department of Transportation and Development's, Latest Edition and Revisions and all applicable sections of the materials sampling manual. Crushed concrete shall conform to the abrasion and soundness requirements of the Standard Specifications for Roads and Bridges, Latest Edition and conform to the following gradation:

Class I

U. S. Sieve	Percent Passing
1-1/2"	100
1"	90-100
3/4"	70-100
No. 4	35-65
No. 40	12-32
No. 200	5-16

Aggregate passing the No. 40 sieve shall have a maximum plasticity index of 6.

Class II

Crushed concrete in Class II gradation shall have 100% passing through 4 inch mesh and a maximum of 20% passing through 2 inch mesh.

Crushed concrete in Class II shall be bid under item for crushed concrete.

SAND

Sand shall conform to the following requirements:

Liquid Limit (Maximum)	25%
Plasticity Index (Maximum)	6%

CRACK AND JOINT SEALING (SEE ITEM 0890):

This item is to provide general sealing of cracks and/or joints in existing pavement. This work would usually be done in areas contiguous to a paving project being done under this contract. Bid prices should include all costs for labor, materials and equipment required to apply an approved liquid poured sealant of the asphalt type as specified under Section 1005.02 of LADOTD Specifications for Roads and Bridges, Latest Edition and Revisions. Cracks and/or joint shall be cleaned and chipped if necessary in accordance with generally accepted procedures prior to pouring the sealant.

REINFORCING STEEL:

This work consists of furnishing fabricating and placing reinforcing steel for reinforced Portland cement concrete structures.

Reinforcing steel shall be Grade 60 deformed bars conforming to ASTM 615, in accordance with Sections 806 and 1009 of the LADOTD Standard Specifications for Roads and Bridges, Latest Edition.

Reinforcing steel will be paid for by the pound, which includes furnishing all equipment, labor and materials necessary to complete the work, unless used in conjunction with another item that includes reinforcing steel as incidental to its unit price, (such as items 0280, 0290, and 0300).

TESTING:

The parish at its own will and expense can appoint an independent testing laboratory for material and construction testing. No advance notice of testing will be provided to the contractor. Also testing by parish will not relieve contractor from his own testing procedures. In the event test results by contractor or parish do not meet the required specifications, contractor shall replace or reconstruct and correct all the deficiencies to satisfy the specifications. There shall be no adjustment in bid price for additional pavement thickness detected as a result of any testing.

GENERAL:

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the inspector general in any investigation, audit, inspection, performance review, or hearing pursuant to this chapter. Every parish contract and every bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program shall contain a statement that the corporation, partnership, or person understands and will abide by all provisions of this chapter.

INFORMATIONAL PURPOSES ONLY

FOR ITEMS 0242 & 0244

ACI 522.1-13

**Specification for
Pervious Concrete Pavement**

An ACI Standard

Reported by ACI Committee 522



American Concrete Institute®



American Concrete Institute®
Advancing concrete knowledge

First Printing
June 2013

Specification for Pervious Concrete Pavement

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at www.concrete.org/committees/errata.asp. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided "as is" without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order Information: ACI documents are available in print, by download, on CD-ROM, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised ACI Manual of Concrete Practice (MCP).

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
U.S.A.
Phone: 248-848-3700
Fax: 248-848-3701

ACI 522.1-13

Specification for Pervious Concrete Pavement

An ACI Standard

Reported by ACI Committee 522

Matthew A. Offenberg, Chair
Charles A. Weiss Jr., Vice Chair

Narayanan Nelthalam, Secretary

William L. Arent
Bob J. Banka
William D. Brant
Heather J. Brown
Javier Castro
Manoj Chopra
John F. Cook
Michael S. Davy
Narben J. Delatte
Aly Ibrahim Eldarwish
Scott J. Erickson
Dale Fisher

Walter H. Flood IV
Bruce A. Glaspey
Liv Haselbach
Omer Heracklis
Daniel J. Huffman
John T. Kevern
Frank Lennox
Milan R. Lipensky
John R. Love III
Darnawan Ludirdja
Allyn C. Luke
Brian G. Lutey

Kamyar C. Mahboub
Andrew E. Marks
Luis A. Mata
Oon-Soo Ooi
Joseph E. Rottman
Thomas L. Rozsits
George W. Seegebrecht
David M. Suchorski
Diep T. Tu
Christopher R. Tull
Robert Louis Varner
Don J. Wade

W. Jason Weiss
Kevin D. Wolf
Peter T. Yen

Consulting members
Bruce K. Ferguson
N. Mike Jackson
Scott M. Palotta
Stephen F. Rohrbach
Andy K. Youngs

This Specification covers materials, preparation, forming, placing, finishing, jointing, curing, and quality control of pervious concrete pavement. Provisions governing testing, evaluation, and acceptance of pervious concrete pavement are included.

This Reference Specification can be made applicable by citing it in the Project Specifications. The Architect/Engineer can supplement this reference specification, as needed, by specifying individual project requirements.

Keywords: construction; curing; inspection; jointing; parking lots; testing.

CONTENTS

(nonmandatory portion follows)

PART 1—GENERAL, p. 2

- 1.1—Scope, p. 2
- 1.2—Definitions, p. 2
- 1.3—Referenced standards, p. 2
- 1.4—Submittals, p. 3
- 1.5—Quality control, p. 3

PART 2—PRODUCTS, p. 4

- 2.1—Subbase, p. 4
- 2.2—Pervious concrete, p. 4
- 2.3—Isolation joint material, p. 4
- 2.4—Forms, p. 4
- 2.5—Polyethylene curing sheet, p. 4

PART 3—EXECUTION, p. 4

- 3.1—Subgrade preparation, p. 4
- 3.2—Subbase, p. 5

- 3.3—Setting formwork, p. 5
- 3.4—Batching, mixing, and delivery, p. 5
- 3.5—Placing and finishing fixed-form pavement, p. 5
- 3.6—Placing and finishing slipform pavement, p. 5
- 3.7—Final surface texture, p. 5
- 3.8—Edging, p. 5
- 3.9—Tolerances, p. 5
- 3.10—Curing, p. 5
- 3.11—Cold-weather construction, p. 5
- 3.12—Jointing, p. 5
- 3.13—Opening to traffic, p. 6

NOTES TO SPECIFIER, p. 6

General Notes, p. 6

FOREWORD TO CHECKLISTS, p. 6

MANDATORY REQUIREMENTS CHECKLIST, p. 7

SUBMITTALS CHECKLIST, p. 7

(mandatory portion follows)

ACI 522.1-13 supersedes ACI 522.1-08, became effective May 22, 2013, and was published June 2013.

Copyright © 2013, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

PART 1—GENERAL

1.1—Scope

1.1.1 This Specification provides requirements for the construction of pervious concrete pavement.

1.1.2 If the requirements of this Specification conflict with the Contract Documents, the Contract Documents shall govern.

1.1.3 Values in this Specification are stated in inch-pound units. A companion Specification in SI units is also available.

1.1.4 Plus (+) tolerance increases the amount or dimension to which it applies, or raises a deviation from level. Minus (–) tolerance decreases the amount or dimension to which it applies, or lowers a deviation from level. Where only one signed tolerance is specified (+ or –), there is no specified tolerance in the opposing direction.

1.2—Definitions

acceptable or accepted—determined to be satisfactory by architect/engineer.

acceptance—acknowledgment by Architect/Engineer that submittal or completed Work is acceptable.

Architect/Engineer—the architect, engineer, architectural firm, or engineering firm developing contract documents or administering the work under contract documents, or both.

Contract Documents—a set of documents supplied by owner to bidders during bidding phase of a construction project. These documents include general requirements, contract forms, contract conditions, specifications, drawings, and addenda.

Contractor—the person, firm, or entity under contract for construction of the Work.

construction joint—the surface where two successive placements of concrete meet, across which it may be desirable to achieve bond.

contraction joint—formed, sawed, or tooled groove in a concrete structure to create a weakened plane to regulate the location of cracking.

design void content—the percentage of voids of a unit volume of pervious concrete based on the theoretical mixture proportions and design density and where the unit volume includes the volume of the solids and the voids.

early-entry dry-cut saw—a tool designed to produce joints in concrete commencing 1 to 4 hours after finishing.

hardened density—the dry density of pervious concrete as determined by Paragraphs 8.3 and 9.3 of ASTM C140-12.

hydration-stabilizing admixtures—set-retarding admixtures, conforming to ASTM C494/C494M Type B or D, that can predictably reduce the hydration rate of cement for applications requiring the management of time of setting of returned concrete, reducing the hydration rate of cement fines in water from concrete production, or for applications requiring extended delivery time of ready mixed concrete.

isolation joint—a normally vertical interface allowing relative movement without transferring sufficient tension, compression, or traction forces to negatively affect the performance of a pavement structure.

Owner—the corporation, association, partnership, individual, public body, or authority for whom the Work is constructed.

panel—a concrete element that is relatively thin with respect to other dimensions and is bordered by joints or edges.

permitted—accepted by or acceptable to Architect/Engineer, usually pertaining to a request by Contractor, or when specified in Contract Documents.

pervious pavement—a pavement comprising material with sufficient continuous voids to allow water to pass from the surface to the underlying layers.

Project Drawings—graphic presentation of project requirements.

Project Specification—written document that details requirements for the Work in accordance with service parameters and other specific criteria.

referenced standards—standardized mandatory-language documents of a technical society, organization, or association, including codes of local or state authorities, which are incorporated by reference in Contract Documents.

subbase—the layer in a pavement system between the subgrade and the base course, or between the subgrade and a pervious concrete pavement.

submittal—document or material provided to Architect/Engineer for review and acceptance.

Work—the entire construction or separately identifiable parts thereof required to be furnished under Contract Documents.

1.3—Referenced standards

1.3.1 Standards of ACI and ASTM cited in this Specification are listed by name and designation, including year.

1.3.1.1 *American Concrete Institute*

306.1-90—Standard Specification for Cold Weather Concreting

1.3.1.2 *ASTM International*

C42/C42M-13—Standard Test Method for Obtaining and Testing Drilled Cores and Sawed Beams of Concrete

C94/C94M-13—Standard Specification for Ready Mixed Concrete

C140-12—Standard Test Methods for Sampling and Testing Concrete Masonry Units and Related Units

C150/C150M-12—Standard Specification for Portland Cement

C171-07—Standard Specification for Sheet Materials for Curing Concrete

C172/C172M-10—Standard Practice for Sampling Freshly Mixed Concrete

C174/C174M-12—Standard Test Method for Measuring Thickness of Concrete Elements Using Drilled Concrete Cores

C260/C260M-10—Standard Specification for Air-Entraining Admixtures for Concrete

C494/494M-12—Standard Specification for Chemical Admixtures for Concrete

C595/595M-13—Standard Specification for Blended Hydraulic Cements

C618-12—Standard Specification for Coal Fly Ash and Raw or Calcined Natural Pozzolan for Use in Concrete
 C979/C979M-10—Standard Specification for Pigments for Integrally Colored Concrete
 C989/C989M-12a—Standard Specification for Slag Cement for Use in Concrete and Mortars
 C1017/C1017M-07—Standard Specification for Chemical Admixtures for Use in Producing Flowing Concrete
 C1077-13—Standard Practice for Agencies Testing Concrete and Concrete Aggregates for Use in Construction and Criteria for Testing Agency Evaluation
 C1116/C1116M-10—Standard Specification for Fiber-Reinforced Concrete
 C1157/1157M-11—Standard Performance Specification for Hydraulic Cement
 C1240-12—Standard Specification for Silica Fume Used in Cementitious Mixtures
 C1688/C1688M-13—Standard Test Method for Density and Void Content of Freshly Mixed Pervious Concrete
 D994/D994M-11—Standard Specification for Preformed Expansion Joint Filler for Concrete (Bituminous Type)
 D1751-04(2008)—Standard Specification for Preformed Expansion Joint Filler for Concrete Paving and Structural Construction (Nonextruding and Resilient Bituminous Types)
 D1752-04(2008)—Standard Specification for Preformed Sponge Rubber Cork and Recycled PVC Expansion Joint Fillers for Concrete Paving and Structural Construction
 D3385-09—Standard Test Method for Infiltration Rate of Soils in Field Using Double-Ring Infiltrometer
 D3665-12—Standard Practice for Random Sampling of Construction Materials
 E329-11—Standard Specification for Agencies Engaged in Construction Inspection, Testing, or Special Inspection

1.4—Submittals

1.4.1 Submit drawings and documentation required in 1.4.1.1 through 1.4.1.8. Obtain written acceptance of submittals by Architect/Engineer before the execution of the related portion of Work.

1.4.1.1 Qualifications of Contractor as specified in 1.5.1.1.

1.4.1.2 Proposed concrete mixture proportions with density and void content of freshly mixed pervious concrete per ASTM C1688/C1688M.

1.4.1.2.1 In-place pavement test results from previous work, completed in the last 24 months, including density and void content of freshly mixed pervious concrete, mixture proportions, thickness, density and void content of cores extracted from the pavement, if tested, when required by Architect/Engineer.

1.4.1.3 Reports covering the source and quality of concrete materials.

1.4.1.4 Two test panels, as described in 1.5.2.2, shall be placed, jointed, and cured; each a minimum of 225 ft² and being within tolerance of the required thickness defined by Contract Documents. The required information to be submitted from the test panels shall be: density of the fresh concrete, length of cores, and density of cores.

1.4.1.5 Jointing plan and placing sequence, if proposed alternatively to the Contract Documents.

1.4.1.6 When hot weather is anticipated, submit detailed procedures for the production, transportation, placement, protection, curing, and temperature monitoring of concrete during hot weather.

1.4.1.7 In cold weather, submit detailed procedures for the production, transportation, placement, protection, curing, and temperature monitoring of concrete.

1.4.1.8 Qualifications of testing agency as specified in 1.5.1.2.

1.5—Quality control

1.5.1 *General*—Test and inspect concrete materials and operations as Work progresses as described in 1.5.3. Failure to detect defective Work or material at any time will not prevent rejection if a defect is discovered later, nor shall it constitute final acceptance.

1.5.1.1 *Contractor*—Employ no less than one National Ready Mixed Concrete Association (NRMCA) certified Pervious Concrete Craftsman who must be on site, overseeing each placement crew during all concrete placement, or employ no less than three NRMCA Certified Pervious Concrete Installers, who must be on site working as members of each placement crew during all concrete placement, unless otherwise specified. The minimum number of certified individuals must be present on each pervious concrete placement, including the test panel placements, and a certified individual must be in charge of the placement crew and procedures.

1.5.1.2 *Testing agencies*—Agencies that perform testing services on concrete materials shall meet the requirements of ASTM C1077. Agencies inspecting the Work shall meet the requirements of ASTM E329. Testing agencies performing the testing shall be accepted by Architect/Engineer before performing any Work.

1.5.1.3 *Field technicians*—Field tests of concrete required in 1.5.3 shall be performed by an individual certified as both an NRMCA Certified Pervious Concrete Technician, or equivalent, and an ACI Concrete Field Testing Technician—Grade I, or equivalent.

1.5.2 Responsibilities of Contractor

1.5.2.1 Advise Owner's testing agency at least 48 hours before concrete placement.

1.5.2.2 *Test panels*—Place two test panels on the project site, on a subgrade and subbase prepared as specified, using the material and construction requirements for pavement in this Specification. Each panel must have an area of at least 225 ft², and a width and thickness as specified for the pavement in the Contract Documents.

1.5.3 Responsibilities of testing agency

1.5.3.1 Complete at least one density test on a sample of freshly mixed pervious concrete for each day of concrete placement and for each test panel in accordance with ASTM C1688/C1688M. Sample freshly mixed concrete in accordance with ASTM C172/C172M. Size of sample shall be at least 1 ft³.

1.5.3.2 Remove three cores from each lot of 5000 ft² and each test panel in accordance with ASTM C42/C42M, not less than 7 days after placement of the pervious concrete.

1.5.3.2.a Cores shall be a nominal 4 in. diameter.

1.5.3.2.b Select three core locations in accordance with ASTM D3665.

1.5.3.2.c Measure the core length in accordance ASTM C174/C174M.

1.5.3.2.d After thickness determination, trim the cores and measure the hardened density of the core in accordance with Paragraphs 8.3 and 9.3 of ASTM C140. Trim core bottoms to remove only the material necessary to produce a flat end. Trimmed core ends shall be perpendicular to the longitudinal axis and meet the requirements of ASTM C42/C42M, 7.4.1 and 7.4.2.

1.5.3.3 Record the length and density of each individual core and the average length and density of the three cores. Test results will be submitted to the Contractor, concrete producer, and Architect/Engineer within 24 hours of completing the tests.

1.5.3.4 Core holes shall be filled with conventional concrete or preblended grout.

1.5.4 Acceptance of test panels

1.5.4.1 The fresh density from a test panel shall be within ± 5 lb/ft³ of the accepted fresh density from the submitted mixture proportion in 1.4.1.2.

1.5.4.2 Tolerances from specified thickness of pavement shall comply with 1.5.4.2.a and 1.5.4.2.b.

1.5.4.2.a Average length of three cores...-3/8 in., +1.5 in.

1.5.4.2.b Length of an individual core.....-3/4 in.

1.5.4.3 If the test panel does not comply with 1.5.4.1 and 1.5.4.2, the test panel shall be rejected, removed, and replaced at Contractor's expense, unless otherwise permitted.

1.5.4.4 If the test panel complies with 1.5.4.1 and 1.5.4.2 and the Architect/Engineer accepts the test panel, the panel may be left in place and included in the completed Work. The average hardened densities from the two accepted test panels shall be the hardened density used as the basis of acceptance for the remainder of the pavement in accordance with 1.5.5.3.

1.5.5 Acceptance of pavement

1.5.5.1 The fresh density from a lot must be within ± 5 lb/ft³ of the accepted fresh density from the submitted mixture proportion in 1.4.1.2.

1.5.5.2 Tolerance from specified thickness of pavement is listed in 1.5.5.2.a and 1.5.5.2.b.

1.5.5.2.a Average length of three cores...-3/8 in., +1.5 in.

1.5.5.2.b Length of an individual core.....-3/4 in.

1.5.5.3 The average hardened density from a lot must be within ± 5 percent of the accepted hardened density in 1.5.4.4.

1.5.5.4 When a lot is outside one or more of the limits of 1.5.5.1 through 1.5.5.3, the lot shall be subject to rejection, removal, and replacement at Contractor's expense, unless accepted by Owner.

PART 2—PRODUCTS

2.1—Subbase

Coarse aggregates shall meet the size, quality, and grading requirements of Contract Documents.

2.2—Pervious concrete

Comply with ASTM C94/C94M (except sections: 4.2, 6.1.2, 6.1.3, 6.1.4, 6.1.5, 7, 8, 16, 17, 18, 19, and 20) and the requirements listed in 2.2.1 through 2.2.7. The volume of fresh concrete in a given batch shall be determined from the total mass of the batch divided by the design density of the concrete. The total mass of the batch shall be determined as the net mass of the concrete in the batch as delivered, including the total mixing water as defined in ASTM C94/C94M Paragraph 9.3.

2.2.1 *Thickness*—The thickness of pervious concrete pavement shall be as specified in contract documents.

2.2.2 *Aggregates*—Nominal maximum aggregate size shall not exceed 1 in., unless otherwise specified.

2.2.3 *Cement*—Cement shall comply with ASTM C150/C150M, C595/C595M, or C1157/C1157M.

2.2.4 *Admixtures*—Chemical admixtures shall comply with ASTM C260/C260M, ASTM C494/C494M, or ASTM C1017/C1017M unless otherwise specified.

2.2.5 *Fibers*—Fibers shall comply with ASTM C1116/C1116M, 4.1.3 or 4.1.4. Fibers may be used in pervious concrete mixtures when permitted by the Architect/Engineer.

2.2.6 *Pigments*—Pigments shall comply with ASTM C979/C979M.

2.2.7 *Supplementary cementitious materials*—Supplementary Cementitious Materials shall comply with ASTM C618, C989/C989M, or C1240.

2.3—Isolation joint material

2.3.1 Isolation joint materials shall comply with ASTM D994/D994M, D1751, or D1752.

2.4—Forms

2.4.1 Make forms with steel, wood, or other materials that are sufficiently rigid to maintain specified tolerances and capable of supporting concrete and mechanical concrete placing equipment.

2.4.2 Use forms clean and free of debris, non-adherent rust, and hardened concrete.

2.5—Polyethylene curing sheet

2.5.1 Polyethylene curing sheet shall comply with ASTM C171.

PART 3—EXECUTION

3.1—Subgrade preparation

3.1.1 Prepare subgrade as specified in Contract Documents.

3.1.2 Construct subgrade to $\pm 3/4$ in. of the specified elevation.

3.1.3 Provide physical barriers or direct traffic to minimize vehicular traffic on the subgrade during construction.

Regrade and recompact subgrade disturbed by construction traffic, as needed.

3.1.4 Protect all specified trees, vegetation, and root systems near the area to be paved with pervious concrete. If trees, vegetation, or root systems are damaged, Contractor shall replace materials.

3.1.5 Determine subgrade permeability in accordance with ASTM D3385 before subbase or concrete placement. If the subgrade permeability is less than specified, proceed as indicated in Contract Documents.

3.2—Subbase

3.2.1 Prepare subbase, where specified, in accordance with Contract Documents.

3.2.2 Construct subbase to $\pm 3/4$ in. of the specified elevation.

3.2.3 Provide physical barriers or direct traffic to minimize vehicular traffic on the subbase during construction. Regrade and recompact subbase disturbed by construction traffic, as needed.

3.3—Setting formwork

3.3.1 Set, align, and brace forms so that the hardened pavement meets the tolerances specified in 3.9.

3.3.2 Apply form-release agent to the form face, which will be in contact with concrete, immediately before placing concrete.

3.3.3 The vertical face of previously placed concrete may be used as a form.

3.3.3.1 Protect previously placed pavement from damage.

3.3.3.2 Do not apply form release agent to previously placed concrete.

3.4—Batching, mixing, and delivery

3.4.1 Begin mixing immediately after cement has been added to aggregates. Batch and mix in compliance with ASTM C94/C94M, except that discharge shall be completed within 60 minutes of the introduction of mixture water or aggregate to the cement. Increase time to 120 minutes when using a hydration-stabilizing admixture. Additional water may be added on site, but the fresh density must still meet requirements of 1.5.5.1 after water addition.

3.5—Placing and finishing fixed-form pavement

3.5.1 Wet the subgrade or subbase with water before concrete placement such that the material is saturated but without any standing water on the prepared subbase immediately before concrete placement.

3.5.2 Deposit concrete either directly from the transporting equipment or by conveyor onto the subgrade or subbase, unless otherwise specified.

3.5.3 Do not place concrete on frozen subgrade or subbase.

3.5.4 Deposit concrete between the forms to an approximately uniform height.

3.5.5 Spread the concrete using mechanized equipment or hand tools, without segregation.

3.5.6 Strike off concrete between forms using a form-riding paving machine, roller screed, or vibrating screed.

Other strike-off devices may be used when accepted by Architect/Engineer.

3.5.7 Finish the pavement to the elevations and thickness specified in accordance with 3.9.

3.6—Placing and finishing slipform pavement

3.6.1 Slipform equipment is permitted.

3.6.2 Deposit concrete in accordance with 3.5.1, 3.5.2, and 3.5.3.

3.7—Final surface texture

3.7.1 Compact concrete to a dense, open-textured surface to match the appearance of the test panel.

3.8—Edging

3.8.1 Edge top surface to a radius of not less than 1/4 in.

3.9—Tolerances

3.9.1 Construct pavement to comply with the tolerances in 3.9.1.1 through 3.9.1.3:

3.9.1.1 Elevation: $+3/4$ in., $-3/4$ in.

3.9.1.2 Thickness: $+1-1/2$ in., $-3/8$ in.

3.9.1.3 Contraction joint depth: 1/4 thickness of pavement $+1/4$ in., $-1/4$ in.

3.9.1.4 Smoothness: Similar to approved test panel with no abrupt offsets unless required by the contract drawings.

3.9.2 Mechanically sweep or vacuum pavement with clean equipment, or flush with water, before testing for compliance with tolerances.

3.10—Curing

3.10.1 Begin curing within 20 minutes of concrete discharge, unless otherwise specified or permitted.

3.10.2 Completely cover the pavement surface and all exposed edges with a polyethylene sheet, unless otherwise permitted.

3.10.3 Thoroughly secure a polyethylene sheet at all exterior edges and interior laps without using soil. The method of securing the cover material shall prevent wind from removing the sheet and from blowing under the sheet across the surface of the concrete.

3.10.4 Cure pavement for a minimum of 7 uninterrupted days, unless otherwise specified.

3.11—Cold-weather construction

3.11.1 Protect concrete from freezing and record concrete temperature no less than twice per 24-hour period in accordance with ACI 306.1.

3.12—Jointing

3.12.1 Construct joints at the locations, depths, and with horizontal dimensions indicated in Contract Documents, unless otherwise specified.

3.12.2 Create contraction joints by one of the methods listed in 3.12.2.1 or 3.12.2.2.

3.12.2.1 Tool contraction joints to the specified depth and width in fresh concrete immediately after the concrete is compacted.

3.12.2.2 Sawcut concrete after concrete has hardened sufficiently to prevent aggregate from being dislodged and soon enough to control pavement cracking. To minimize drying, ensure that curing materials are removed only as needed to make cuts.

3.13—Opening to traffic

3.13.1 Do not open the pavement to vehicular traffic until the concrete has cured for at least 7 uninterrupted days during which the ambient temperature has exceeded 55°F during any time of the day.

(Nonmandatory portion follows)

NOTES TO SPECIFIER

General Notes

G1. ACI Specification 522.1 is to be used by reference or incorporation in its entirety in the Project Specification. Do not copy individual parts, sections, articles, or paragraphs into the project specification, because taking them out of context may change their meaning.

G2. If sections or parts of ACI Specification 522.1 are copied into the Project Specification or any other document, do not refer to them as an ACI specification, because the specification has been altered.

G3. A statement such as the following will serve to make ACI Specification 522.1 a part of the Project Specification:

"Work on (Project Title) shall conform to all requirements of ACI 522.1, 'Specification for Pervious Concrete Pavement,' published by the American Concrete Institute, Farmington Hills, Michigan, except as modified by these Contract Documents."

G4. Each technical section of ACI Specification 522.1 is written in the three-part section format of the Construction

Specifications Institute, as adapted for ACI requirements. The language is imperative and terse.

G5. If ACI Specification 522.1 is used with another ACI Specification that contains overlapping provisions, identify which requirements are in conflict and state in the contract documents which requirements control.

FOREWORD TO CHECKLISTS

F1. This Foreword is included for explanatory purposes only; it does not form a part of Specification ACI 522.1.

F2. ACI Specification 522.1 may be referenced by the Specifier in the Project Specification for any building project, together with supplementary requirements for the specific project. Responsibilities for project participants must be defined in the Project Specification. ACI Specification 522.1 cannot and does not address responsibilities for any project participant other than the Contractor.

F3. Checklists do not form a part of ACI Specification 522.1. Checklists assist the Specifier in selecting and specifying project requirements in the project specification.

F4. The Mandatory Requirements Checklist indicates work requirements regarding specific qualities, procedures, materials, and performance criteria that are not defined in ACI Specification 522.1. The Specifier must include these requirements in the Project Specification.

F5. *Recommended references*—Documents and publications that are referenced in the checklists of ACI Specification 522.1 are listed below. These references provide guidance to the Specifier and are not considered to be part of ACI Specification 522.1.

American Concrete Institute

ACI 305R—Guide to Hot Weather Concreting

ACI 306R—Guide to Cold Weather Concreting

SPECIFICATION FOR PERVIOUS CONCRETE PAVEMENT (ACI 522.1-13)

7

MANDATORY REQUIREMENTS CHECKLIST

Section/Part/Article	Notes to Specifier
2.1	Specify coarse aggregate size, quality, and grading requirements.
2.2.1	Specify pavement thickness.
3.1.1	Specify subgrade preparation and permeability requirements in appropriate section of Contract Documents.
3.1.4	Identify trees, vegetation, and root systems to protect near the area to be paved with pervious concrete.
3.5.7	Specify final surface profile, elevations, and pavement thicknesses in Contract Documents.
3.12.1	Specify joint locations, depths, and dimensions on Project Drawings.

SUBMITTALS CHECKLIST

Section/Part/Article	Submittal Items and Notes to Specifier
<i>General requirements</i>	
1.4.1.2	Review and accept mixture proportions.
1.4.1.2.1	Review and accept in-place pavement test results from previous work.
1.4.1.3	Review and accept concrete raw materials.
1.4.1.4	Review and accept test panels.
1.4.1.5	Review and accept jointing plan and placing sequence.
1.4.1.8	Review and accept qualifications of testing agency.
<i>Contractor qualification</i>	
1.5.1.1	Review and accept NRMCA certification documents from Contractor or qualifications alternative to NRMCA certification documenting proficiency and experience in constructing pervious concrete pavements.
<i>Batching, mixing, and delivery</i>	
3.4.1	When required, verify that the use of hydration stabilizing admixture extends the delivery time of the concrete to 120 minutes: either through documented project experience with the admixture at the proposed dosage rate and concrete temperature, or in conjunction with the test panel placement, by placing an additional panel, without adding additional water to the load, at 110 minutes after batching.
<i>Hot- and cold-weather construction</i>	
1.4.1.6	When required, verify execution plan from Contractor where applicable. Refer to ACI 305R.
1.4.1.7	When required, verify execution plan from Contractor where applicable. Refer to ACI 306R.
<i>Jointing</i>	
1.4.1.5	Review and accept drawings from Contractor describing joint requirements and spacing. Contractor's jointing plan should follow the general guidelines: Spacing between contraction joints shall not exceed 20 ft. The larger horizontal dimension of a slab panel shall not exceed 125 percent of the smaller horizontal dimension. The angle between two intersecting joints shall be between 80 and 100 degrees, unless otherwise specified. Joints shall intersect pavement exterior edges at 90-degree angles and shall extend straight for a minimum of 1-1/2 ft from the pavement edge where possible. Align joints of adjacent pavement panels. Contraction joint depth shall be 1/4 to 1/3 of the pavement thickness. Minimum joint width for sawcutting is 1/8 in. Use isolation joints where pavement abuts fixed objects, such as buildings, foundations, and manholes. Extend isolation joints through the full depth of the pavement. Fill the entire isolation joint with isolation joint material.



As ACI begins its second century of advancing concrete knowledge, its original chartered purpose remains "to provide a comradeship in finding the best ways to do concrete work of all kinds and in spreading knowledge." In keeping with this purpose, ACI supports the following activities:

- Technical committees that produce consensus reports, guides, specifications, and codes.
- Spring and fall conventions to facilitate the work of its committees.
- Educational seminars that disseminate reliable information on concrete.
- Certification programs for personnel employed within the concrete industry.
- Student programs such as scholarships, internships, and competitions.
- Sponsoring and co-sponsoring international conferences and symposia.
- Formal coordination with several international concrete related societies.
- Periodicals: the ACI Structural Journal and the ACI Materials Journal, and Concrete International.

Benefits of membership include a subscription to Concrete International and to an ACI Journal. ACI members receive discounts of up to 40% on all ACI products and services, including documents, seminars and convention registration fees.

As a member of ACI, you join thousands of practitioners and professionals worldwide who share a commitment to maintain the highest industry standards for concrete technology, construction, and practices. In addition, ACI chapters provide opportunities for interaction of professionals and practitioners at a local level.

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
U.S.A.
Phone: 248-848-3700
Fax: 248-848-3701

Specification for Pervious Concrete Pavement

The AMERICAN CONCRETE INSTITUTE

was founded in 1904 as a nonprofit membership organization dedicated to public service and representing the user interest in the field of concrete. ACI gathers and distributes information on the improvement of design, construction and maintenance of concrete products and structures. The work of ACI is conducted by individual ACI members and through volunteer committees composed of both members and non-members.

The committees, as well as ACI as a whole, operate under a consensus format, which assures all participants the right to have their views considered. Committee activities include the development of building codes and specifications; analysis of research and development results; presentation of construction and repair techniques; and education.

Individuals interested in the activities of ACI are encouraged to become a member. There are no educational or employment requirements. ACI's membership is composed of engineers, architects, scientists, contractors, educators, and representatives from a variety of companies and organizations.

Members are encouraged to participate in committee activities that relate to their specific areas of interest. For more information, contact ACI.



American Concrete Institute®
Advancing concrete knowledge

DATE: 1/20/2021
BID NO.: 50-00133108

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: DNELSON@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 2/25/2021 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 AND VIA TELECONFERENCE (DIAL-IN AT (504) 323-1800, MEETING ID: 181357) At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

DATE: 1/20/2021

BID NO.: 50-00133108

Page: 2

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns, and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. For purchases of labor and materials, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

DATE: 1/20/2021

BID NO.: 50-00133108

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Page: 3

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

2,3,4,6,7,10,11,12,13,14

**PRE-BID CONFERENCE TO BE HELD AT: J.P. PURCHASING DEPT., 200 DERBIGNY ST.,
STE. 4400, GRETNA, LA 70053 AT 10:00 AM
ON 2/09/2021**

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

LOUISIANA UNIFORM PUBLIC WORK BID FORM

50-00133108

Page: 6

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(

BID FOR: **CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)**

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: Jefferson Parish Department of Public Works, Streets

(Owner to provide name of entity preparing bidding documents.) and dated: January 20, 2021

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following **ADDENDA**: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) _____

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of:

_____ Dollars (\$) _____

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A

_____ Dollars (\$) _____

Alternate No. 2 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A

_____ Dollars (\$) _____

Alternate No. 3 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A

_____ Dollars (\$) _____

NAME OF BIDDER: _____

ADDRESS OF BIDDER: _____

LOUISIANA CONTRACTOR'S LICENSE NUMBER: _____

NAME OF AUTHORIZED SIGNATORY OF BIDDER: _____

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: _____

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **: _____

DATE: _____

**THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA
UNIFORM PUBLIC WORK BID FORM:**

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** A **CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public work as prescribed by LA-R.S. 38:2218 (B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA-R.S. 38:2218.(A) is attached to and made a part of this bid.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0010 PCC 4 INCH THICK (REMOVAL/DISPOSAL REPLACEMENT OR NEW) HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE FOR SIDEWALK		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0010	1,760.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0020 PCC 5 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, FOR INCIDENTAL CONCRETE, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0020	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0030 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH 4000 PSI - 72 HOURS IN PLACE FOR DRIVE- WAY APRON (W/O STEEL MESH REINFORCEMENT		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0030	4,200.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0040 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH 4000 PSI - 72 HOURS IN PLACE FOR HANDICAPPED RAMP WITH 6X6 - W2.9 STEEL		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0040	1,000.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0050 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0050	200.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0060 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQ YD OR GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0060	65,000.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0070 PCC 8 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0070	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0080 PCC 8 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH 4000 PSI - 72 HOURS IN PLACE FOR HANDICAPPED RAMPS WITH 6X6 - W2.9 STEEL		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0080	250.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES& MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0090 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0090	275.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0100 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0100	8,800.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0110 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (LESS THAN 50 SQ YDS PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0110	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0120 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0120	1,500.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0130 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW), HIGH EARLY STRENGT 4000 PSI - 24 HOURS, IN PLACE FOR DRIVEWAY APRON (WITHOUT STEEL MESH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0130	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0140 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0140	200.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0150 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0150	200.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0160 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0160	50.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES& MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0170 PCC 9 INCH INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0170	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0180 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0180	50.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0190 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0190	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0192 PCC REMOVAL (ONLY), 6.5 INCH OR LESS		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0192	150.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0194 PCC REMOVAL (ONLY), GREATER THAN 6.5 INCH TO 10 INCH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0194	500.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0200 WASHED GRAVEL (PAVEMENT SURFACE)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0200	20.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0210 SLATE (PAVEMENT SURFACE)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0210	20.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0220 STONE PAVERS (PAVEMENT SURFACE)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0220	20.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES& MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0230 BRICK PAVERS (PAVEMENT SURFACE)	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0230	20.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0240 STAMPED CONCRETE (PAVEMENT SURFACE)	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0240	20.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0242 PERVIOUS CONCRETE PAVEMENT (6 INCH OR LESS)	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0242	50.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0244 PERVIOUS CONCRETE PAVEMENT (GREATER THAN 6 INCH UP TO 9 INCH)	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0244	125.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0250 PCC CURB (ONLY), EXTRUDED 8 IN HGT HIGH EARLY STRENGTH 4000 PSI - 72 HRS BARRIER TYPE (INCLUDES NO. 4 (U) SHAPED CURB DOWEL SPACED 2 FT-0 IN OC ANCHORED	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0250	100.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0260 PCC CURB (ONLY), EXTRUDED 6 IN HGT HIGH EARLY STRENGTH 4000 PSI - 72 HRS BARRIER TYPE (INCLUDES NO. 4 (U) SHAPED CURB DOWEL SPACED 2 FT-0 IN OC ANCHORED	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0260	200.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0270 PCC CURB (ONLY), EXTRUDED 5 IN ROLLOVER TYPE HIGH EARLY STRENGTH 4000 PSI - 72 HRS (INCLUDES NO. 4 (U) SHAPED DOWELS SPACED 2 FT-0 INCH O.C. ANCHORED	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0270	400.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0280 PCC (7 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL/REPLACEMENT OR NEW)	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0280	800.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0290 PCC (9 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL REPLACE- MENT OR NEW)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0290	75.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0300 PCC (10 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL/REPLACE- MENT OR NEW)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0300	25.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0310 EARTHWORK EXCAVATION BY TRUCK MEASURE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0310	100.00	CUYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0320 EARTHWORK EXCAVATION BY THEORETICAL VOLUME		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0320	200.00	CUYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0330 RIVER (BATTURE) SAND		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0330	100.00	CUYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0340 PUMP (SUGAR) SAND		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0340	3,700.00	CUYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0350 LIMESTONE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0350	300.00	TN		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0360 CRUSHED CONCRETE CLASS I OR II		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0360	50.00	TN		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES& MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0370 REINFORCED CONCRETE 15 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0370	8.00	LF
		UNIT PRICE
		UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0380 REINFORCED CONCRETE 18 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0380	8.00	LF
		UNIT PRICE
		UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0390 REINFORCED CONCRETE 24 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0390	8.00	LF
		UNIT PRICE
		UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0400 REINFORCED CONCRETE 30 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0400	8.00	LF
		UNIT PRICE
		UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0410 6 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0410	70.00	LF
		UNIT PRICE
		UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0420 8 INCH DIAMETER, P.V.C. PIPE, SDR 35, PERFORATED, 1/2 INCH DIAMETER HOLE, 12 INCH CENTER TO CENTER, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0420	14.00	LF
		UNIT PRICE
		UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0430 8 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0430	14.00	LF
		UNIT PRICE
		UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0440 10 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0440	28.00	LF
		UNIT PRICE
		UNIT PRICE EXTENSION (Quantity times Unit Price)

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES& MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0450 12 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0450	56.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0460 15 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0460	14.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0470 18 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0470	14.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0480 24 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0480	14.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0490 30 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0490	14.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0500 12 INCH DIAMETER, A-2000 PIPE IN PLACE, (AS APPROVED BY LADOTD-QPL66)	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0500	264.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0510 15 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0510	110.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0520 18 INCH DIAMETER , A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)	
	<input type="checkbox"/> Alt.#		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0520	22.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0530 21 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0530	22.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0540 24 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0540	22.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0550 24 INCH DIAMETER, CMP, RIBBED POLYMER COATED, 12 GA, INSTALLED		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0550	20.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0560 27 DIAMETER, CMP, RIBBED POLYMER COATED, 12 GA, INSTALLED		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0560	20.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0570 30 INCH DIAMETER, CMP, RIBBED POLYMER COATED, 12 GA, INSTALLED		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0570	20.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0580 CONVERT TYPE I CATCH BASIN (VERTICAL FACE) TO TYPE III (STANDARD ROLLOVER GRATE WITH FRAME)		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0580	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0590 CONVERT TYPE I CATCH BASIN TO 24 INCH X 36 INCH DROP INLET WITH FRAME AND GRATE		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0590	1.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0600 CONVERT EXISTING DRAIN INLET/CATCH BASIN TO MANHOLE (INCLUDES CASTINGS, COVER AND ALL RELATED WORK)		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0600	1.00	EA		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES& MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0610 CONVERT TYPE I CATCH BASIN TO 24 INCH X 36 INCH OR ROLLOVER INCLUDING MANHOLE COVER AND GRATE
REF NO.	QUANTITY	UNIT OF MEASURE
0610	1.00	EA
UNIT PRICE UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0620 YARD DRAIN, 12 INCH X 12 INCH OPEN GRATE WITH FRAME, 4 INCH BRICK WALL, 6 INCH CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0620	5.00	EA
UNIT PRICE UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0630 DROP INLET, 18 INCH X 18 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0630	10.00	EA
UNIT PRICE UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0640 DROP INLET, 24 INCH X 24 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0640	10.00	EA
UNIT PRICE UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0650 DROP INLET, 24 INCH X 36 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0650	5.00	EA
UNIT PRICE UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0660 CATCH BASIN, STANDARD ROLLOVER TYPE II, 8 INCH BRICK WALL, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0660	10.00	EA
UNIT PRICE UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0670 CATCH BASIN, STANDARD, TYPE I VERTICAL FACE, 8 INCH BRICK WALL, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0670	5.00	EA
UNIT PRICE UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0680 DRAINAGE MANHOLE, STANDARD, 8 INCH BRICK WALL, AVERAGE 48 INCH BOTTOM DIAMETER, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0680	5.00	EA
UNIT PRICE UNIT PRICE EXTENSION (Quantity times Unit Price)		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES& MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0690 CONFLICT BOX FOR CONFLICTING UNDERGROUND UTILITIES (INCLUDES CASTINGS, COVER AND ALL RELATED WORK)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0690	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0700 CATCH BASIN, NO. 5-8 INCH BRICK WALL,, TYPE I, VERTICAL FACE WITH FLAT GRATE IN THE GUTTER		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0700	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0710 CATCH BASIN, STANDARD, TYPE III, 8 INCH BRICK WALL, 8 INCH CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0710	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0720 CATCH BASIN, STANDARD, TYPE IV, 8 INCH BRICK WALL, 8 INCH CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0720	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0730 JUNCTION BOX, STANDARD 8 INCH BRICK WALL, 24 IN X 36 IN OPEN GRATE COVER WITH FRAME, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0730	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0740 STRUCTURAL GRADE ADJUSTMENTS (ELEV.) TO EXISTING CATCH BASIN/MANHOLE (NON-REINFORCED)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0740	400.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0750 STRUCTURAL GRADE ADJUSTMENTS EXISTING REINFORCED CONCRETE CATCH BASIN - SINGLE OR MANHOLE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0750	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0760 STRUCTURAL GRADE ADJUSTMENTS EXISTING REINFORCED CONCRETE CATCH BASINS - DOUBLED NO. 1 CATCH BASINS		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0760	5.00	EA		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0770 RING ADJUSTMENTS, PER INCH TO EXISTING MANHOLE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0770	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0780 MISCELLANEOUS TIE-INS, BLIND TIE, INCLUDES TEE IF NEEDED (YARD DRAINS, FILTER BEDS, ETC.)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0780	10.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0790 JUNCTION BOX (SPECIAL) 6 FT TO 8 FT DEPTH, BRICK WALL, 12 INCH THICK REINFORCED CONCRETE BASE SLAB 12 INCH THICK AREA 64 SQ. FT +/-		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0780	1.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0800 JUNCTION BOX (SPECIAL) 8 FT TO 10 FT. DEPTH, BRICK WALL, 12 INCH THICK REINFORCED CONCRETE BASE SLAB 12 INCH THICK AREA 100 SQ. FT. +/-		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0800	1.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0810 ASPHALT OR PCC SAW CUT, PER INCH DEPTH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0810	20,000.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0820 LIQUID POURED ASPHALT TYPE SEALANT APPLIED PER GALLON		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0820	20.00	GL		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0830 DETECTABLE WARNING PAD(24IN X 48IN) W/RAISED TRUNCATED DOMES PER ADA GUIDES VISUALLY CONTRASTING W/ADJOINING SURFACE TERRA COTTA IN PLACE FOR CURB RAMPS/LOAD		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0830	100.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0840 FURNISH AND INSTALL WIRE MESH REINFORCEMENT - 6X6-W2.9XW2.9 FOR PAVEMENT & WALKWAYS AS NEEDED (NOT USED IF WIRE MESH IS INCIDENTAL TO OTHER		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0840	2,500.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0850 SHEETING IN PLACE SHEETING MATERIAL SHOULD BE OAK DUNNAGE (2 INCH X 12 INCH, ACTUAL DIMENSIONS)
REF NO.	QUANTITY	UNIT OF MEASURE
0850	250.00	FT
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0860 ST. AUGUSTINE GRASS SOD/CENTPEDE GRASS SOD
REF NO.	QUANTITY	UNIT OF MEASURE
0860	4,500.00	SQYD
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0870 BERMUDA GRASS SEED
REF NO.	QUANTITY	UNIT OF MEASURE
0870	30.00	LB
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0880 RYE GRASS SEED
REF NO.	QUANTITY	UNIT OF MEASURE
0880	5.00	LB
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0890 8-8-8 GRANULAR FERTILIZER
REF NO.	QUANTITY	UNIT OF MEASURE
0890	30.00	LB
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0900 HYDRO-SEEDING
REF NO.	QUANTITY	UNIT OF MEASURE
0900	100.00	SQYD
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0910 GEOTEXTILE FABRIC (CLASS D)
REF NO.	QUANTITY	UNIT OF MEASURE
0910	500.00	SQYD
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0920 GEOGRID BASE REINFORCEMENT AND GEO SUB-GRADE IMPROVEMENT TYPE I, BOX 1100
REF NO.	QUANTITY	UNIT OF MEASURE
0920	5.00	SQYD
UNIT PRICE EXTENSION (Quantity times Unit Price)		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0930 GEOGRID BASE REINFORCEMENT AND GEO SUB-GRADE IMPROVEMENT TYPE II, BOX 1200		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0930	5.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0940 FIBROUS MATERIAL: PAVE PREP TYPE S		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0940	5.00	SQFT		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0950 FIBROUS MATERIAL: PAVE PREP TYPE SA		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0950	5.00	SQFT		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0960 REINFORCING STEEL BARS. IN PLACE		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0960	7,000.00	LB		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0970 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 200 SQ. IN. CROSS SECTION MAX, 4000 PSI		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0970	500.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0980 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 250 SQ. IN. CROSS SECTION MAX, 4000 PSI		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0980	100.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0990 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 300 SQ. IN. CROSS SECTION MAX, 4000 PSI		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0990	100.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1000 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 400 SQ. IN. CROSS SECTION MAX, 4000 PSI		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1000	50.00	LF		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1010 COLD MILLING EXISTING ASPHALT (PER INCH DEPTH)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1010	5.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1020 BITUMINOUS HOT MIX ASPHALT PATCHING AND LEVELING		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1020	1.00	TN		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1030 VEHICLE DETECTOR INDUCTIVE LOOP INSTALLATION OR REPLACEMENT		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1030	5.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1040 1 INCH, 2 INCH, OR 3 INCH P.V.C. CONDUIT IN EARTH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1040	5.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1050 ROAD GRADER AND OPERATOR (VENDOR TO INDICATE TYPE OF GRADER TO BE FURNISHED)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1050	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1060 PAVEMENT BREAKER, SELF-CONTAINED MOBILE WITH OPERATOR		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1060	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1070 GRADE-ALL WITH OPERATOR		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1070	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1080 DUMP TRUCK, TANDEM, 12 CU. YD. MINIMUM CAPACITY WITH DRIVE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1080	8.00	HR		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

CONCRETE STREET MAINTENANCE FOR
JEFFERSON PARISH DEPT. OF PUBLIC
WORKS, STREETS & ALL JEFFERSON
PARISH AGENCIES& MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1090 DUMP TRUCK, TRAILER, 24 CU. YD. MINIMUM CAPACITY WITH DRIVER		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1090	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1100 STREET SWEEPER 10 FT. SWEEP PATTERN 8 FT. MAIN BROOM, TWO (2) FT. SIDE BROOMS 3.5 CUYD (MIN.) FRONT LOADING HOPPER WITH OPERATOR		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1100	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1110 DOZER/D3 OR EQUAL WITH OPERATOR		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1110	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1120 NORTH AMERICAN GREEN S75 STRAW EROSION CONTROL BLANKET OR EQUIVALENT		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1120	5.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1130 NORTH AMERICAN GREEN S150 STRAW EROSION CONTROL BLANKET OR EQUIVALENT		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1130	5.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1140 NIGHT WORK		
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1140	1.00	JOB		

DESCRIPTION:	<input type="checkbox"/> Base Bid			
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input type="checkbox"/> Base Bid			
	<input type="checkbox"/> Alt.#			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED. THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE AND RECEIPT THEREFOR ALL
PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF
ANY SUCH BID OR CONTRACT, THIS CORPORATION HEREBY RATIFYING,
APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT
PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE
ABOVE DATED MEETING OF THE BOARD
OF DIRECTORS OF SAID CORPORATION,
AND THE SAME HAS NOT BEEN
REVOKED OR RESCINDED.

SECRETARY-TREASURER

DATE

Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant **MUST** select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Public Works Bid

AFFIDAVIT

STATE OF _____

PARISH/COUNTY OF _____

BEFORE ME, the undersigned authority, personally came and appeared: _____
_____, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized _____ of _____ (Entity),
the party who submitted a bid in response to Bid Number _____, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B _____ there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the parish to the Affiant.

Choice B _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Affiant personally has not been convicted of, nor has he/she entered into a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. No individual partner, incorporator, director, manager, officer, organizer, or member, who has a minimum of a ten percent ownership in the Bidding Entity, has been convicted of, or has entered a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall permanently bar any person or the bidding entity from bidding on public projects:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall bar any person or the bidding entity from bidding on public projects for a period of five years from the date of conviction or from the date of the entrance of the plea of guilty or nolo contendere:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67, 16)
- (c) Theft of a business record (R.S. 14:67.20)
- (d) False accounting (R.S. 14:70)
- (e) Issuing worthless checks (R.S. 14:71)
- (f) Bank fraud (R.S. 14:71.1)
- (g) Forgery (R.S. 14:72)
- (h) Contractors; misapplication of payments (R.S. 14:202)
- (i) Malfeasance in office (R.S. 14:134)

The five-year prohibition provided for in this section shall apply only if the crime was committed during the solicitation or execution of a contract or bid awarded pursuant to these provisions. If evidence is submitted substantiating that a false attestation has been made and the project must be readvertised or the contract cancelled, the awarded entity making the false attestation shall be responsible to the public entity for the costs of rebidding, additional costs due to increased costs of bids and any and all delay costs due to the rebid or cancellation of this project.

[The remainder of this page is intentionally left blank.]

Affiant further said:

- (1) Entity is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens.
- (2) Entity shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana.
- (3) Entity shall require all subcontractors to submit to the Entity a sworn affidavit verifying compliance with statements (1) and (2).

Signature of Affiant

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE _____ DAY OF _____, 20____.

Notary Public

Printed Name of Notary

Notary/Bar Roll Number

My commission expires _____.



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

February 19, 2021

ADDENDUM # 1

Bid Number: 50-00133108

Receipt Date: February 25, 2021

Description of Bid: Two (2) year contract for concrete street maintenance for the Jefferson Parish Department of Public Works, Streets and all Jefferson Parish agencies and municipalities

CLARIFICATION:

Question 1:

For items such as 0010-0080, does the term "removal/disposal/replacement or new) mean that for this pay item, the unit price should include the removal, disposal, and the repouring of new concrete in its place?

- Example:

We need to know if that line item will be as such:

Removal - \$60/sqyd

Disposal - \$60/sqyd

Replace concrete - \$60/sqyd

Total would be \$180/yard

In this case, a project 100sqyd project would be \$18000 on that pay item Or, would it be \$60/sqyd for all three combined resulting in \$6000 for a 100sqyd project on that pay item?

Answer:

Correct. There will be no separate pay for removal or disposal when replacing concrete under these items. The unit cost for these items are to cover the expense of removal and disposal. And it goes without saying that there will be no different pay for pouring new panels where none existing before.

GENERAL GOVERNMENT BLDG. — 200 DERBIGNY ST., SUITE 4400, GRETN, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. — 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET

If you bid \$180 per s.y. for any of those line items 0010-0080 and the area of concrete placed is 100 s.y., then the cost for that line item will be \$18,000 to remove the concrete, dispose of it, and pour new concrete in its place.

Question 2:

Who is the current contract holder

Answer:

Fleming Construction Company

Question 3:

Will JP issue the applicable pay items with the work orders or will vendors be responsible for classifying pay items?

Answer:

Jefferson Parish will have an inspector on site for each work order issued who will tell the contractor which items will be used for the work performed. Upon completion of any work order, the contractor and parish inspector will resolve quantities to be paid for work performed under the appropriate line items.

REVISION:

This addendum hereby revises and replaces the original bid form and specifications and is attached hereto. Bidders must submit this revised bid form with this submission. Failure to do so will result in bid rejection.

BID DUE DATE WILL REMAIN THE SAME FEBRUARY 25, 2021 AT 2:00 P.M.

Sincerely,

Daphne Nelson

Daphne Nelson
Buyer II

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form by indicating the addendum number listed above. Failure to list each addenda number on the bid form will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETN, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET

DATE: 2/19/2021
BID NO.: 50-00133108

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

BUYER: DNELSON@jeffparish.net

REVISED PER ADDENDUM 1

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 2/25/2021 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETN, LA 70053 AND VIA TELECONFERENCE (DIAL-IN AT (504) 323-1800, MEETING ID: 181357) At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

DATE: 2/19/2021

BID NO.: 50-00133108

Page: 2

REVISED PER ADDENDUM 1

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. For purchases of labor and materials, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

REVISED PER ADDENDUM 1

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

2,3,4,6,7,10,11,12,13,14,17

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DATE: 2/19/2021

BID NO.: 50-00133108

Page: 5
REVISED PER ADDENDUM 1

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

See Page 1 for Conflicts of Interest Statement

CONCRETE (STREET) MAINTENANCE

Two (2) year contract for Concrete (Street) Maintenance for the Jefferson Parish Department of Public Works – Streets and all Jefferson Parish agencies and municipalities (excluding Grand Isle).

BONDS:

Surety Bond: A bid bond in the amount of 5% of the bidders total and is required with bid submission.

Performance Bond: A performance bond in the amount of 50% of the contract total is required at the signing of the formal Contract.

Payment Bond: A payment bond in the amount of 50% of the contract total is required at the signing of the formal contract.

LOUISIANA STATE CONTRACTOR'S LICENSE: Vendor must have a Louisiana State Contractor's License in the Category of Highway, Street, and Bridge Construction.

GENERAL SPECIFICATIONS:

All work shall be performed in accordance with Jefferson Parish Standard Details for Roadways, Sidewalks and Curbs, as well as applicable utilities. Copies are available at the Department of Engineering, Suite 802, Yenni Building.

The terms and conditions of Resolution 113646, as amended, will be considered a part of the bid whether attached or not. A copy may be obtained from the Office of the Parish Clerk, 6th Floor, General Government Building, 200 Derbigny Street, Gretna, LA 70053.

Service Engineer

A person with license as a professional engineer in accordance with State of Louisiana Law, who is employed by the contractor to provide technical direction of the maintenance service.

Initials (Abbreviations)

AASHTO – American Association of State Highway and Transportation Officials

ACI – American Concrete Institute

ANS – American National Standards

ASA – American Standards Association

ASTM – American Society for Testing Materials

ATSSA – American Traffic Safety Services Association

AWWA – American Water Works Association

JPDPW – Jefferson Parish Department of Public Works

LADOTD – Louisiana Department of Transportation and Development

This is a "Concrete (Street) Maintenance Contract". It is intended to supplement work performed by regular maintenance forces of the Department of Public Works – Streets. Types of work under this contract include, but are not limited to concrete maintenance projects such as: concrete slab removal and replacement, concrete curb repairs, roadway revisions such as the addition of concrete turning lanes and median crossings, sidewalk/handicap ramp and drive apron replacement and new installations (typically when in conjunction with a work order that includes panel replacement, but may be without panel replacement), additions or revisions to subsurface drainage systems and structures.

The contract will be for a period of two (2) years. Contract prices are firm during the entire two (2) year contract period.

The quantities in the proposal form are approximate for the comparison of bids only. The parish reserves the right to purchase only such items and in such quantities as needed for the duration of this contract after acceptance of the lowest responsible bid by the parish governing authority.

The definition of "JOB" shall be the work described on any one issued work order. Each "JOB" shall be estimated as to time required to complete the amount of work proposed. Many "JOB" sizes will be relatively small: that is, the paving of several street panels having a normal width of 13 feet and each being from 15 to 20 feet in length. However, some "JOBS" may require the paving of several adjoining panels resulting in hundreds of square yards of paving. Most of the work areas are residential streets. Occasionally contracts may involve replacing slabs on major streets (minimum thicknesses of 9"/10" for slabs are required on these streets). Contractor may also be required to replace slabs as soon as possible in the event of blowouts.

Contractor shall supply a minimum of (3) complete crews for the duration of this contract. A complete crew shall be comprised of all qualified persons and equipment required to remove / dispose of existing concrete, form-up, and pour / finish new concrete pavement (i.e. 1 complete crew = breakout crew + form-up crew + pour / finishing crew). Having one breakout crew that proceeds from one work order location to the next work order location in advance of the subsequent form-up crews will not be allowed.

Each work order will be issued in writing with appropriate drawings if required, or other attachments and will designate a job number (WO#XX-XXX). All correspondence, billing, etc., pertaining to the work should reference the job number. Payment will be made upon receipt of detailed and itemized invoices and verification by parish inspectors regarding quantity and quality of work performed. Partial payment will be made only when completion is unduly delayed through no fault of the contractor in which case requests for partial payment may be submitted monthly.

All of the work within the limits of each job shall be shown to the contractor by a representative of the Department of Public Works prior to commencing work. If required, appropriate sketches and/or drawings may be furnished to the contractor with each work order. Work sites may be scattered for an individual work order; however, every effort will be made to consolidate the work to minimize scattered work sites. The contractor shall begin the work within 10 calendar days after issuance date of a work order. All street layouts/surveying for each work order shall be incidental to the bid items with no additional payment.

Each work order must be completed in a timely manner based on the area of concrete panels being replaced. If the work order is not completed in the specified time from the first day on site, then liquidated damages will be assessed. See the table below for time allowed:

Job Size (s.y. of PCCP)	Allotted Construction Time (calendar days)*
100 or less	21
101-300	50
Greater than 300	100

* Only the Director (of Streets Dept.) can approve the work to go beyond the days stipulated in the table above depending on the size / scope of the project.

If any work order does not begin in the allotted commencement time period (10 calendar days from issuance) or work remains incomplete past the allotted construction time (based on the table above), then the contractor will be assessed a liquidated damage cost of **\$250 per day** past the required start date and/or required completion date. The liquidated damage cost will be deducted from the final individual work order invoice.

Time extension will be granted for excusable days that are not the contractor's fault (like water or sewer leaks) and for inclement weather days. Excusable days must be documented in writing (email) by the contractor and are subject to approval by the Director (of Streets Dept.). Inclement weather days shall be defined as any day on which construction operations were unable to proceed for at least five (5) continuous hours of the day or 65% of the regular working hours, whichever is greater. Should the contractor prepare to begin work on any given day in which inclement weather or the site conditions resulting from previous inclement weather prevent work from starting at the usual time (and the crew is dismissed as a result thereof), then the day will be declared an inclement weather day, regardless if conditions improve, resulting in the rest of the day becoming suitable for work. Inclement weather days must be documented by the contractor and are subject to the approval by the Director (of Streets).

If contractor leaves the job incomplete for over a 30 day period, the parish has the right to use other Parish contracts as a means to complete outstanding work and the ability to bill the current contractor with those charges incurred. However, if the contractor has a valid reason to hold off on a job, he has to obtain written permission from the Director of Streets for the stipulated delay.

Also, the owner has the right to put a hold on a job at the beginning or when job is in progress without designating a reason. If the job is discontinued, the contractor will be compensated only for the items of work actually done and not for any down time.

Contractor shall not work during the holidays observed by Jefferson Parish unless otherwise authorized in writing by the director.

Contractor shall not schedule any contract work on major roads and thoroughfares between Thanksgiving and New Year holidays, or during Mardi Gras season.

If any sworn statements of claims are filed during the term of this contract, the parish shall withhold the next accruing payment and shall have the authority to satisfy the claim and deduct the amount from payments due.

If any liens arising out of this contract should be discovered to exist after all payments are made, the contractor shall refund the parish all monies that the latter may be compelled to pay in discharging such liens, including litigation costs and attorney's fees.

Adequate safety precautions will be taken for all work performed under this contract. Necessary barricades, signs, lights and warning devices including arrowboard if required will be installed and maintained by the contractor in accordance with Parish Traffic Engineering and Safety Standards.

All traffic control devices shall be defined as all signs, signals, markings and other devices used to regulate, warn, or guide traffic, placed on, over, or adjacent to a street, highway, pedestrian facility, or bikeway under the jurisdiction of Jefferson Parish.

All traffic control devices utilized under the terms of this contract shall be in accordance with the "Manual of Uniform Traffic Control Devices" (Latest Edition) as published by the American Traffic Safety Services Association (ATSSA).

The contractor shall be responsible for, at their own expense, providing safe and expeditious movement of traffic through construction zones, i.e., the immediate area of actual construction and all abutting areas used by the contractor and which interferes with the driving or walking public. Contractor responsibility includes, but is not limited to such items as proper construction warning signs, signals, lighting devices, (including electrical/electronic flashing arrow board), markings, barricades, channelization, hand signaling devices, (flagging operations), construction warning signs, detour routing, and any/all additional signage required for proper traffic control shall be provided by the contractor at no additional expense to Jefferson Parish. The Principal and Prescribed Standards are set forth in Part VI of the Manual on Uniform Traffic Devices, Latest Edition. Part VI shall be strictly followed.

All of the signing and traffic control devices shall be approved by the Office of Traffic Engineering, Jefferson Parish Department of Public Works prior to starting the job. All expenses incurred by the contractor to maintain traffic flow is incidental to the job, there shall be no added or additional payment.

Contractor shall inspect all overhead, surface and sub-surface utility lines prior to start of the project. During the performance of all work outlined in these specifications, the contractor will exercise due caution regarding underground utilities and will cooperate with representatives of the utility companies and/or parish departments to avoid damage to their installations. However, contractor is ultimately responsible for all damages by his actions.

Contractor must locate, protect, support and maintain all subsurface, surface and aerial utilities. In the event of any damage to existing utilities, contractor shall restore service, as soon as possible at contractor's expense. Contractor shall have the sole responsibility of resolving any lawsuit and liabilities arising from defective workmanship, improper maintenance of utilities and/or work site.

If there are any conflicting utilities that need relocation or adjustments, the contractor will allow reasonable time to accomplish this task. There is no added compensation for delays and cost caused by the conflict.

Contractor should consult with the Department of Public Works Traffic Engineering Division immediately upon any vehicular or pedestrian safety or efficiency problem incurred as a result of construction of a project.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0010 THRU 0190 and ITEMS 0250 THRU 300:**

- **REMOVAL / DISPOSAL (when applicable)**

Bid prices should include all costs for labor, equipment and material necessary to remove and dispose of existing pavement for the thickness as shown. Curbing removed with the slab will be at no additional cost. Should the parish desire, the contractor shall dump broken pavement at a disposal site designated by the parish at no added cost, provided that the disposal (dumping) site is within a 21-mile radius of the work site and may involve crossing the Mississippi River. Additionally, should the parish desire, the contractor will load broken pavement onto parish trucks at the work site at no added cost, provided that the parish trucks are present at the work site for loading as the pavement is being removed and do not unduly delay the contractor's work.

Care must be exercised so that jointing materials and devices adjacent to the concrete to be removed shall not be damaged. Any pavement damaged by the contractor as a result of negligence, either willfull or accidental, will be replaced at the contractor's expense.

- **REPLACEMENT / NEW PAVEMENT**

4000 PSI – 24 Hours – High early strength with superplasticizer and other additives, if applicable.

4000 PSI – 72 Hours – High early strength with superplasticizer and other additives, if applicable.

This item covers the furnishing of all materials and installation of PCC pavements for thickness as shown. Concrete shall be Class A, 4000 PSI 24/72 hours high early strength.

Bid prices shall also include adequate curing of the concrete placed and the proper sealing of contraction and expansion joints.

Bid prices shall include all costs for labor, equipment and materials described under this item of the bid proposal. All required jointing materials (including joint sealant) shall be included in price bid under each item. Method of jointing shall be the same as the existing joints in the area of work.

Damaged, missing, and/or new dowel bars (longitudinal/transverse) and starlugs shall be replaced at no additional cost to the parish – 1" x 18" smooth dowel bars for 7" thick pavement (1-1/4" x 18" smooth dowel bars for 9" or thicker pavement) shall be used. The bars shall be placed in the existing pavement by drilling holes to a depth of 9" and filling with an approved epoxy grout before insertion of the dowel bars. Contractor is responsible for any deformed bars for longitudinal joints. If toeing under the slab is approved as an option by the parish representative in lieu of doweling, there is no additional compensation for concrete used for toeing. All costs incurred for this task will be the contractor's responsibility. Bid prices shall also include adequate curing of the newly placed concrete and the proper sealing of contraction and expansion joints of the newly placed concrete.

Bid prices shall also include cost of providing engineering/surveying for alignment, grade, profile, survey stakes, topography when necessary and as required to improve the roadway alignment, curb and gutter layout, drain line installation, etc. Compensation for this shall be incidental to corresponding bid items in the maintenance contract. There is no other compensation. This includes new road, extension of existing road and turning lanes, parking lots, bike and walking trails, etc. All layouts shall be the responsibility of the contractor.

Contractor to provide a procedure (with applicable drawings) for concrete vibration (consolidation) that will be used for all street panels that are poured. It is to be detailed with spacings and durations for the vibrating process.

***To be clear: Bid prices for these items include removal, disposal (when applicable) of existing pavement (with or without curbing) and replacement/new pavement including curb (when applicable).

***Average thickness of pavement being removed may vary a few inches (± 2 inches) from the actual new pavement thickness being replaced. Average thickness will be based on 4 spot measurements.

Mixes shall conform to Louisiana Department of Transportation and Development Standard Specifications for Roads and Bridges, Latest Edition.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0192 AND 0194:**

These items will be used when the Parish has a desire to remove concrete pavement, without any intent to restore it.

For instance, remove an existing u-turn/turn lane and fill void with dirt/soil.

For clarity, the contractor will NOT be paid for removal under this item when replacing a damaged street panel.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0040 AND 0080:**

HANDICAPPED RAMPS:

Six (6) inch and eight (8) inch 4000 PSI/72 hour high early strength concrete for handicapped ramps, with welded wire mesh.

Where necessary or as directed by the engineer, existing sidewalk and curbing at intersections and medians shall be broken out/or saw cut, removed and replaced with a new Portland cement concrete curb ramp for the handicapped. Curb ramps shall conform to ADAAG (Americans with Disabilities Acts Accessibility) guidelines 4.7.

The detectable warning provided shall be paid at bid unit price (**ITEM 0830**). Bid unit price should include cost for labor, equipment and materials necessary to install masonry units as per Jefferson Parish Standard Plans. Detectable warning shall contrast visually with adjoining surface (reddish like "terra cotta). 24" x 48" cast-in-place detectable warning system must have

raised truncated domes per ADA specifications. Contractor must use one-piece truncated dome mats/pads made of a homogenous glass and carbon reinforced composite which is colorfast and UV stable. Panel color shall be uniform throughout. Backside of panel should have ribs that embed within the curing concrete.

Batture sand for dress, breaking out and removal of existing sidewalk will be paid for in other items.

Any other materials or labor needed to accomplish curb ramps for the handicapped must be incidental to the above items.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0200 THRU 0240:**

Additional charge for replacing special/decorative pavement surfaces with in-kind material.

Contractor must get approval from Jefferson Parish Department of Streets (Inspectors) prior to selecting/finalizing replacement material.

Payment will be per square yard of pavement surface that is reinstalled.

All labor and material incidental to the installation of the pavement surface shall be included in this price.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0242 AND 0244:**

PERVIOUS CONCRETE PAVEMENT:

This work consists of furnishing all material, equipment and labor required for the construction of patterned, colored, pervious ornamental concrete pavement (sidewalks, driveway aprons, etc.) and pervious concrete parking areas in accordance with the lines and grades established in the field by the Parish Inspector / Engineer. Work shall conform to all requirements of ACI 522.1-13, 'Specification for Pervious Concrete Pavement,' published by the American Concrete Institute, except as modified herein. When applicable, work shall be performed in accordance with the provisions of Section 706 of the Louisiana Standard of the Specifications for Roads and Bridges, 2006 Edition (Blue Book), and latest revisions, except as otherwise noted in these specifications.

MATERIALS:

The pervious concrete used for pavements shall comply with the mixture proportions specified herein.

Mixture Proportioning:

- The total cement content shall be a minimum of 630 lbs. /CY.
- Fly Ash shall not exceed 20% and Slag shall not exceed a 50% maximum.

- The maximum water-cement ratio for shall be 0.35.

The bulk volume of aggregate per cubic yard shall be equal to 27 cubic feet when calculated from dry rodded density (unit weight) determined in accordance with ASTM C29. Fine aggregate, if used, should not exceed three (3) cubic feet and shall be included in the total aggregate volume.

Admixtures shall be used in accordance with manufacturer's recommendations.

The quantity of water used in the pervious concrete mixture shall facilitate placing, compaction, and finishing to the desired surface characteristics. The appropriate water content will give the mix a wet metallic sheen without causing the cement to flow from the aggregate and be sufficient for adequate hydration. If the water content is too low, the mix may be inconsistent and produce poor bond strength. A high water content may cause the cement to migrate toward the bottom and fill the voids as well as create a poor surface bond.

Testing shall be in accordance with ACI 522.1-13 Section 1.5.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0280 THRU 0300:**

4000 PSI high early strength (24 or 72 hours), (No. 4 deformed reinforcing bars are to be included in price of this item. If a detail does not exist for a specific case, then contractor shall place bars on top and bottom level of box-out, around the entire perimeter and then across both directions @ 6 inches on center).

Bid prices to include material, labor and equipment necessary to remove and replace a box-out on an existing pavement, or to install on new pavement.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEM 0350**

Specifications shall be in accordance with Louisiana Standard Specifications for Roads and Bridges under "STONE". In addition, material shall be calcitic or dolomitic with calcium carbonate not less than 85% and the silica content (impurities) not to exceed 5%.

Limestone used on asphalt pavement shoulders shall be comparable to Mexican limestone in color and gradation.

Shoulder Aggregate:

This material shall conform to the following gradation:

Limestone

U.S. Sieve	Percent Passing
1.5"	100
0.75"	50-100

No. 4	35-65
No. 40	10-32
No. 200	3-15

Aggregate shall conform to LADOTD Standard Specifications for Roads and Bridges, Subsection 1003.01, Latest Edition.

The fraction of stone passing the No. 40 sieve shall be non-plastic.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0310 THRU 0360:**

These items cover work and material generally associated with base, shoulder, drainage and dress-up work. Excavation will be paid by cubic yard truck measure loaded at the job sites or by computing theoretical volume at the approval of the parish representative. Fill materials will be paid by cubic yard truck measure delivered to the work site. Bid prices shall include costs for compaction and grading of materials when used for base construction. Should the parish desire, the contractor will dump excavated materials at a disposal site designated by the parish at no added cost, provided that the disposal (dumping) site is within a 21-mile radius of the work site and may involve crossing the Mississippi River. Additionally, should the parish desire, the contractor will load excavated material onto parish trucks at the work site at no added cost provided that the parish trucks are present at the work site at the time of excavation and do not unduly delay the contractor's work. However, ultimate responsibility for disposal of all the excavated material rests with the contractor. Haul and/or loading tickets will be issued for each truck load of material delivered and placed on the job and/or truck load of excavated material haul from the job site.

All the original haul tickets must be furnished by the contractor for payment.

The contractor will exercise due caution regarding underground utilities during excavation operations and will notify and coordinate with representatives of utility companies and parish departments to avoid damage to their installations. However, contractor is ultimately responsible for all damages caused by his actions. Also, if any conflicting utility needs "relocation or adjusting", the contractor will allow reasonable time to accomplish the task. There will be no additional compensation for the time delay caused by the conflicts.

No trucks with greater load capacity than 18 cubic yards shall be allowed on residential streets for excavation, concrete/asphalt removal or fill material delivery without authorization from the engineer. Should the contractor fail to meet this condition, all damage resulting will be repaired at the contractor's expense.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0370 THRU 0570:**

Bid prices should include all cost of labor, materials (pipe, excavation, bedding, boards, fill, etc.) and equipment necessary to install new drain pipe and/or remove and replace existing drain pipe as described under this item of the proposal. All workmanship and material shall be in accordance with Jefferson Parish Department of Engineering Standard Plans. (Boards shall be

used during the installation of concrete pipe.) Each joint will be wrapped with filter cloth 36" wide, and overlapped, a minimum of 36".

SDR 35 P.V.C. pipe shall not be used for any new crossings below the roadway.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0580 THRU 0800:**

Specific depths for drain structures will vary with each project. However, it is anticipated that most subsurface drainage systems installed under this contract will be generally shallow. For bidding purposes, drain structure depths should be assumed in the 3 to 5 ft. range as an average.

Reinforcing for base slab shall be No. 5 bars at 6" O.C. minimum each way (3" above bedding material), and shall be included in the price of the structure.

Frames, grates and covers for manholes, catch basins and drop inlet should be the heavy duty type. The only acceptable frames, grates and covers are those which are domestically manufactured. All castings shall be clearly stamped or engraved with the manufacturer's name and part number on the casting.

Foundation for all drainage structures should follow Jefferson Parish Standard Details.

Oversized junction boxes (special) shall be compensated at bid unit prices. The cost shall include all necessary material including reinforcing steel and labor. The height and base area are used as guidance for bidding purposes only. Minimum reinforcing for the base slab shall be 2 layers of No. 6 bars on 6" O.C. each way, 3" cover for bottom steel and 2" cover for top steel. Concrete for the box shall be Class A. The design for the drainage structures at each location shall be submitted by the contractor for approval by the department director.

Occasionally this contractor may be required to install drainage inlets (and drain pipes) to remove ponding water and bird baths. All drainage box (and drain pipe) installations will follow Jefferson Parish Department of Public Works procedures. Bid prices for the drainage structure (box/inlet) shall include the bricks/mortar to construct the box, bedding material, foundation, (and reinforcing bars), excavation, backfill materials, etc. as required. (See spec for Items 0370 thru 0570 regarding bid price for pipe.)

Typical details for construction of drain structures are available from the Department of Public Works upon request.

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 0810:**

Machine saw cuts in concrete/asphalt shall be paid for by linear foot of cut and the depths shall be pre-approved by parish representatives and measured in the field

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 0830:**

Detectable Warning Pad (24" x 48") with Raised Truncated Domes (Per ADA Guidelines), Visually Contrasting with Adjoining Surfaces (Reddish Like "Terra Cotta" In-Place for Curb Ramps and Loading Zones)

Bid unit price should include the cost for labor, equipment and materials necessary to install detectable warning pads with raised truncated domes as per Jefferson Parish Standard Plans. Detectable warning shall contrast visually with adjoining surface (reddish like "TERRA COTTA"). Detectable warning pad should be set into concrete as it is curing/wet.

Descriptions:

This cast in place detectable warning system is to be used for the construction of new handicap ramps. The cast in place detectable warning systems must have a minimum 0.20 inch nominal thickness and feature embedment ribs through entire length of the panel (maximum rib spacing of 3 inch on center). This product must be in accordance with ADA regulations for detectable warning on curb ramps.

Material:

This product is made of a homogenous glass and carbon reinforced composite which is colorfast and UV stable. Truncated domes are fiberglass reinforced for enhanced durability. The panel color is uniform throughout and does not rely on any type of paint coating to achieve color stability.

Physical Characteristics:

The cast in place detectable warning systems must have a slip resistance coefficient of 1.18-Dry/1.05-Wet or better.

The detectable warning system must resist chemical staining, freezing and heating.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0900:**

This work consists of preparing seed beds and sowing grass seed utilizing hydro-seeding equipment and methods in order to establish a turf grass cover to areas designated in the plans or as directed in accordance with Section 739 of the Louisiana Standard Specifications for Roads and Bridges, Latest Edition. This item will be paid at the contract unit price per square yard of hydro-seeding installed. Including all necessary labor, equipment, materials and incidentals required for completion of work.

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 0910:**

This work consists of furnishing and installing geotextile fabric (Class D) on/under road bed surface, in conformity with the requirements of Section 1019 of the LADOTD Standard Specifications for Roads and Bridges, Latest Edition.

Bid prices for this item are to include all costs for labor, materials and equipment necessary to install geotextile fabric approved by Department of Streets representative. Installation shall be in accordance with the manufacturer's specifications, instruction and procedure.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0920 AND 0930:**

Geogrid

This work consists of furnishing and installing geogrid in locations designated and/or directed by the engineer.

Installation must be in strict accordance with manufacturer's instructions and requirements.

Geogrid will be paid for per square yard, which includes furnishing all equipment, labor, materials and incidentals necessary to complete the work.

The geogrid shall conform in all respects to the physical property values listed in the manufacturing specifications. The listed property values are certifiable minimum average roll values unless otherwise noted and are equal to the mean value less one standard deviation which reflects the desired 95% confidence level. These values are subject to verification by an independent laboratory.

Alternate Material

Alternate geogrid materials will be considered. Such materials should be pre-approved in writing by the engineer prior to bid date. Alternate material packages should be submitted to the engineer a minimum of 15 days prior to bid date. Submittal packages should include the following as a minimum:

1. Full-scale laboratory testing and in-ground testing of pavement structures reinforced with the specific geogrid which illustrates significant structural contribution of the geogrid to the pavement structure.
2. Certified test results stating that the alternative geogrid has a secant aperture stability modulus at 20 cm-kg. when tested in accordance with the "Grid Aperture Stability by Inplate Rotation" Test of 3.2 or greater for Type 1 and 6.50 or greater for Type 2.
3. A design guideline illustrating flexible pavement design methods implementing the alternate geogrid.
4. A list of 10 comparable projects, in terms of size and application, in the United States, where the results of the specific alternate geogrid's use can be verified after a minimum of 3 years of service life.

5. A sample of the geogrid and certified material property data sheets.
6. Recommended installation instructions.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0940 AND 0950:**

Fibrous Material

The mat in different widths shall be applied over longitudinal PCC joints, traverse joints and cracks and random cracks according to specifications prior to resurfacing concrete or asphalt pavements.

The mat material shall be a heavy-duty crack reduction/stress relief interlayer material consisting of a flexible high density asphaltic membrane laminated between 6oz/sy woven polyester geotextile. The mat shall be pave-prep type (S) standard and type (SA) self adhesive or equal. The alternatives shall meet or exceed the physical properties stipulated by pave-prep. Any alternatives have to be approved by this department prior to its usage on the job.

Application and installation of the material shall strictly follow manufacturer's specifications. Contractor shall submit manufacturer's technical data on the fibrous material properties for approval a minimum of 15 days prior to its use in the field. Submittal shall also include documentation supporting the successful use of the product for a minimum of 5 years. The bid unit price for the fibrous material shall include the cost of the material, equipment, labor and all other incidentals. There will be no other compensation.

**THE BELOW SPECIFICATIONS APPLY TO ITEMS
0970 THRU 1000:**

Bid prices for this item shall include all costs for labor, material and equipment necessary to install conventional Portland cement concrete curb and gutter (barrier or roll-over) with a maximum cross section area of (200, 250, 300 or 400) square inches as specified in the item description. Payment shall be per linear foot of curb installed.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1030:**

For this item the contractor shall saw cut a groove in a roadway (asphalt/concrete), install loop wire, seal the saw cut with sealant and make connections of loop wire to lead in cable. Details of saw cut and loop wire installations are available at Jefferson Parish Traffic Division (736-6530). The Jefferson Parish Traffic Engineering Division shall determine the size and placement of the loop(s) as per transmittal. Inductance loop is typically 6' x 6'.

Ruscoe No. 983 traffic detector loop sealant, Preco gold label flex 1P loop sealant, 3M brand loop sealant, safety coatings loop guard for loop detector sealant or approved equal shall be used to seal loop wires in roadway.

Saw cutting and sealant required to complete this task shall be included in the per foot cost of this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1040:**

Conduit in earth installation or replacement. The Jefferson Parish Traffic Engineering Division (736-6530), shall determine the size and placement of conduit as needed.

All schedule No. 40 polyvinyl chloride conduit (P.V.C.) and fittings as noted in Section 1 for underground installation.

All joints shall be solvent welded and watertight.

Conduit to be installed a minimum of three feet (3') below grade, unless otherwise specified by the Traffic Engineering Division. When boring operations are employed, the contractor shall bore from one side of the roadway to the other. All excavations on side of roadway are to be restored to their original condition.

Any excavation and backfill required to perform this task shall be included in the per foot cost of this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1050:**

Make: _____
Model: _____
H.P. _____

Bid prices shall include all costs for hourly rental of conventional heavy duty road grader, with scarifier and operator. Rental of the equipment will be for specific projects under control of the Department of Streets and will be assigned project job numbers. The use of road graders by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1060:**

Bid prices shall include all costs for hourly rental of a self-contained, mobile, heavy-duty pavement breaker with operator. Rental of this will be for work under control of the Department of Streets. The use of pavement breakers by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1070:**

Bids should include all costs for hourly rental of a grade-all class 5100, or equal, with operator. Rental of this equipment will be for work under control of the Department of Streets. The use of a grade-all by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1080 AND 1090:**

Bid prices should include all costs for hourly rental of a dump truck, tandem/trailer, 12/24 cubic yard minimum capacity with driver. Rental of this vehicle will be for work under control of the Department of Streets. The use of tandem/trailer dump trucks by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1100:**

Bid price should include all costs for hourly rental of a street sweeper 10' sweep pattern, 8' main broom, (2) two 2' side brooms and 3.5 cubic yard minimum front loading hopper with operator. Rental of this equipment will be for work under control of Department of Streets. Use of street sweeper in the performance of items of work listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1110:**

Bid prices should include all costs for hourly rental of a dozer model D-3, or equivalent, with operator. Rental of this equipment will be for work under control of Department of Streets. Use of dozer in the performance of items of work listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 1140:**

This item represents the additional fee (expressed in %) owed to the contractor for night work.

Night work is defined as work performed between the hours of 7:00PM and 7:00AM.

While performing night work, only those items used will be payable under the night work Line Item 1140.

Additional fee for night work is to be expressed in percentage and dollar amount as follows:

- A. Sum of "Totals" for Items 0010 through 1130.
\$ _____
- B. Indicate percentage (%) that will be charged for Items 0010 through 1130 that are used while performing night work.
_____ %
- C. For bidding purposes, the Parish anticipates that 3% of all work performed under this contract will be night work. That anticipated percentage (3%) may be more or may be less. Multiply that percentage (3%) by your percentage (%) (From B, above) that will be charged for night work to be used in the calculation below.
- D. Multiply the dollar amount of (A) by the percentage (%) derived from (C) to get a dollar value. This total is to be entered as "Unit Price Quoted" for Item 1140.

For Bidding Purposes:

The "Unit Price Quoted" above (D) will only be used in determining the low bid.

For Invoicing Purposes:

The percentage (%) indicated above in (B) will be used for invoicing of night work.

The contractor will be required to submit separate invoices for night work.

CURBS:

The Portland cement concrete mixture for curb construction shall be a minimum of 4000 PSI/72 hour, high early strength and also will provide proper workability, curb strength, and minimum contraction cracking. The concrete mix shall conform to Louisiana Department of Transportation and Development Standard Specifications for Roads and Bridges, Latest Edition. PCC curbing may be placed by extruding machine or by forming and hand placement at contractor's option and will be bonded to holding surface in a manner approved by the Department of Streets, which may include doweling and/or approved bonding agent. Curbing may also be poured monolithically with the panel.

The accepted quantities of curbs will be paid for at the contract unit price per linear foot on existing panels (incidental to square yard cost of new pavement), including all labor, equipment and materials incidental to the work.

No additional payment will be made for the removal of any type of existing curb and/or curb dowels.

RECYCLED PORTLAND CEMENT CONCRETE:

Recycled Portland cement concrete shall be used from approved stockpiles. Stockpiles of crushed concrete shall be uniform and free from soils, reinforcing steel, debris, excessive amount of asphaltic materials and other foreign matter. Material sampling shall be in accordance with the requirements for stone by the Louisiana Department of Transportation and

Development's, Latest Edition and Revisions and all applicable sections of the materials sampling manual. Crushed concrete shall conform to the abrasion and soundness requirements of the Standard Specifications for Roads and Bridges, Latest Edition and conform to the following gradation:

Class I

U. S. Sieve	Percent Passing
1-1/2"	100
1"	90-100
3/4"	70-100
No. 4	35-65
No. 40	12-32
No. 200	5-16

Aggregate passing the No. 40 sieve shall have a maximum plasticity index of 6.

Class II

Crushed concrete in Class II gradation shall have 100% passing through 4 inch mesh and a maximum of 20% passing through 2 inch mesh.

Crushed concrete in Class II shall be bid under item for crushed concrete.

SAND

Sand shall conform to the following requirements:

Liquid Limit (Maximum)	25%
Plasticity Index (Maximum)	6%

CRACK AND JOINT SEALING (SEE ITEM 0890):

This item is to provide general sealing of cracks and/or joints in existing pavement. This work would usually be done in areas contiguous to a paving project being done under this contract. Bid prices should include all costs for labor, materials and equipment required to apply an approved liquid poured sealant of the asphalt type as specified under Section 1005.02 of LADOTD Specifications for Roads and Bridges, Latest Edition and Revisions. Cracks and/or joint shall be cleaned and chipped if necessary in accordance with generally accepted procedures prior to pouring the sealant.

REINFORCING STEEL:

This work consists of furnishing fabricating and placing reinforcing steel for reinforced Portland cement concrete structures.

Reinforcing steel shall be Grade 60 deformed bars conforming to ASTM 615, in accordance with Sections 806 and 1009 of the LADOTD Standard Specifications for Roads and Bridges, Latest Edition.

Reinforcing steel will be paid for by the pound, which includes furnishing all equipment, labor and materials necessary to complete the work, unless used in conjunction with another item that includes reinforcing steel as incidental to its unit price, (such as items 0280, 0290, and 0300).

TESTING:

The parish at its own will and expense can appoint an independent testing laboratory for material and construction testing. No advance notice of testing will be provided to the contractor. Also testing by parish will not relieve contractor from his own testing procedures. In the event test results by contractor or parish do not meet the required specifications, contractor shall replace or reconstruct and correct all the deficiencies to satisfy the specifications. There shall be no adjustment in bid price for additional pavement thickness detected as a result of any testing.

GENERAL:

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the inspector general in any investigation, audit, inspection, performance review, or hearing pursuant to this chapter. Every parish contract and every bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program shall contain a statement that the corporation, partnership, or person understands and will abide by all provisions of this chapter.

LOUISIANA UNIFORM PUBLIC WORK BID FORM

50-00133108

Page: 6

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and address of owner)

REVISED PER ADDENDUM 1
BID FOR: CONCRETE (STREET) MAINTENANCE F
JEFFERSON PARISH DEPARTMENT OF
WORKS, STREETS AND ALL JEFFERSO
AGENCIES AND MUNICIPALITIES (EX
(Owner to provide name of project and
other identifying information)

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: _____

(Owner to provide name of entity preparing bidding documents.)

and dated: _____

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following ADDENDA: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) _____

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of: _____

Dollars (\$) _____

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A

Dollars (\$) _____

Alternate No. 2 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A

Dollars (\$) _____

Alternate No. 3 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A

Dollars (\$) _____

NAME OF BIDDER: _____

ADDRESS OF BIDDER: _____

LOUISIANA CONTRACTOR'S LICENSE NUMBER: _____

NAME OF AUTHORIZED SIGNATORY OF BIDDER: _____

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: _____

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **: _____

DATE: _____

THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** A **CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public work as prescribed by LA-R.S. 38:2218 (B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA-R.S. 38:2218.(A) is attached to and made a part of this bid.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108
REVISED PER ADDENDUM 1

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

**CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**

(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0010 PCC 4 INCH THICK (REMOVAL/DISPOSAL REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS, IN PLACE FOR SIDEWALK		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0010	1,760.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0020 PCC 5 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS, FOR INCIDENTAL CONCRETE, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0020	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0030 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS IN PLACE FOR DRIVE- WAY APRON (W/O STEEL MESH REINFORCEMENT		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0030	4,200.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0040 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS IN PLACE FOR HANDICAPPED RAMP WITH 6X6 - W2.9 STEEL		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0040	1,000.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0050 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0050	200.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0060 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQ YD OR GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0060	65,000.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0070 PCC 8 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0070	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0080 PCC 8 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS IN PLACE FOR HANDICAPPED RAMPS WITH 6X6 - W2.9 STEEL		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0080	250.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
**CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0090 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW) HIGH EARLY STRENGTH 4000 PSI - 72 HOURS IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0090	275.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0100 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0100	8,800.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0110 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (LESS THAN 50 SQ YDS PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0110	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0120 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0120	1,500.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0130 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW), HIGH EARLY STRENGT 4000 PSI - 24 HOURS, IN PLACE FOR DRIVEWAY APRON (WITHOUT STEEL MESH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0130	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0140 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0140	200.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0150 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0150	200.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0160 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0160	50.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
**CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0170 PCC 9 INCH INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0170	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0180 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQ YD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0180	50.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0190 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW), HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQ YD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0190	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0192 PCC REMOVAL (ONLY), 6.5 INCH OR LESS		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0192	150.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0194 PCC REMOVAL (ONLY), GREATER THAN 6.5 INCH TO 10 INCH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0194	500.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0200 WASHED GRAVEL (PAVEMENT SURFACE)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0200	20.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0210 SLATE (PAVEMENT SURFACE)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0210	20.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0220 STONE PAVERS (PAVEMENT SURFACE)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0220	20.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
**CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0230 BRICK PAVERS (PAVEMENT SURFACE)	
	<input type="checkbox"/> Alt. #		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0230	20.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0240 STAMPED CONCRETE (PAVEMENT SURFACE)	
	<input type="checkbox"/> Alt. #		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0240	20.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0242 PERVIOUS CONCRETE PAVEMENT (6 INCH OR LESS)	
	<input type="checkbox"/> Alt. #		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0242	50.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0244 PERVIOUS CONCRETE PAVEMENT (GREATER THAN 6 INCH UP TO 9 INCH)	
	<input type="checkbox"/> Alt. #		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0244	125.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0250 PCC CURB (ONLY), EXTRUDED 8 IN HGT HIGH EARLY STRENGTH 4000 PSI - 72 HRS BARRIER TYPE (INCLUDES NO. 4 (U) SHAPED CURB DOWEL SPACED 2 FT-0 IN OC ANCHORED	
	<input type="checkbox"/> Alt. #		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0250	100.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0260 PCC CURB (ONLY), EXTRUDED 6 IN HGT HIGH EARLY STRENGTH 4000 PSI - 72 HRS BARRIER TYPE (INCLUDES NO. 4 (U) SHAPED CURB DOWEL SPACED 2 FT-0 IN OC ANCHORED	
	<input type="checkbox"/> Alt. #		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0260	200.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0270 PCC CURB (ONLY), EXTRUDED 5 IN ROLLOVER TYPE HIGH EARLY STRENGTH 4000 PSI - 72 HRS (INCLUDES NO. 4 (U) SHAPED DOWELS SPACED 2 FT-0 INCH O.C. ANCHORED	
	<input type="checkbox"/> Alt. #		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0270	400.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0280 PCC (7 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL/REPLACE- MENT OR NEW)	
	<input type="checkbox"/> Alt. #		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0280	800.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES (

(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0290 PCC (9 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL REPLACE- MENT OR NEW)			
	<input type="checkbox"/> Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0290	75.00	SQYD			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0300 PCC (10 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL/REPLACE- MENT OR NEW)			
	<input type="checkbox"/> Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0300	25.00	SQYD			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0310 EARTHWORK EXCAVATION BY TRUCK MEASURE			
	<input type="checkbox"/> Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0310	100.00	CUYD			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0320 EARTHWORK EXCAVATION BY THEORETICAL VOLUME			
	<input type="checkbox"/> Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0320	200.00	CUYD			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0330 RIVER (BATTURE) SAND			
	<input type="checkbox"/> Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0330	100.00	CUYD			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0340 PUMP (SUGAR) SAND			
	<input type="checkbox"/> Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0340	3,700.00	CUYD			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0350 LIMESTONE			
	<input type="checkbox"/> Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0350	300.00	TN			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0360 CRUSHED CONCRETE CLASS I OR II			
	<input type="checkbox"/> Alt.#				
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)	
0360	50.00	TN			

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

**CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**

(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	0370 REINFORCED CONCRETE 15 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0370	8.00	LF	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	0380 REINFORCED CONCRETE 18 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0380	8.00	LF	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	0390 REINFORCED CONCRETE 24 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0390	8.00	LF	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	0400 REINFORCED CONCRETE 30 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET IN PLACE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0400	8.00	LF	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	0410 6 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0410	70.00	LF	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	0420 8 INCH DIAMETER, P.V.C. PIPE, SDR 35, PERFORATED, 1/2 INCH DIAMETER HOLE, 12 INCH CENTER TO CENTER, IN PLACE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0420	14.00	LF	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	0430 8 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0430	14.00	LF	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	0440 10 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE	
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0440	28.00	LF	UNIT PRICE EXTENSION (Quantity times Unit Price)

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

**CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0450 12 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0450	56.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0460 15 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0460	14.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0470 18 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0470	14.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0480 24 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0480	14.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0490 30 INCH DIAMETER, P.V.C. PIPE SDR 35, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0490	14.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0500 12 INCH DIAMETER, A-2000 PIPE IN PLACE, (AS APPROVED BY LADOTD-QPL66)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0500	264.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0510 15 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0510	110.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0520 18 INCH DIAMETER , A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0520	22.00	LF		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0530 21 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0530	22.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0540 24 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0540	22.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0550 24 INCH DIAMETER, CMP, RIBBED POLYMER COATED, 12 GA, INSTALLED		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0550	20.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0560 27 DIAMETER, CMP, RIBBED POLYMER COATED, 12 GA, INSTALLED		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0560	20.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0570 30 INCH DIAMETER, CMP, RIBBED POLYMER COATED, 12 GA, INSTALLED		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0570	20.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0580 CONVERT TYPE I CATCH BASIN (VERTICAL FACE) TO TYPE III (STANDARD ROLLOVER GRATE WITH FRAME)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0580	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0590 CONVERT TYPE I CATCH BASIN TO 24 INCH X 36 INCH DROP INLET WITH FRAME AND GRATE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0590	1.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0600 CONVERT EXISTING DRAIN INLET/CATCH BASIN TO MANHOLE (INCLUDES CASTINGS, COVER AND ALL RELATED WORK)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0600	1.00	EA		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
**CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0610 CONVERT TYPE I CATCH BASIN TO 24 INCH X 36 INCH OR ROLLOVER INCLUDING MANHOLE COVER AND GRATE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0610	1.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0620 YARD DRAIN, 12 INCH X 12 INCH OPEN GRATE WITH FRAME, 4 INCH BRICK WALL, 6 INCH CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0620	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0630 DROP INLET, 18 INCH X 18 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0630	10.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0640 DROP INLET, 24 INCH X 24 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0640	10.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0650 DROP INLET, 24 INCH X 36 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0650	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0660 CATCH BASIN, STANDARD ROLLOVER TYPE II, 8 INCH BRICK WALL, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0660	10.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0670 CATCH BASIN, STANDARD, TYPE I VERTICAL FACE, 8 INCH BRICK WALL, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0670	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0680 DRAINAGE MANHOLE, STANDARD, 8 INCH BRICK WALL, AVERAGE 48 INCH BOTTOM DIAMETER, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0680	5.00	EA		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0690 CONFLICT BOX FOR CONFLICTING UNDERGROUND UTILITIES (INCLUDES CASTINGS, COVER AND ALL RELATED WORK)
REF NO.	QUANTITY	UNIT OF MEASURE
0690	5.00	EA
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0700 CATCH BASIN, NO. 5-8 INCH BRICK WALL,, TYPE I, VERTICAL FACE WITH FLAT GRATE IN THE GUTTER
REF NO.	QUANTITY	UNIT OF MEASURE
0700	5.00	EA
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0710 CATCH BASIN, STANDARD, TYPE III, 8 INCH BRICK WALL, 8 INCH CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0710	5.00	EA
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0720 CATCH BASIN, STANDARD, TYPE IV, 8 INCH BRICK WALL, 8 INCH CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0720	5.00	EA
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0730 JUNCTION BOX, STANDARD 8 INCH BRICK WALL, 24 IN X 36 IN OPEN GRATE COVER WITH FRAME, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0730	5.00	EA
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0740 STRUCTURAL GRADE ADJUSTMENTS (ELEV.) TO EXISTING CATCH BASIN/MANHOLE (NON-REINFORCED)
REF NO.	QUANTITY	UNIT OF MEASURE
0740	400.00	EA
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0750 STRUCTURAL GRADE ADJUSTMENTS EXISTING REINFORCED CONCRETE CATCH BASIN - SINGLE OR MANHOLE
REF NO.	QUANTITY	UNIT OF MEASURE
0750	5.00	EA
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#	0760 STRUCTURAL GRADE ADJUSTMENTS EXISTING REINFORCED CONCRETE CATCH BASINS - DOUBLED NO. 1 CATCH BASINS
REF NO.	QUANTITY	UNIT OF MEASURE
0760	5.00	EA
UNIT PRICE EXTENSION (Quantity times Unit Price)		

Wordings for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES (

(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0770 RING ADJUSTMENTS, PER INCH TO EXISTING MANHOLE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0770	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0780 MISCELLANEOUS TIE-INS, BLIND TIE, INCLUDES TEE IF NEEDED (YARD DRAINS, FILTER BEDS, ETC.)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0780	10.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0790 JUNCTION BOX (SPECIAL) 6 FT TO 8 FT DEPTH, BRICK WALL, 12 INCH THICK REINFORCED CONCRETE BASE SLAB 12 INCH THICK AREA 64 SQ. FT +/-		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0780	1.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0800 JUNCTION BOX (SPECIAL) 8 FT TO 10 FT. DEPTH, BRICK WALL, 12 INCH THICK REINFORCED CONCRETE BASE SLAB 12 INCH THICK AREA 100 SQ. FT. +/-		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0800	1.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0810 ASPHALT OR PCC SAW CUT, PER INCH DEPTH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0810	20,000.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0820 LIQUID POURED ASPHALT TYPE SEALANT APPLIED PER GALLON		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0820	20.00	GL		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0830 DETECTABLE WARNING PAD(24IN X 48IN) W/RAISED TRUNCATED DOMES PER ADA GUIDES VISUALLY CONTRASTING W/ADJOINING SURFACE TERRA COTTA IN PLACE FOR CURB RAMPS/LOAD		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0830	100.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	0840 FURNISH AND INSTALL WIRE MESH REINFORCEMENT - 6X6-W2.9XW2.9 FOR PAVEMENT & WALKWAYS AS NEEDED (NOT USED IF WIRE MESH IS INCIDENTAL TO OTHER		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0840	2,500.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
**CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0850 SHEETING IN PLACE SHEETING MATERIAL SHOULD BE OAK DUNNAGE (2 INCH X 12 INCH, ACTUAL DIMENSIONS)		
	<input type="checkbox"/> Alt. #			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0850	250.00	FT		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0860 ST. AUGUSTINE GRASS SOD/CENTIPEDE GRASS SOD		
	<input type="checkbox"/> Alt. #			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0860	4,500.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0870 BERMUDA GRASS SEED		
	<input type="checkbox"/> Alt. #			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0870	30.00	LB		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0880 RYE GRASS SEED		
	<input type="checkbox"/> Alt. #			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0880	5.00	LB		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0890 8-8-8 GRANULAR FERTILIZER		
	<input type="checkbox"/> Alt. #			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0890	30.00	LB		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0900 HYDRO-SEEDING		
	<input type="checkbox"/> Alt. #			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0900	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0910 GEOTEXTILE FABRIC (CLASS D)		
	<input type="checkbox"/> Alt. #			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0910	500.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0920 GEOGRID BASE REINFORCEMENT AND GEO SUB-GRADE IMPROVEMENT TYPE I, BOX 1100		
	<input type="checkbox"/> Alt. #			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0920	5.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES

(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. # ____	0930 GEOGRID BASE REINFORCEMENT AND GEO SUB-GRADE IMPROVEMENT TYPE II, BOX 1200
REF NO.	QUANTITY	UNIT OF MEASURE
0930	5.00	SQYD
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. # ____	0940 FIBROUS MATERIAL: PAVE PREP TYPE S
REF NO.	QUANTITY	UNIT OF MEASURE
0940	5.00	SQFT
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. # ____	0950 FIBROUS MATERIAL: PAVE PREP TYPE SA
REF NO.	QUANTITY	UNIT OF MEASURE
0950	5.00	SQFT
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. # ____	0960 REINFORCING STEEL BARS. IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0960	7,000.00	LB
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. # ____	0970 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 200 SQ. IN. CROSS SECTION MAX, 4000 PSI
REF NO.	QUANTITY	UNIT OF MEASURE
0970	500.00	LF
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. # ____	0980 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 250 SQ. IN. CROSS SECTION MAX, 4000 PSI
REF NO.	QUANTITY	UNIT OF MEASURE
0980	100.00	LF
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. # ____	0990 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 300 SQ. IN. CROSS SECTION MAX, 4000 PSI
REF NO.	QUANTITY	UNIT OF MEASURE
0990	100.00	LF
UNIT PRICE EXTENSION (Quantity times Unit Price)		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. # ____	1000 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 400 SQ. IN. CROSS SECTION MAX, 4000 PSI
REF NO.	QUANTITY	UNIT OF MEASURE
1000	50.00	LF
UNIT PRICE EXTENSION (Quantity times Unit Price)		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

REVISED PER ADDENDUM 1
CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1010 COLD MILLING EXISTING ASPHALT (PER INCH DEPTH)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1010	5.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1020 BITUMINOUS HOT MIX ASPHALT PATCHING AND LEVELING		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1020	1.00	TN		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1030 VEHICLE DETECTOR INDUCTIVE LOOP INSTALLATION OR REPLACEMENT		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1030	5.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1040 1 INCH, 2 INCH, OR 3 INCH P.V.C. CONDUIT IN EARTH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1040	5.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1050 ROAD GRADER AND OPERATOR (VENDOR TO INDICATE TYPE OF GRADER TO BE FURNISHED)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1050	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1060 PAVEMENT BREAKER, SELF-CONTAINED MOBILE WITH OPERATOR		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1060	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1070 GRADE-ALL WITH OPERATOR		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1070	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #	1080 DUMP TRUCK, TANDEM, 12 CU. YD. MINIMUM CAPACITY WITH DRIVE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1080	8.00	HR		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00133108

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

REVISED PER ADDENDUM 1
**CONCRETE (STREET) MAINTENANCE FOR THE
JEFFERSON PARISH DEPARTMENT OF PUBLIC
WORKS, STREETS AND ALL JEFFERSON PARISH
AGENCIES AND MUNICIPALITIES**
(Owner to provide name of project
and other identifying information)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1090 DUMP TRUCK, TRAILER, 24 CU. YD. MINIMUM CAPACITY WITH DRIVER			
	<input type="checkbox"/> Alt. # _____			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1090	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1100 STREET SWEEPER 10 FT. SWEEP PATTERN 8 FT. MAIN BROOM, TWO (2) FT. SIDE BROOMS 3.5 CUYD (MIN.) FRONT LOADING HOPPER WITH OPERATOR			
	<input type="checkbox"/> Alt. # _____			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1100	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1110 DOZER/D3 OR EQUAL WITH OPERATOR			
	<input type="checkbox"/> Alt. # _____			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1110	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1120 NORTH AMERICAN GREEN S75 STRAW EROSION CONTROL BLANKET OR EQUIVALENT			
	<input type="checkbox"/> Alt. # _____			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1120	5.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1130 NORTH AMERICAN GREEN S150 STRAW EROSION CONTROL BLANKET OR EQUIVALENT			
	<input type="checkbox"/> Alt. # _____			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1130	5.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid 1140 NIGHT WORK			
	<input type="checkbox"/> Alt. # _____			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1140	1.00	JOB		

DESCRIPTION:	<input type="checkbox"/> Base Bid			
	<input type="checkbox"/> Alt. # _____			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input type="checkbox"/> Base Bid			
	<input type="checkbox"/> Alt. # _____			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.